

APRIL 2026 RACER PRICING

| PEM PART NUMBER | Description | RACER PRICE |
|-----------------|----------------------------------|-------------|
| 61001 | Standard Quick Change Gear 21/21 | 83.49 |
| 61002 | Standard Quick Change Gear 27/28 | 83.49 |
| 61003 | Standard Quick Change Gear 25/31 | 83.49 |
| 61004 | Standard Quick Change Gear 24/31 | 83.49 |
| 61006 | Standard Quick Change Gear 23/25 | 83.49 |
| 61007 | Standard Quick Change Gear 23/26 | 83.49 |
| 61008 | Standard Quick Change Gear 22/26 | 83.49 |
| 61009 | Standard Quick Change Gear 19/23 | 83.49 |
| 61010 | Standard Quick Change Gear 20/27 | 83.49 |
| 61011 | Standard Quick Change Gear 22/27 | 83.49 |
| 61012 | Standard Quick Change Gear 26/29 | 83.49 |
| 61013 | Standard Quick Change Gear 20/25 | 83.49 |
| 61014 | Standard Quick Change Gear 23/32 | 83.49 |
| 61015 | Standard Quick Change Gear 19/20 | 83.49 |
| 61016 | Standard Quick Change Gear 24/32 | 83.49 |
| 61017 | Standard Quick Change Gear 19/22 | 83.49 |
| 61018 | Standard Quick Change Gear 19/24 | 83.49 |
| 61019 | Standard Quick Change Gear 21/25 | 83.49 |
| 61020 | Standard Quick Change Gear 20/26 | 83.49 |
| 61021 | Standard Quick Change Gear 17/26 | 83.49 |
| 61022 | Standard Quick Change Gear 19/25 | 83.49 |
| 61023 | Standard Quick Change Gear 18/27 | 83.49 |
| 61024 | Standard Quick Change Gear 20/29 | 83.49 |
| 61025 | Standard Quick Change Gear 20/22 | 83.49 |
| 61026 | Standard Quick Change Gear 27/29 | 83.49 |
| 61027 | Standard Quick Change Gear 22/34 | 83.49 |
| 61028 | Standard Quick Change Gear 19/30 | 83.49 |
| 61029 | Standard Quick Change Gear 15/24 | 83.49 |
| 61030 | Standard Quick Change Gear 16/26 | 83.49 |
| 61031 | Standard Quick Change Gear 21/35 | 83.49 |
| 61032 | Standard Quick Change Gear 19/27 | 83.49 |
| 61034 | Standard Quick Change Gear 16/22 | 83.49 |

| | | |
|-------|----------------------------------|--------|
| 61035 | Standard Quick Change Gear 17/24 | 83.49 |
| 61036 | Standard Quick Change Gear 17/25 | 83.49 |
| 61037 | Standard Quick Change Gear 23/34 | 83.49 |
| 61041 | Standard Quick Change Gear 17/28 | 83.49 |
| 61043 | Standard Quick Change Gear 16/25 | 83.49 |
| 61050 | Standard Quick Change Gear 20/35 | 83.49 |
| 61052 | Standard Quick Change Gear 18/32 | 83.49 |
| 65001 | Premium Quick Change Gear 21/21 | 159.95 |
| 65002 | Premium Quick Change Gear 27/28 | 159.95 |
| 65003 | Premium Quick Change Gear 25/31 | 159.95 |
| 65004 | Premium Quick Change Gear 24/31 | 159.95 |
| 65006 | Premium Quick Change Gear 23/25 | 159.95 |
| 65007 | Premium Quick Change Gear 23/26 | 159.95 |
| 65008 | Premium Quick Change Gear 22/26 | 159.95 |
| 65009 | Premium Quick Change Gear 19/23 | 159.95 |
| 65010 | Premium Quick Change Gear 20/27 | 159.95 |
| 65011 | Premium Quick Change Gear 22/27 | 159.95 |
| 65012 | Premium Quick Change Gear 26/29 | 159.95 |
| 65013 | Premium Quick Change Gear 20/25 | 159.95 |
| 65014 | Premium Quick Change Gear 23/32 | 159.95 |
| 65015 | Premium Quick Change Gear 19/20 | 159.95 |
| 65016 | Premium Quick Change Gear 24/32 | 159.95 |
| 65017 | Premium Quick Change Gear 19/22 | 159.95 |
| 65018 | Premium Quick Change Gear 19/24 | 159.95 |
| 65019 | Premium Quick Change Gear 21/25 | 159.95 |
| 65020 | Premium Quick Change Gear 20/26 | 159.95 |
| 65021 | Premium Quick Change Gear 17/26 | 159.95 |
| 65022 | Premium Quick Change Gear 19/25 | 159.95 |
| 65023 | Premium Quick Change Gear 18/27 | 159.95 |
| 65024 | Premium Quick Change Gear 20/29 | 159.95 |
| 65025 | Premium Quick Change Gear 20/22 | 159.95 |
| 65026 | Premium Quick Change Gear 27/29 | 159.95 |
| 65027 | Premium Quick Change Gear 22/34 | 159.95 |
| 65028 | Premium Quick Change Gear 19/30 | 159.95 |
| 65029 | Premium Quick Change Gear 15/24 | 159.95 |
| 65030 | Premium Quick Change Gear 16/26 | 159.95 |

| | | |
|--------|--|--------|
| 65031 | Premium Quick Change Gear 21/35 | 159.95 |
| 65032 | Premium Quick Change Gear 19/27 | 159.95 |
| 65034 | Premium Quick Change Gear 16/22 | 159.95 |
| 65035 | Premium Quick Change Gear 17/24 | 159.95 |
| 65036 | Premium Quick Change Gear 17/25 | 159.95 |
| 65037 | Premium Quick Change Gear 23/34 | 159.95 |
| 65040 | Premium Quick Change Gear 19/31 | 159.95 |
| 65041 | Premium Quick Change Gear 17/28 | 159.95 |
| 65043 | Premium Quick Change Gear 16/25 | 159.95 |
| 65050 | Premium Quick Change Gear 20/35 | 159.95 |
| 65052 | Premium Quick Change Gear 18/32 | 159.95 |
| 65054 | Premium Quick Change Gear 15/27 | 159.95 |
| 65056 | Premium Quick Change Gear 17/31 | 159.95 |
| 61001Q | Standard Quick Change Gear 35/36 | 83.49 |
| 61004Q | Standard Quick Change Gear 18/23 | 83.49 |
| 61007Q | Standard Quick Change Gear 21/24 | 83.49 |
| 61008Q | Standard Quick Change Gear 23/27 | 83.49 |
| 61009Q | Standard Quick Change Gear 25/30 | 83.49 |
| 61010Q | Standard Quick Change Gear 22/30 | 83.49 |
| 61014Q | Standard Quick Change Gear 20/28 | 83.49 |
| 61015Q | Standard Quick Change Gear 15/16 | 83.49 |
| 61017Q | Standard Quick Change Gear 24/28 | 83.49 |
| 61018Q | Standard Quick Change Gear 22/28 | 83.49 |
| 61023Q | Standard Quick Change Gear 23/35 | 83.49 |
| 61031Q | Standard Quick Change Gear 14/24 | 83.49 |
| 61032Q | Standard Quick Change Gear 23/33 | 83.49 |
| 61033Q | Standard Quick Change Gear 16/27 | 83.49 |
| 65001A | Premium Quick Change Gear 35/36 | 159.95 |
| 65004A | Premium Quick Change Gear 18/23 | 159.95 |
| 65007A | Premium Quick Change Gear 21/24 | 159.95 |
| 65008A | Premium Quick Change Gear 23/27 | 159.95 |
| 65009A | Premium Quick Change Gear 25/30 | 159.95 |
| 65010A | Premium Quick Change Gear 22/30 | 159.95 |
| 65014A | Premium Quick Change Gear 20/28 | 159.95 |
| 65015A | Polished, no weight reduction. Quick Change Gear teeth 15/16 | 124.95 |
| 65017A | Premium Quick Change Gear 24/28 | 159.95 |

| | | |
|-------------------------|---|--------|
| 65018A | Premium Quick Change Gear 22/28 | 159.95 |
| 65020A | Premium Quick Change Gear 21/27 | 159.95 |
| 65021A | Premium Quick Change Gear 15/23 | 159.95 |
| 65023A | Premium Quick Change Gear 23/35 | 159.95 |
| 65028A | Premium Quick Change Gear 17/27 | 159.95 |
| 65030A | Premium Quick Change Gear 15/26 | 159.95 |
| 65031A | Premium Quick Change Gear 14/24 | 159.95 |
| 65032A | Premium Quick Change Gear 23/33 | 159.95 |
| 65033A | Premium Quick Change Gear 16/27 | 159.95 |
| AAM 40019801 | 1344/3R Serrated Flange Yoke- Dodge | 77.95 |
| AAM 40038359 | 1355 Serrated Flange Yoke- Dodge | 78.24 |
| AAM 40055527 | 1415 Flange Yoke- RAM *Rectangle Bolt Circle*** | 133.39 |
| AAM 40055528 | 1485/1480 Flange Yoke | 118.69 |
| AB CompleteMountK | A Body Complete Mount Kit | 300.39 |
| AB UpperTAKit | A Body Upper Trailing Arm Kit | 107.57 |
| BA1535TAV | Ford 9 inch Pilot Bearing | 23.42 |
| BCalsp1 | Brake Caliper Spacer for GM Metric spaces pads out .25inches. 2.37inches OD e | 7.64 |
| BenchYoke | Bench Yoke Assembly - not painted | 236.04 |
| BHKit | Rear Brake Line Kit For the Street Market | 49.95 |
| B-On BBPE | Brake Backing Plate Eliminator - Big Ford, Torino and Old Style for 3.15 bearing | 7.64 |
| B-On BBPE R | Brake Backing Plate Eliminator - Big Ford, Torino and Old Style for 3.15 bearing | 7.64 |
| B-On BBPE Sm Ford | Brake Backing Plate Eliminator Small Ford | 7.64 |
| B-On BBPE Sm Ford R | Brake Backing Plate Eliminator Small Ford | 7.64 |
| B-On BracketKit | Bracket Kit for Bolt On Disc Brakes - both sides | 104.93 |
| B-On BracketKit Sm Ford | Bracket Kit for Bolt On Disc Brakes - both sides ****SMALL FORD*** | 104.93 |
| B-On DBK | Bolt On Disc Brake Kit | 349.00 |
| B-On DBK 3BP | Bolt On Disc Brake Kit with 3 bolt circle patters 5x4.5, 5x4.75, and 5x5 | 374.66 |
| B-On DBK DS | Bolt On Disc Brake Kit with Dimpled/Slotted Rotors | 389.00 |
| B-On DBK DS 3BP | Bolt On Disc Brake Kit with Dimpled/Slotted Rotors with 3 bolt circle patters 5x4. | 399.84 |
| B-On DBK Small Ford | Bolt On Disc Brake Kit- Small Ford | 349.00 |
| B-On DBK w/E | Bolt On Disc Brake Kit w/ E Brake | 459.00 |
| B-On DBK w/E 3BP | Bolt On Disc Brake Kit w/ E Brake with 3 bolt circle patters 5x4.5, 5x4.75, and 5x! | 484.66 |
| B-On DBK w/E DS | Bolt On Disc Brake Kit w/ E Brake and Dimpled/Slotted Rotors | 495.00 |
| B-On DBK w/E DS 3BP | Bolt On Disc Brake Kit w/ E Brake and Dimpled/Slotted Rotors with 3 bolt circle p | 509.84 |
| B-On DBK w/E Small Ford | Bolt On Disc Brake SMALL FORD Kit w/ E Brake | 459.00 |
| B-On HEsp | Bolt On Housing End Side Plate | 19.19 |

| | | |
|-------------------|---|--------|
| B-On HEsp Sm Ford | Bolt On Housing End Side Plate Small Ford | 19.19 |
| BPKit | BPKit Bearing Puller Kit, up to F 10.5 inches and Dana 80 Carrier | 149.00 |
| BrakeSet | Brake Set 2 GM metric brake calipers, pads and bolts | 168.62 |
| BrakeSet w/E | Brake Set with two Emergency brake calipers, pads & bolts | 230.82 |
| BS-GN | GN Hub Bearing Spacer for 2.5 inch ID bearing GN Rear Hubs | 42.95 |
| BS-Hybrid | Bearing Spacer for Hybrid Rotor on an OEM Pinto or Mustang II Spindle and IMC | 42.95 |
| BS-Metric | Metric Bearing Spacer for 1978-1988 GM Metric Hub and Rotor | 42.95 |
| BS-W5 | W5 Hub Bearing Spacer | 42.95 |
| CF-2-275-125-800 | CF 27.5 inches .125 Carbon Fiber 1310 ENDS with U-Joints 8 inch Slip Yoke | 739.00 |
| CF-2-275-125J | CF 27.5 inches .125 Carbon Fiber 1310 ENDS with U-Joints | 685.00 |
| CF-2-280-125J | CF 28.0 inch .125 Carbon Fiber 1310 ENDS with U-Joints | 685.00 |
| CF-2-28-125-800 | CF 28 inches .125 Carbon Fiber 1310 ENDS with U-Joints 8 inch Slip Yoke | 739.00 |
| CF-2-285-125-800 | CF 28.5 inch .125 Carbon Fiber 1310 ENDS with U-Joints 8 inch Slip Yoke | 739.00 |
| CF-2-285-125J | CF 28.5 inch .125 Carbon Fiber 1310 ENDS with U-Joints | 685.00 |
| CF-2-290-125-10 | CF 29 inch .125 Carbon Fiber 1310 ENDS with U-Joints 10 inch Slip Yoke | 749.00 |
| CF-2-290-125-800 | CF 29 inch .125 Carbon Fiber 1310 ENDS with U-Joints 8 inch Slip Yoke | 739.00 |
| CF-2-290-125J | CF 29 inch .125 Carbon Fiber 1310 ENDS with U-Joints | 685.00 |
| CF-2-295-125-800 | CF 29.5 inch .125 Carbon Fiber 1310 ENDS with U-Joints 8 inch Slip Yoke | 739.00 |
| CF-2-295-125J | CF 29.5 inch .125 Carbon Fiber 1310 ENDS with U-Joints | 685.00 |
| CF-2-300-125-800 | CF 30 inch .125 Carbon Fiber 1310 ENDS with U-Joints 8 inch Slip Yoke | 739.00 |
| CF-2-300-125J | CF 30 inch .125 Carbon Fiber 1310 ENDS with U-Joints | 685.00 |
| CF-2-305-125-800 | CF 30.5 inch .125 Carbon Fiber 1310 ENDS with U-Joints 8 inch Slip Yoke | 739.00 |
| CF-2-305-125J | CF 30.5 inch .125 Carbon Fiber 1310 ENDS with U-Joints | 685.00 |
| CF-2-310-125-800 | CF 31 inch .125 Carbon Fiber 1310 ENDS with U-Joints 8 inch Slip Yoke | 739.00 |
| CF-2-310-125J | CF 31 inch .125 Carbon Fiber 1310 ENDS with U-Joints | 685.00 |
| CF-2-315-125-800 | CF 31.5 inch .125 Carbon Fiber 1310 ENDS with U-Joints 8 inch Slip Yoke | 739.00 |
| CF-2-315-125J | CF 31.5 inch .125 Carbon Fiber 1310 ENDS with U-Joints | 685.00 |
| CF-2-320-125-800 | CF 32 inch .125 Carbon Fiber 1310 ENDS with U-Joints 8 inch Slip Yoke | 739.00 |
| CF-2-320-125J | CF 32 inch .125 Carbon Fiber 1310 ENDS with U-Joints | 685.00 |
| CF-2-325-125-800 | CF 32.5 inch .125 Carbon Fiber 1310 ENDS with U-Joints 8 inch Slip Yoke | 739.00 |
| CF-2-325-125J | CF 32.5 inch .125 Carbon Fiber 1310 ENDS with U-Joints | 685.00 |
| CF-2-330-125-800 | CF 33 inch .125 Carbon Fiber 1310 ENDS with U-Joints 8 inch Slip Yoke | 739.00 |
| CF-2-330-125J | CF 33 inch .125 Carbon Fiber 1310 ENDS with U-Joints | 685.00 |
| CF-2-335-125-800 | CF 33.5 inch .125 Carbon Fiber 1310 ENDS with U-Joints 8 inch Slip Yoke | 739.00 |
| CF-2-335-125J | CF 33.5 inch .125 Carbon Fiber 1310 ENDS with U-Joints | 685.00 |
| CF-2-340-125J | CF 34 inch .125 Carbon Fiber 1310 ENDS with U-Joints | 685.00 |

| | | |
|-------------------|--|--------|
| CF-2-345-125-800 | CF 34.5 inch .125 Carbon Fiber 1310 ENDS with U-Joints 8 inch Slip Yoke | 739.00 |
| CF-2-345-125J | CF 34.5 inch .125 Carbon Fiber 1310 ENDS with U-Joints | 685.00 |
| CF-2-350-125-800 | CF 35 inch .125 Carbon Fiber 1310 ENDS with U-Joints 8 inch Slip Yoke | 739.00 |
| CF-2-350-125J | CF 35 inch .125 Carbon Fiber 1310 ENDS with U-Joints | 685.00 |
| CF-2-360-125-800 | CF 36 inch .125 Carbon Fiber 1310 ENDS with U-Joints 8 inch Slip Yoke | 739.00 |
| CF-2-360-125J | CF 36 inch .125 Carbon Fiber 1310 ENDS with U-joints | 685.00 |
| CF-2-365-125J | CF 36.5 inch .125 Carbon Fiber 1310 ENDS with U-Joints | 685.00 |
| CF-2-370-125-800 | CF 37 inch .125 Carbon Fiber 1310 ENDS with U-Joints 8 inch Slip Yoke | 739.00 |
| CF-2-370-125J | CF 37 inch .125 Carbon Fiber 1310 ENDS with U-Joints | 685.00 |
| CF-2-380-125-800 | CF 38 inch .125 Carbon Fiber 1310 ENDS with U-Joints 8 inch Slip Yoke | 739.00 |
| CF-2-380-125J | CF 38.0 inch .125 Carbon Fiber 1310 ENDS with U-Joints | 685.00 |
| CF-2-395-125-800 | CF 39.5 inch .125 Carbon Fiber 1310 ENDS with U-Joints 8 inch Slip Yoke | 838.85 |
| CF-2-395-125J | CF 39.5 inch .125 Carbon Fiber 1310 ENDS with U-Joints | 847.69 |
| CF-25-125-LT | 2.75 inch OD CF .125 Carbon Fiber LONG TUBE 1310 END with U-Joints 39.5 | 865.02 |
| CF-25-125-ST | 2.75 inch OD CF .125 Carbon Fiber 1310 ENDS with U-Joints 20 inch up to 39.5 | 739.00 |
| CF-25-155-LT | 2.81 inch OD CF .155 Carbon Fiber LONG TUBE 1310 ENDS with U-Joints 39.5 | 928.00 |
| CF-25-155-ST | 2.81 inch OD CF .155 Carbon Fiber 1310 ENDS with U-Joints 20 inch up to 39.5 | 745.00 |
| CF-25-275-125-800 | CF 27.5 inch .125 Carbon Fiber 1310 ENDS with U-Joints 8 inch Slip Yoke | 799.00 |
| CF-25-275-125J | CF 27.5 inch .125 Carbon Fiber 1310 ENDS with U-Joints | 739.00 |
| CF-25-275-155-800 | CF 27.5 inch .155 Carbon Fiber 1310 ENDS with U-Joints 8 inch Slip Yoke | 799.00 |
| CF-25-275-155J | CF 27.5 inch .155 Carbon Fiber 1310 ENDS with U-Joints | 745.00 |
| CF-25-305-125J | CF 30.5 inch inch .125 Carbon Fiber 1310 ENDS with U-Joints | 739.00 |
| CF-25-325-125J | CF 32.5 inch inch .125 Carbon Fiber 1310 ENDS with U-Joints | 739.00 |
| CF-25-335-125J | CF 33.5 inch inch .125 Carbon Fiber 1310 ENDS with U-Joints | 739.00 |
| CF-25-335-155J | CF 33.5 inch .155 Carbon Fiber 1310 ENDS with U-Joints | 745.00 |
| CF-25-340-125-800 | CF 34.0 inch .125 Carbon Fiber 1310 ENDS with U-Joints 8 inch Slip Yoke | 799.00 |
| CF-25-340-125J | CF 34.0 inch inch .125 Carbon Fiber 1310 ENDS with U-Joints | 739.00 |
| CF-25-340-155J | CF 34.0 inch .155 Carbon Fiber 1310 ENDS with U-Joints | 745.00 |
| CF-25-345-125-800 | CF 34.5 inch .125 Carbon Fiber 1310 ENDS with U-Joints 8 inch Slip Yoke | 799.00 |
| CF-25-345-125J | CF 34.5 inch inch .125 Carbon Fiber 1310 ENDS with U-Joints | 739.00 |
| CF-25-345-155J | CF 34.5 inch .155 Carbon Fiber 1310 ENDS with U-Joints | 745.00 |
| CF-25-350-125-800 | CF 35.0 inch .125 Carbon Fiber 1310 ENDS with U-Joints 8 inch Slip Yoke | 799.00 |
| CF-25-350-125J | CF 35.0 inch inch .125 Carbon Fiber 1310 ENDS with U-Joints | 739.00 |
| CF-25-350-155J | CF 35.0 inch .155 Carbon Fiber 1310 ENDS with U-Joints | 745.00 |
| CF-25-355-125-800 | CF 35.5 inch .125 Carbon Fiber 1310 ENDS with U-Joints 8 inch Slip Yoke | 799.00 |

| | | |
|--------------------|---|--------|
| CF-25-355-125J | CF 35.5 inch inch .125 Carbon Fiber 1310 ENDS with U-Joints | 739.00 |
| CF-25-355-155J | CF 35.5 inch .155 Carbon Fiber 1310 ENDS with U-Joints | 745.00 |
| CF-25-360-125-800 | CF 36.0 inch .125 Carbon Fiber 1310 ENDS with U-Joints 8 inch Slip Yoke | 799.00 |
| CF-25-360-125J | CF 36.0 inch inch .125 Carbon Fiber 1310 ENDS with U-Joints | 739.00 |
| CF-25-360-155J | CF 36.0 inch .155 Carbon Fiber 1310 ENDS with U-Joints | 745.00 |
| CF-25-3625-125-800 | CF 36.25 inch .125 Carbon Fiber 1310 ENDS with U-Joints 8 inch Slip Yoke | 799.00 |
| CF-25-365-125-800 | CF 36.5 inch .125 Carbon Fiber 1310 ENDS with U-Joints 8 inch Slip Yoke | 799.00 |
| CF-25-365-125J | CF 36.5 inch inch .125 Carbon Fiber 1310 ENDS with U-Joints | 739.00 |
| CF-25-365-155J | CF 36.5 inch .155 Carbon Fiber 1310 ENDS with U-Joints | 745.00 |
| CF-25-370-125-800 | CF 37.0 inch .125 Carbon Fiber 1310 ENDS with U-Joints Slip Yoke Balanced | 799.00 |
| CF-25-370-125J | CF 37.0 inch inch .125 Carbon Fiber 1310 ENDS with U-Joints | 739.00 |
| CF-25-370-155J | CF 37.0 inch .155 Carbon Fiber 1310 ENDS with U-Joints | 745.00 |
| CF-25-375-125-800 | CF 37.5 inch .125 Carbon Fiber 1310 ENDS with U-Joints 8 inch Slip Yoke | 799.00 |
| CF-25-375-125J | CF 37.5 inch inch .125 Carbon Fiber 1310 ENDS with U-Joints | 739.00 |
| CF-25-375-155J | CF 37.5 inch .155 Carbon Fiber 1310 ENDS with U-Joints | 745.00 |
| CF-25-380-125-800 | CF 38.0 inch .125 Carbon Fiber 1310 ENDS with U-Joints 8 inch Slip Yoke | 799.00 |
| CF-25-380-125J | CF 38.0 inch inch .125 Carbon Fiber 1310 ENDS with U-Joints | 739.00 |
| CF-25-380-155J | CF 38.0 inch .155 Carbon Fiber 1310 ENDS with U-Joints | 745.00 |
| CF-25-385-125-800 | CF 38.5 inch .125 Carbon Fiber 1310 ENDS with U-Joints Slip Yoke Balanced | 799.00 |
| CF-25-385-125J | CF 38.5 inch inch .125 Carbon Fiber 1310 ENDS with U-Joints | 739.00 |
| CF-25-385-155J | CF 38.5 inch .155 Carbon Fiber 1310 ENDS with U-Joints | 745.00 |
| CF-25-390-125-800 | CF 39.0 inch .125 Carbon Fiber 1310 ENDS with U-Joints 8 inch Slip Yoke | 799.00 |
| CF-25-390-125J | CF 39.0 inch inch .125 Carbon Fiber 1310 ENDS with U-Joints | 739.00 |
| CF-25-390-155J | CF 39.0 inch .155 Carbon Fiber 1310 ENDS with U-Joints | 745.00 |
| CF-25-395-125-800 | CF 39.5 inch .125 Carbon Fiber 1310 ENDS with U-Joints 8 inch Slip Yoke | 899.00 |
| CF-25-395-125J | CF 39.5 inch .125 Carbon Fiber 1310 ENDS with U-Joints | 842.00 |
| CF-25-395-155-800 | CF 39.5 inch .155 Carbon Fiber 1310 ENDS with U-Joints 8 inch Slip Yoke | 988.00 |
| CF-25-395-155J | CF 39.5 inch .155 Carbon Fiber 1310 ENDS with U-Joints | 928.00 |
| CF-25-475-125J | CF 47.5 inch .125 Carbon Fiber 1310 ENDS with U-Joints | 865.02 |
| CF-3-125-LT | CF 3.25 inch OD .125 Carbon Fiber LONG TUBE 1310 Ends with U-Joints No sli | 847.69 |
| CF-3-125-ST | CF 3.25 inch OD .125 Carbon Fiber 1310 ENDS with U-Joints no slip yoke 20 ii | 649.00 |
| CF-3-275-125-1350 | CF 27.5 inch .125 Carbon Fiber 1350 ENDS with U-Joints | 995.00 |
| CF-3-275-125-800 | CF 27.5 inch .125 Carbon Fiber 1310 ENDS with U-Joints 8 inch Slip Yoke Balan | 729.00 |
| CF-3-275-125J | CF 27.5 inch .125 Carbon Fiber 1310 ENDS with U-Joints no slip yoke | 649.00 |
| CF-3-335-125-800 | CF 33.5 inch .125 Carbon Fiber 1310 ENDS with U-Joints 8 inch Slip Yoke | 729.00 |
| CF-3-335-125J | CF 33.5 inch .125 Carbon Fiber 1310 ENDS with U-Joints no slip yoke | 729.00 |

| | | |
|----------------------|---|---------|
| CF-3-340-125-800 | CF 34 inch .125 Carbon Fiber 1310 ENDS with U-Joints 8 inch Slip Yoke | 729.00 |
| CF-3-340-125J | CF 34 inch .125 Carbon Fiber 1310 ENDS with U-Joints no slip yoke | 649.00 |
| CF-3-345-125-800 | CF 34.5 inch .125 Carbon Fiber 1310 ENDS with U-Joints 8 inch Slip Yoke | 729.00 |
| CF-3-345-125J | CF 34.5 inch .125 Carbon Fiber 1310 ENDS with U-Joints no slip yoke | 649.00 |
| CF-3-350-125-800 | CF 35.0 inch .125 Carbon Fiber 1310 ENDS with U-Joints 8 inch Slip Yoke | 729.00 |
| CF-3-350-125J | CF 35.0 inch .125 Carbon Fiber 1310 ENDS with U-Joints no slip yoke | 649.00 |
| CF-3-355-125-800 | CF 35.5 inch .125 Carbon Fiber 1310 ENDS with U-Joints 8 inch Slip Yoke | 729.00 |
| CF-3-355-125J | CF 35.5 inch .125 Carbon Fiber 1310 ENDS with U-Joints no alip yoke | 649.00 |
| CF-3-360-125-800 | CF 36.0 inch .125 Carbon Fiber 1310 ENDS with U-Joints 8 inch Slip Yoke | 729.00 |
| CF-3-360-125J | CF 36.0 inch .125 Carbon Fiber 1310 ENDS with U-Joints no slip yoke | 649.00 |
| CF-3-365-125-800 | CF 36.5 inch .125 Carbon Fiber 1310 ENDS with U-Joints 8 inch Slip Yoke | 729.00 |
| CF-3-365-125J | CF 36.5 inch .125 Carbon Fiber 1310 ENDS with U-Joints no slip yoke | 649.00 |
| CF-3-370-125-800 | CF 37.0 inch .125 Carbon Fiber 1310 ENDS with U-Joints 8 inch Slip Yoke | 729.00 |
| CF-3-370-125J | CF 37.0 inch .125 Carbon Fiber 1310 ENDS with U-Joints no slip yoke | 649.00 |
| CF-3-375-125-800 | CF 37.5 inch .125 Carbon Fiber 1310 ENDS with U-Joints 8 inch Slip Yoke | 729.00 |
| CF-3-375-125J | CF 37.5 inch .125 Carbon Fiber 1310 ENDS with U-Joints | 649.00 |
| CF-3-380-125-800 | CF 38.0 inch .125 Carbon Fiber 1310 ENDS with U-Joints 8 inch Slip Yoke | 729.00 |
| CF-3-380-125J | CF 38.0 inch .125 Carbon Fiber 1310 ENDS with U-Joints no slip yoke | 649.00 |
| CF-3-385-125-800 | CF 38.5 inch .125 Carbon Fiber 1310 ENDS with U-Joints 8 inch Slip Yoke | 729.00 |
| CF-3-385-125J | CF 38.5 inch .125 Carbon Fiber 1310 ENDS with U-Joints | 649.00 |
| CF-3-390-125-800 | CF 39.0 inch .125 Carbon Fiber 1310 ENDS with U-Joints 8 inch Slip Yoke | 729.00 |
| CF-3-390-125J | CF 39.0 inch .125 Carbon Fiber 1310 ENDS with U-Joints | 649.00 |
| CF-3-395-125-1350 | CF 39.5 inch .125 Carbon Fiber 1350 ENDS with U-Joints | 1095.00 |
| CF-3-395-125-800 | CF 39.5 inch .125 Carbon Fiber 1310 ENDS with U-Joints 8 inch Slip Yoke Balan | 928.13 |
| CF-3-395-125J | CF 39.5 inch .125 Carbon Fiber 1310 ENDS with U-Joints | 847.69 |
| CF-3-455-125-800 | CF 45.5 inch .125 Carbon Fiber 1310 ENDS with U-Joints 8 inch Slip Yoke Balan | 928.13 |
| CF-3-480-125-800 | CF 48.0 inch .125 Carbon Fiber 1310 ENDS with U-Joints 8 inch Slip Yoke Balan | 928.13 |
| CF-3-505-125-800 | CF 50.5 inch .125 Carbon Fiber 1310 ENDS with U-Joints 8 inch Slip Yoke Balan | 928.13 |
| CF-35-125-S650-10R80 | CF .125 Carbon Fiber 1350 Ends with U-Joints and aluminum Sonnax Flanges | 1895.00 |
| CF-35-44875-125-1350 | CF 44.875 inch inch .125 Carbon Fiber 1350 ENDS with U-Joints | 1469.00 |
| CF-35-LT-125-1350 | CF 3.75 OD Long 39.5 inch up to 58.75 inch c-c .125 Carbon Fiber 1350 ENDS v | 1469.00 |
| CF-35-LT-125-1410 | CF 3.75 OD Long 39.5 inch up to 58.75 inch c-c .125 Carbon Fiber 1410 ENDS | 1499.00 |
| CF-35-ST-125-1350 | CF 3.75 OD SHT 20 inch up to 40.75 inch c-c .125 Carbon Fiber 1350 ENDS | 1229.00 |
| CF-35-ST-125-1410 | CF 3.75 OD SHT 20 inch up to 40.75 inch c-c.125 Carbon Fiber 1410 ENDS with | 1259.00 |
| CF-4-LT-125-1350 | CF 4 inch OD .125 Carbon Fiber 39.5 inch up to 58.75 inch c-c 1350 ENDS with | 1601.21 |

| | | |
|------------------|--|---------|
| CF-4-LT-125-1410 | CF 4 inch OD .125 Carbon Fiber 39.5 inch up to 58.75 inch c-c 1410 ENDS with | 1465.00 |
| CF-4-ST-125-1350 | CF 4 inch OD .125 Carbon Fiber 27.5 inch up to 39.0 inch c-c 1350 ENDS with U | 1265.00 |
| CF-4-ST-125-1410 | CF 4 inch OD .125 Carbon Fiber 27.5 inch up to 39.0 inch c-c 1410 ENDS with U | 1295.00 |
| Cryo R&P | Cyrogenic Treat Ring and Pinion | 79.50 |
| CSFS32531 STG | NEW Center Section Full Spool 325 Ratio 31 Spline with Premium ring & pinion v | 1061.21 |
| CSFS35028 | New Center Section FS 350 Ratio 28 Spline with 1310 Short Narrow Yoke - circle | 798.86 |
| CSFS35031 | NEW Center Section FS 350 Ratio 31 Spline with 1310 Short Narrow Yoke - circl | 798.86 |
| CSFS37028 | NEW Center Section FS 370 Ratio 28 Spline with 1310 Short Narrow Yoke - circl | 798.86 |
| CSFS37031 | NEW Center Section FS 370 Ratio 31 Spline with 1310 Short Narrow Yoke - circl | 798.86 |
| CSFS38928 | NEW Center Section FS 389 Ratio 28 Spline with 1310 Short Narrow Yoke - circl | 798.86 |
| CSFS38931 | NEW Center Section FS 389 Ratio 31 Spline with 1310 Short Narrow Yoke - circl | 798.86 |
| CSFS41128 | NEW Center Section FS 411 Ratio 28 Spline with 1310 Short Narrow Yoke - circl | 798.86 |
| CSFS41131 | NEW Center Section FS 411 Ratio 31 Spline with 1310 Short Narrow Yoke - circl | 798.86 |
| CSFS43028 | NEW Center Section FS 430 Ratio 28 Spline with 1310 Short Narrow Yoke - circl | 798.86 |
| CSFS43031 | NEW Center Section FS 430 Ratio 31 Spline with 1310 Short Narrow Yoke - circl | 798.86 |
| CSFS45728 | NEW Center Section FS 457 Ratio 28 Spline with 1310 Short Narrow Yoke - circl | 798.86 |
| CSFS45731 | NEW Center Section FS 457 Ratio 31 Spline with 1310 Short Narrow Yoke - circl | 798.86 |
| CSFS47128 | NEW Center Section FS 471 Ratio 28 Spline with 1310 Short Narrow Yoke - circl | 798.86 |
| CSFS47131 | NEW Center Section FS 471 Ratio 31 Spline with 1310 Short Narrow Yoke - circl | 798.86 |
| CSFS48628 | NEW Center Section FS 486 Ratio 28 Spline with 1310 Short Narrow Yoke - circl | 798.86 |
| CSFS48631 | NEW Center Section FS 486 Ratio 31 Spline with 1310 Short Narrow Yoke - circl | 798.86 |
| CSFS50028 | NEW Center Section FS 500 Ratio 28 Spline with 1310 Short Narrow Yoke - circl | 798.86 |
| CSFS50031 | NEW Center Section FS 500 Ratio 31 Spline with 1310 Short Narrow Yoke - circl | 798.86 |
| CSFS51428 | NEW Center Section FS 514 Ratio 28 Spline with 1310 Short Narrow Yoke - circl | 798.86 |
| CSFS51431 | NEW Center Section FS 514 Ratio 31 Spline with 1310 Short Narrow Yoke - circl | 798.86 |
| CSFS51431LW | NEW Center Section FS 514 Ratio 31 Spline Lightened Gear with 1310 Short Na | 851.33 |
| CSFS52928 | NEW Center Section FS 529 Ratio 28 Spline with 1310 Short Narrow Yoke - circl | 798.86 |
| CSFS52928LW | NEW Center Section FS 529 Ratio 28 Spline Lightened Gear with 1310 Short Na | 851.33 |
| CSFS52931 | NEW Center Section FS 529 Ratio 31 Spline with 1310 Short Narrow Yoke - circl | 798.86 |
| CSFS52931LW | NEW Center Section FS 529 Ratio 31 Spline Lightened Gear with 1310 Short Na | 851.33 |
| CSFS53728 | NEW Center Section FS 537 Special Ratio 28 Spline with 1310 Short Narrow Yol | 956.27 |
| CSFS53731 | NEW Center Section FS 537 Special Ratio 31 Spline with 1310 Short Narrow Yol | 956.27 |
| CSFS53731LW | NEW Center Section FS 537 Ratio 31 Spline Lightened Ring Gear with 1310 Shc | 1008.74 |
| CSFS54328 | NEW Center Section FS 543 Ratio 28 Spline with 1310 Short Narrow Yoke - circl | 798.86 |
| CSFS54328LW | NEW Center Section FS 543 Ratio 28 Spline Lightened Gear with 1310 Short Na | 851.33 |
| CSFS54331 | NEW Center Section FS 543 Ratio 31 Spline with 1310 Short Narrow Yoke - circl | 798.86 |

| | | |
|-------------|--|---------|
| CSFS54331LW | NEW Center Section FS 543 Ratio 31 Spline Lightened Gear with 1310 Short Na | 851.33 |
| CSFS55031 | NEW Center Section FS 550 Special Ratio 31 Spline with 1310 Short Narrow Yol | 956.27 |
| CSFS55731 | NEW Center Section FS 557 Special Ratio 31 Spline with 1310 Short Narrow Yol | 956.27 |
| CSFS56728 | NEW Center Section FS 567 Ratio 28 Spline with 1310 Short Narrow Yoke - circl | 798.86 |
| CSFS56728LW | NEW Center Section FS 567 Ratio 28 Spline Lightened Gear with 1310 Short Na | 851.33 |
| CSFS56731 | NEW Center Section FS 567 Ratio 31 Spline with 1310 Short Narrow Yoke - circl | 798.86 |
| CSFS56731LW | NEW Center Section FS 567 Ratio 31 Spline Lightened Gear with 1310 Short Na | 851.33 |
| CSFS57531 | NEW Center Section FS 575 Special Ratio 31 Spline with 1310 Short Narrow Yol | 956.27 |
| CSFS57531LW | NEW Center Section FS 575LW Special Ratio 31 Spline with 1310 Short Narrow | 956.27 |
| CSFS58328 | NEW Center Section FS 583 Ratio 28 Spline with 1310 Short Narrow Yoke - circl | 798.86 |
| CSFS58328LW | NEW Center Section FS 583 Ratio 28 Spline Lightened Gear with 1310 Short Na | 851.33 |
| CSFS58331 | NEW Center Section FS 583 Ratio 31 Spline with 1310 Short Narrow Yoke - circl | 798.86 |
| CSFS58331LW | NEW Center Section FS 583 Ratio 31 Spline Lightened Gear with 1310 Short Na | 851.33 |
| CSFS60028 | NEW Center Section FS 600 Ratio 28 Spline with 1310 Short Narrow Yoke - circl | 798.86 |
| CSFS60028LW | NEW Center Section FS 600 Ratio 28 Spline Lightened Gear with 1310 Short Na | 851.33 |
| CSFS60031 | NEW Center Section FS 600 Ratio 31 Spline with 1310 Short Narrow Yoke - circl | 798.86 |
| CSFS60031LW | NEW Center Section FS 600 Ratio 31 Spline Lightened Gear with 1310 Short Na | 851.33 |
| CSFS61428 | NEW Center Section FS 614 Ratio 31 Spline Lightened Gear with 1310 Short Na | 956.27 |
| CSFS61431 | NEW Center Section FS 614 Special Ratio 31 Spline with 1310 Short Narrow Yc | 956.27 |
| CSFS61431LW | NEW Center Section FS 614 Special Ratio 31 Spline with 1310 Short Narrow Yol | 1061.21 |
| CSFS62028 | NEW Center Section FS 620 Ratio 28 Spline with 1310 Short Narrow Yoke - circl | 798.86 |
| CSFS62028LW | NEW Center Section FS 620 Ratio 28 Spline Lightened Gear with 1310 Short Na | 851.33 |
| CSFS62031 | NEW Center Section FS 620 Ratio 31 Spline with 1310 Short Narrow Yoke - circl | 798.86 |
| CSFS62031LW | NEW Center Section FS 620 Ratio 31 Spline Lightened Gear with 1310 Short Na | 851.33 |
| CSFS63328 | NEW Center Section FS 633 Ration 28 Spline with 1310 Short Narrow Yoke - circl | 798.86 |
| CSFS63328LW | NEW Center Section FS 633 Ratio 28 Spline Lightened Gear with 1310 Short Na | 851.33 |
| CSFS63331 | NEW Center Section FS 633 Ratio 31 Spline with 1310 Short Narrow Yoke - circl | 798.86 |
| CSFS63331LW | NEW Center Section FS 633 Ratio 31 Spline Lightened Gear with 1310 Short Na | 851.33 |
| CSFS64331 | NEW Center Section FS 643 Ratio 31 Spline with 1310 Short Narrow Yoke - circl | 956.27 |
| CSFS65028 | NEW Center Section FS 650 Ratio 28 Spline with 1310 Short Narrow Yoke - circl | 798.86 |
| CSFS65028LW | NEW Center Section FS 650 Ratio 28 Spline Lightened Gear with 1310 Short Na | 851.33 |
| CSFS65031 | NEW Center Section FS 650 Ratio 31 Spline with 1310 Short Narrow Yoke - circl | 798.86 |
| CSFS65031LW | NEW Center Section FS 650 Ratio 31 Spline Lightened Gear with 1310 Short Na | 851.33 |
| CSFS66628LW | NEW Center Section FS 666 Ratio 28 Spline Lightened Gear with Daytona supp | 877.56 |
| CSFS66631LW | NEW Center Section FS 666 Ratio 31 Spline Lightened Gear with Daytona supp | 877.56 |
| CSFS68328LW | NEW Center Section FS 683 Ratio 28 Spline Lightened Gear with Daytona supp | 877.56 |

| | | |
|-------------|---|---------|
| CSFS68331LW | NEW Center Section FS 683 Ratio 31 Spline Lightened Gear with Daytona supp | 877.56 |
| CSFS70028LW | NEW Center Section FS 700 Ratio 28 Spline Lightened Gear with Daytona supp | 877.56 |
| CSFS70031LW | NEW Center Section FS 700 Ratio 31 Spline Lightened Gear with Daytona supp | 877.56 |
| CSFS71628LW | NEW Center Section FS 716 Ratio 28 Spline Lightened Gear with cast Daytona F | 1166.15 |
| CSFS71631LW | NEW Center Section FS 716 Ratio 31 Spline Lightened Gear with cast Daytona F | 1166.15 |
| CSFS73328LW | NEW Center Section FS 733 Ratio 28 Spline Lightened Gear with cast Daytona F | 1166.15 |
| CSFS73331LW | NEW Center Section FS 733 Ratio 31 Spline Lightened Gear with cast Daytona F | 1166.15 |
| CSFSDS28 | NEW Center Section with 28 spline Drag Spool, Daytona Support & 1350 yoke. : | 1199.90 |
| CSFSDS31 | NEW Center Section with 31 spline Drag Spool, Daytona Support & 1350 yoke. : | 1199.90 |
| CSFSDS35 | NEW Center Section with Brute Case, 35LB spline Drag Spool, Daytona Support | 1115.00 |
| CSFSOR35 | NEW Center Section with Brute Case, 35 spline large bearing full spool, Daytona | 899.99 |
| CSFSXLW | New Center Section with Xtreme Gear & Spool with YF91310S yoke | 949.71 |
| CSHT28 | NEW Center Section with 28 spline Heli Trac, Specify ratio Premium & new 1310 | 1299.00 |
| CSHT32531 | NEW Center Section with 31 spline Heli Trac, Premium 325 gear & new 1310- sl | 1299.00 |
| CSHT35031 | NEW Center Section with 31 spline Heli Trac, Premium 350 gear & new 1310-sh | 1299.00 |
| CSHT37031 | NEW Center Section with 31 spline Heli Trac, Premium 370 gear & new 1310- sl | 1299.00 |
| CSHT38931 | NEW Center Section with 31 spline Heli Trac, Premium 389 gear & new 1310-sh | 1299.00 |
| CSHT41131 | NEW Center Section with 31 spline Heli Trac, Premium 411 gear & new 1310-sh | 1299.00 |
| CSHT32535 | NEW Center Section with 35 spline Heli Trac, Premium 325 gear, daytona supp | 1470.00 |
| CSHT35035 | NEW Center Section with 35 spline Heli Trac, Premium 350 gear , daytona supp | 1470.00 |
| CSHT37035 | NEW Center Section with 35 spline Heli Trac, Premium 370 gear, daytona supp | 1470.00 |
| CSHT38935 | NEW Center Section with 31 spline Heli Trac, Premium 389 gear, daytona supp | 1470.00 |
| CSHT41135 | NEW Center Section with 35 spline Heli Trac, Premium 411 gear, daytona supp | 1470.00 |
| CSKit | Housing Spreader Kit | 136.65 |
| CSMS35028 | NEW Center Section MS 350 Ratio 28 Spline with 1310 Short Narrow Yoke - circ | 680.81 |
| CSMS35031 | NEW Center Section MS 350 Ratio 31 Spline with 1310 Short Narrow Yoke - circ | 680.81 |
| CSMS37028 | NEW Center Section MS 370 Ratio 28 Spline with 1310 Short Narrow Yoke - circ | 680.81 |
| CSMS37031 | NEW Center Section MS 370 Ratio 31 Spline with 1310 Short Narrow Yoke - circ | 680.81 |
| CSMS38928 | NEW Center Section MS 389 Ratio 28 Spline with 1310 Short Narrow Yoke - circ | 680.81 |
| CSMS38931 | NEW Center Section MS 389 Ratio 31 Spline with 1310 Short Narrow Yoke - circ | 680.81 |
| CSMS41128 | NEW Center Section MS 411 Ratio 28 Spline with 1310 Short Narrow Yoke - circ | 680.81 |
| CSMS41131 | NEW Center Section MS 411 Ratio 31 Spline with 1310 Short Narrow Yoke - circ | 680.81 |
| CSMS43028 | NEW Center Section MS 430 Ratio 28 Spline with 1310 Short Narrow Yoke - circ | 680.81 |
| CSMS43031 | NEW Center Section MS 430 Ratio 31 Spline with 1310 Short Narrow Yoke - circ | 680.81 |
| CSMS45728 | NEW Center Section MS 457 Ratio 28 Spline with 1310 Short Narrow Yoke - circ | 680.81 |
| CSMS45731 | NEW Center Section MS 457 Ratio 31 Spline with 1310 Short Narrow Yoke - circ | 680.81 |

| | | |
|-------------|--|--------|
| CSMS47128 | NEW Center Section MS 471 Ratio 28 Spline with 1310 Short Narrow Yoke - circ | 680.81 |
| CSMS47131 | NEW Center Section MS 471 Ratio 31 Spline with 1310 Short Narrow Yoke - circ | 680.81 |
| CSMS48628 | NEW Center Section MS 486 Ratio 28 Spline with 1310 Short Narrow Yoke - circ | 680.81 |
| CSMS48631 | NEW Center Section MS 486 Ratio 31 Spline with 1310 Short Narrow Yoke - circ | 680.81 |
| CSMS50028 | NEW Center Section MS 500 Ratio 28 Spline with 1310 Short Narrow Yoke - circ | 680.81 |
| CSMS50031 | NEW Center Section MS 500 Ratio 31 Spline with 1310 Short Narrow Yoke - circ | 680.81 |
| CSMS51428 | NEW Center Section MS 514 Ratio 28 Spline with 1310 Short Narrow Yoke - circ | 680.81 |
| CSMS51431 | NEW Center Section MS 514 Ratio 31 Spline with 1310 Short Narrow Yoke - circ | 680.81 |
| CSMS52928 | NEW Center Section MS 529 Ratio 28 Spline with 1310 Short Narrow Yoke - circ | 680.81 |
| CSMS52931 | NEW Center Section MS 529 Ratio 31 Spline with 1310 Short Narrow Yoke - circ | 680.81 |
| CSMS53728 | NEW Center Section MS 537 Special Ratio 28 Spline with 1310 Short Narrow Yo | 825.09 |
| CSMS53731 | NEW Center Section MS 537 Special Ratio 31 Spline with 1310 Short Narrow Yo | 825.09 |
| CSMS54328 | NEW Center Section MS 543 Ratio 28 Spline with 1310 Short Narrow Yoke - circ | 680.81 |
| CSMS54331 | NEW Center Section MS 543 Ratio 31 Spline with 1310 Short Narrow Yoke - circ | 680.81 |
| CSMS55028 | NEW Center Section MS 550 Special Ratio 28 Spline with 1310 Short Narrow Yo | 825.09 |
| CSMS55031 | NEW Center Section MS 550 Special Ratio 31 Spline with 1310 Short Narrow Yo | 825.09 |
| CSMS55731 | NEW Center Section MS 557 Special Ratio 31 Spline with 1310 Short Narrow Yo | 825.09 |
| CSMS56728 | NEW Center Section MS 567 Ratio 28 Spline with 1310 Short Narrow Yoke - circ | 680.81 |
| CSMS56731 | NEW Center Section MS 567 Ratio 31 Spline with 1310 Short Narrow Yoke - circ | 680.81 |
| CSMS57531 | NEW Center Section MS 575 Special Ratio 31 Spline with 1310 Short Narrow Yo | 825.09 |
| CSMS58328 | NEW Center Section MS 583 Ratio 28 Spline with 1310 Short Narrow Yoke - circ | 680.81 |
| CSMS58331 | NEW Center Section MS 583 Ratio 31 Spline with 1310 Short Narrow Yoke - circ | 680.81 |
| CSMS60028 | NEW Center Section MS 600 Ratio 28 Spline with 1310 Short Narrow Yoke - circ | 680.81 |
| CSMS60031 | NEW Center Section MS 600 Ratio 31 Spline with 1310 Short Narrow Yoke - circ | 680.81 |
| CSMS61431 | NEW Center Section MS 614 Special Ratio 31 Spline with 1310 Short Narrow Yo | 825.09 |
| CSMS62028 | NEW Center Section MS 620 Ratio 28 Spline with 1310 Short Narrow Yoke - circ | 680.81 |
| CSMS62031 | NEW Center Section MS 620 Ratio 31 Spline with 1310 Short Narrow Yoke - circ | 680.81 |
| CSMS63328 | NEW Center Section MS 633 Ratio 28 Spline with 1310 Short Narrow Yoke - circ | 680.81 |
| CSMS63331 | NEW Center Section MS 633 Ratio 31 Spline with 1310 Short Narrow Yoke - circ | 680.81 |
| CSMS65028 | NEW Center Section MS 650 Ratio 28 Spline with 1310 Short Narrow Yoke - circ | 680.81 |
| CSMS65031 | NEW Center Section MS 650 Ratio 31 Spline with 1310 Short Narrow Yoke - circ | 680.81 |
| CSMS66628LW | NEW Center Section MS 666 Ratio 28 Spline Lightened Gear with Daytona supp | 799.00 |
| CSMS66631LW | NEW Center Section MS 666 Ratio 31 Spline Lightened Gear with Daytona supp | 799.00 |
| CSMS68328LW | NEW Center Section MS 683 Ratio 28 Spline Lightened Gear with Daytona supp | 799.00 |
| CSMS68331LW | NEW Center Section MS 683 Ratio 31 Spline Lightened Gear with Daytona supp | 799.00 |
| CSMS70028LW | NEW Center Section MS 700 Ratio 28 Spline Lightened Gear with Daytons supp | 799.00 |

| | | |
|-----------------|--|---------|
| CSMS70031LW | NEW Center Section MS 700 Ratio 31 Spline Lightened Gear with Daytona supp | 799.00 |
| CSO1000 | OPTION REM Finish ring & pinion | 104.94 |
| CSO1100 | OPTION REM Finish bearings and races for center section | 64.13 |
| CSO1200 | OPTION Lightening of Ring Gear | 57.13 |
| CSO1250 | OPTION MAX Lightening of Ring Gear | 119.00 |
| CSO1300 | OPTION 35 spline spool FS35SB for 2.89 carrier bearing | 40.81 |
| CSO1400 | OPTION Drag Race Tapered Spool- 31 spline | 45.01 |
| CSO1450 28 | OPTION FS28LWS - Scalloped LW Spool | 33.81 |
| CSO1450 31 | OPTION FS31LWS - Scalloped LW Spool | 33.81 |
| CSO1500 | OPTION Ford 9 inch cast Daytona Pinion Support with corresponding parts | 80.45 |
| CSO1600 | OPTION Aluminum Daytona Pinion Support with corresponding parts | 92.11 |
| CSO1700 | OPTION 1330 Long Wide Yoke | 17.49 |
| CSO1750 | OPTION 1330 Short Wide Yoke | 17.49 |
| CSO1800 | OPTION 1350 Forged Yoke YF91350 | 60.63 |
| CSO1850 | OPTION Brute Case (DHNI3250) and Conversion Races (PRace325case289bea | 23.32 |
| CSO1900 | OPTION Premium Gear Available ratios 3.25, 3.50, 3.70, 3.89 and 4.11 | 174.90 |
| CSOD32531 | New Center Section with OPEN Differential 31 Spline; 325 ratio Premium Gear & | 1065.59 |
| CSOD35031 | New Center Section with OPEN Differential 31 Spline; 350 ratio Premium Gear & | 1065.59 |
| CSOD37031 | New Center Section with OPEN Differential 31 Spline; 370 ratio Premium Gear & | 1065.59 |
| CSOD38931 | New Center Section with OPEN Differential 31 Spline; 389 ratio Premium Gear & | 1065.59 |
| CSOD41131 | New Center Section with OPEN Differential 31 Spline; 411 ratio Premium Gear & | 1065.59 |
| CSODxxx28 | New Center Section with OPEN Differential 28 Spline; specify ratio Premium Gea | 1065.59 |
| CSTL325NB28-USG | NEW Center Section with 28 spline Trac Loc, 325 ratio Premium & new 1310- sh | 1212.06 |
| CSTL325NB31-USG | NEW Center Section with 31 spline Trac Loc, 325 ratio Premium & new 1310-shc | 1212.06 |
| CSTL350NB28-USG | NEW Center Section with 28 spline Trac Loc, 350 ratio Premium & new 1310-shc | 1212.06 |
| CSTL350NB31-USG | NEW Center Section with 31 spline Trac Loc, 350 ratio Premium & new 1310-shc | 1212.06 |
| CSTL370NB28-USG | NEW Center Section with 28 spline Trac Loc, 370 ratio Premium & new 1310-shc | 1212.06 |
| CSTL370NB31-USG | NEW Center Section with 31 spline Trac Loc, 370 ratio Premium & new 1310-shc | 1212.06 |
| CSTL389NB28-USG | NEW Center Section with 28 spline Trac Loc, 389 ratio Premium& new 1310-sho | 1212.06 |
| CSTL389NB31-USG | NEW Center Section with 31 spline Trac Loc, 389 ratio Premium & new 1310-shc | 1212.06 |
| CSTL411NB28-USG | NEW Center Section with 28 spline Trac Loc, 411 ratio Premium & new 1310-shc | 1212.06 |
| CSTL411NB31-USG | NEW Center Section with 31 spline Trac Loc, 411 ratio Premium & new 1310-shc | 1212.06 |
| CSTL430NB28-USG | NEW Center Section with 28 spline Trac Loc, 430 ratio Premium & new 1310-sh | 1212.06 |
| CSTL430NB31-USG | NEW Center Section with 31 spline Trac Loc, 430 ratio Premium & new 1310-shc | 1212.06 |
| CSTL486NB31-USG | NEW Center Section with 31 spline Trac Loc, 486 ratio Premium & new 1310-shc | 1212.06 |
| CSTT28 | NEW Center Section with 28 spline Eaton True Trac, Specify ratio Premium & ne' | 1676.82 |

| | | |
|-----------------------------|---|---------|
| CSTT31-325 | NEW Center Section with 31 spline Eaton True Trac, 325 Premium Gear & new 1 | 1676.82 |
| CSTT31-350 | NEW Center Section with 31 spline Eaton True Trac, 350 Premium & new 1310-s | 1676.82 |
| CSTT31-370 | NEW Center Section with 31 spline Eaton True Trac, 370 ratio Premium & new 1: | 1676.82 |
| CSTT31-389 | NEW Center Section with 31 spline Eaton True Trac, 389 Premium & new 1310-: | 1676.82 |
| CSTT31-411 | NEW Center Section with 31 spline Eaton True Trac, 411 Premium & new 1310-s | 1676.82 |
| CSTT31-430 | NEW Center Section with 31 spline Eaton True Trac, 430 Premium & new 1310-s | 1676.82 |
| CSTT35-325 | NEW Center Section with 35 spline Eaton True Trac, 325 ratio Premium Daytona | 1958.97 |
| CSTT35-350 | NEW Center Section with 35 spline Eaton True Trac, 350 ratio Premium Daytona | 1958.97 |
| CSTT35-370 | NEW Center Section with 35 spline Eaton True Trac, 370 ratio Daytona pinion su | 1958.97 |
| CSTT35-389 | NEW Center Section with 35 spline Eaton True Trac, 389 ratio Premium, Daytona | 1958.97 |
| CSTT35-411 | NEW Center Section with 35 spline Eaton True Trac, 411 ratio Premium, Daytona | 1958.97 |
| Dana60DF | Dana 60 Drive Flange Kit with Slugs for Chevy and Ford 35 spline outer axle - bo | 189.00 |
| DAYlube 1 oz Syringe | One ounce Syringe of DAYlube | 18.99 |
| DAYlube Tube 16 oz | One 16 ounce tube of DAYlube - one tube | 51.99 |
| Det Locker 28 | Eaton Detroit Locker 28 spline with 1.78 inch journal Standard (Not circle track) | 911.99 |
| Det Locker 31 | Eaton Detroit Locker 31 spline with 1.78 inch journal Standard (Not circle track) 1 | 884.99 |
| Det Locker 31CT | Eaton CT Detroit Locker 31 spline with 1.78 inch journal size (Circle Track) R187 | 964.99 |
| Det Locker 35 / AXL187S160A | Eaton Detroit Locker 35 spline 2.00" journal size 187S160A | 856.99 |
| DHA 3812BTC | Moser 3.812 BTC Aluminum case for 9.5 inch ford. Must use Moser 5S9F40PB | 715.00 |
| DHA3250BTCY | Ford 9 inch Diff. Housing Alum. 3.25 with Bolt Thru Case- YUKON | 473.28 |
| DHNI3250 | Ford 9 inch Brute 36 lb. Diff Housing Nodular Iron 3.250 with Forged Caps | 295.00 |
| DHNISW2891 | Ford 9 inch Differential Housing Nodular Iron 2.891 with Forged Caps Stock Cas | 275.00 |
| DHNISW3062 | Ford 9 inch Differential Housing Nodular Iron 3.062 with Forged Caps | 275.00 |
| DrumB 440-1455 | Brake Drum 5 x 5.5 inch bolt pattern - 2.88 hub register size | 90.70 |
| DrumBrakeKit PEM3/8 NEW | 11 inch Drum Brake Kit- 2.88 inch brake register, shoes are 2.25 inch wide, fits E | 369.00 |
| DrumBrakeKit PEM3/8 NEW-45 | 11 inch Drum Brake Kit- 2.88 inch brake register hole, shoes are 2.25 inch wide, | 369.00 |
| DrumBrakeKit PEM3/8 NEW-475 | 11 inch Drum Brake Kit- 2.88 inch brake register, shoes are 2.25 inch wide, fits E | 369.00 |
| DrumBrakeKit PEM3/8 NEW-5 | 11 inch Drum Brake Kit- 2.88 inch brake register, shoes are 2.25 inch wide, fits I | 369.00 |
| DrumBrakeLoadedBackingPlate | New Loaded backing plates for 11 inch Drum and 3/8 housing ends | 329.00 |
| DS Bal | DS Balancing | 70.00 |
| DS Bal- HD | DS Balancing Heavy Duty..Or 2 part Medium duty | 100.00 |
| DS Build & Bal | DS Build and Balance | 95.00 |
| DS Build & Bal HD | DS Build and Balance Heavy Duty | 130.00 |
| DS CV Rebuild | DS CV Rebuild (1310-1350) | 31.80 |
| DS CV Weld & Bal | DS CV DS kit weld & balance | 63.60 |
| DS Retube & Balance | Retube & Balance Driveshaft - Light - Medium Duty | 116.60 |

| | | |
|------------------------|--|--------|
| DS Retube & Balance HD | Retube & Balance Driveshaft - HD | 159.00 |
| DS Short & Bal | DS Shorten and Balance | 95.40 |
| DS Short & Bal- HD | DS Shorten and Balance Heavy Duty | 143.10 |
| DS-2-270-083J | DS 27 inch .083 DOM 1310 ENDS with U-Joints | 216.38 |
| DS-2-275-065M-J | DS 27.5 inch .065 MOLY 1310 ENDS with U-Joints | 335.73 |
| DS-2-275-083J | DS 27.5 inch .083 DOM 1310 ENDS with U-Joints | 216.38 |
| DS-2-280-065M-800 | DS 28.0 inch .065 MOLY 1310 ENDS with U-Joints REM Polished 8 inch Slip Yc | 390.83 |
| DS-2-280-065M-J | DS 28.0 inch .065 MOLY 1310 ENDS with U-Joints | 335.73 |
| DS-2-280-083-800 | DS 28.0 inch .083 DOM 1310 ENDS with U-Joints Slip Yoke Balanced | 288.51 |
| DS-2-280-083J | DS 28.0 inch .083 DOM 1310 ENDS with U-Joints | 216.38 |
| DS-2-280-083M-800 | DS 28.0 inch .083 MOLY 1310 ENDS with U-Joints Slip Yoke Balanced | 406.57 |
| DS-2-280-083M-J | DS 28.0 inch .083 MOLY 1310 ENDS with U-Joints | 314.75 |
| DS-2-285-065M-800 | DS 28.5 inch .065 MOLY 1310 ENDS with U-Joints REM Slip Yoke Balanced Slip | 390.83 |
| DS-2-285-065M-J | DS 28.5 inch .065 MOLY 1310 ENDS with U-Joints | 335.73 |
| DS-2-285-083-800 | DS 28.5 inch .083 DOM 1310 ENDS with U-Joints Slip Yoke Balanced | 288.51 |
| DS-2-285-083J | DS 28.5 inch .083 DOM 1310 ENDS with U-Joints | 216.38 |
| DS-2-285-083M-800 | DS 28.5 inch .083 MOLY 1310 ENDS with U-Joints Slip Yoke Balanced | 406.57 |
| DS-2-285-083M-J | DS 28.5 inch .083 MOLY 1310 ENDS with U-Joints | 314.75 |
| DS-2-290-065M-800 | DS 29.0 inch .065 MOLY 1310 ENDS with U-Joints .. REM Polished 8 inch Slip Y | 390.83 |
| DS-2-290-065M-J | DS 29.0 inch .065 MOLY 1310 ENDS with U-Joints | 335.73 |
| DS-2-290-083-800 | DS 29.0 inch .083 DOM 1310 ENDS with U-Joints Slip Yoke Balanced | 288.51 |
| DS-2-290-083J | DS 29.0 inch .083 DOM 1310 ENDS with U-Joints | 216.38 |
| DS-2-290-083M-800 | DS 29.0 inch .083 MOLY 1310 ENDS with U-Joints Slip Yoke Balanced | 406.57 |
| DS-2-290-083M-J | DS 29.0 inch .083 MOLY 1310 ENDS with U-Joints | 314.75 |
| DS-2-295-065M-800 | DS 29.5 inch .065 MOLY 1310 ENDS with U-Joints REM Polished 8 inch Slip Yol | 390.83 |
| DS-2-295-065M-J | DS 29.5 inch .065 MOLY 1310 ENDS with U-Joints | 335.73 |
| DS-2-295-083-800 | DS 29.5 inch .083 DOM 1310 ENDS with U-Joints Slip Yoke Balanced | 288.51 |
| DS-2-295-083J | DS 29.5 inch .083 DOM 1310 ENDS with U-Joints | 216.38 |
| DS-2-295-083M-800 | DS 29.5 inch .083 MOLY 1310 ENDS with U-Joints Slip Yoke Balanced | 406.57 |
| DS-2-295-083M-J | DS 29.5 inch .083 MOLY 1310 ENDS with U-Joints | 314.75 |
| DS-2-2975-083J | DS 29.75 inch .083 DOM 1310 ENDS with U-Joints | 216.38 |
| DS-2-300-065M-800 | DS 30.0 inch .065 MOLY 1310 ENDS with U-Joints REM Polished 8 inch Slip Yol | 390.83 |
| DS-2-300-065M-J | DS 30.0 inch .065 MOLY 1310 ENDS with U-Joints | 335.73 |
| DS-2-300-083-550 | DS 30.0 inch .083 DOM 1310 ENDS with U-Joints Slip Yoke Balanced | 243.92 |
| DS-2-300-083-800 | DS 30.0 inch .083 DOM 1310 ENDS with U-Joints Slip Yoke Balanced | 288.51 |
| DS-2-300-083J | DS 30.0 inch .083 DOM 1310 ENDS with U-Joints | 216.38 |

| | | |
|-------------------|--|--------|
| DS-2-300-083M-800 | DS 30.0 inch .083 MOLY 1310 ENDS with U-Joints Slip Yoke Balanced | 406.57 |
| DS-2-300-083M-J | DS 30.0 inch .083 MOLY 1310 ENDS with U-Joints | 314.75 |
| DS-2-305-065M-800 | DS 30.5 inch .065 MOLY 1310 ENDS with U-Joints REM Polished 8 inch Slip Yo | 390.83 |
| DS-2-305-065M-J | DS 30.5 inch .065 MOLY 1310 ENDS with U-Joints | 335.73 |
| DS-2-305-083-800 | DS 30.5 inch .083 DOM 1310 ENDS with U-Joints Slip Yoke Balanced | 288.51 |
| DS-2-305-083J | DS 30.5 inch .083 DOM 1310 ENDS with U-Joints | 216.38 |
| DS-2-305-083M-800 | DS 30.5 inch .083 MOLY 1310 ENDS with U-Joints Slip Yoke Balanced | 406.57 |
| DS-2-305-083M-J | DS 30.5 inch .083 MOLY 1310 ENDS with U-Joints | 314.75 |
| DS-2-310-065M-800 | DS 31.0 inch .065 MOLY 1310 ENDS with U-Joints REM Polished 8 inch Slip Yc | 390.83 |
| DS-2-310-065M-J | DS 31.0 inch .065 MOLY 1310 ENDS with U-Joints | 335.73 |
| DS-2-310-083-800 | DS 31.0 inch .083 DOM 1310 ENDS with U-Joints Slip Yoke Balanced | 288.51 |
| DS-2-310-083J | DS 31.0 inch .083 DOM 1310 ENDS with U-Joints | 216.38 |
| DS-2-315-065M-800 | DS 31.5 inch .065 MOLY 1310 ENDS with U-Joints .. REM Polished 8 inch Slip Y | 390.83 |
| DS-2-315-065M-J | DS 31.5 inch .065 MOLY 1310 ENDS with U-Joints | 335.73 |
| DS-2-315-083-800 | DS 31.5 inch .083 DOM 1310 ENDS with U-Joints Slip Yoke Balanced | 288.51 |
| DS-2-315-083J | DS 31.5 inch .083 DOM 1310 ENDS with U-Joints | 216.38 |
| DS-2-320-065M-800 | DS 32.0 inch .065 MOLY 1310 ENDS with U-Joints REM Polished 8 inch Slip Yo | 390.83 |
| DS-2-320-065M-J | DS 32.0 inch .065 MOLY 1310 ENDS with U-Joints | 335.73 |
| DS-2-320-083-800 | DS 32.0 inch .083 DOM 1310 ENDS with U-Joints Slip Yoke Balanced | 288.51 |
| DS-2-320-083J | DS 32.0 inch .083 DOM 1310 ENDS with U-Joints | 216.38 |
| DS-2-320-083M-J | DS 32.0 inch .083 MOLY 1310 ENDS with U-Joints | 314.75 |
| DS-2-325-065M-800 | DS 32.5 inch .065 MOLY 1310 ENDS with U-Joints .. REM Polished 8 inch Slip Y | 347.42 |
| DS-2-325-065M-J | DS 32.5 inch .065 MOLY 1310 ENDS with U-Joints | 347.42 |
| DS-2-325-083-800 | DS 32.5 inch .083 DOM 1310 ENDS with U-Joints Slip Yoke Balanced | 288.51 |
| DS-2-325-083J | DS 32.5 inch .083 DOM 1310 ENDS with U-Joints | 216.38 |
| DS-2-325-083M-J | DS 32.5 inch .083 MOLY 1310 ENDS with U-Joints | 314.75 |
| DS-2-330-065M-800 | DS 33.0 inch .065 MOLY 1310 ENDS with U-Joints REM Polished 8 inch Slip Yo | 390.83 |
| DS-2-330-065M-J | DS 33.0 inch .065 MOLY 1310 ENDS with U-Joints | 335.73 |
| DS-2-330-083-800 | DS 33.0 inch .083 DOM 1310 ENDS with U-Joints Slip Yoke Balanced | 288.51 |
| DS-2-330-083J | DS 33.0 inch .083 DOM 1310 ENDS with U-Joints | 216.38 |
| DS-2-335-065M-800 | DS 33.5 inch .065 MOLY 1310 ENDS with U-Joints .. REM Polished 8 inch Slip Y | 390.83 |
| DS-2-335-083-800 | DS 33.5 inch .083 DOM 1310 ENDS with U-Joints Slip Yoke Balanced | 288.51 |
| DS-2-335-083J | DS 33.5 inch .083 DOM 1310 ENDS with U-Joints | 216.38 |
| DS-2-340-083-800 | DS 34.0 inch .083 DOM 1310 ENDS with U-Joints Slip Yoke Balanced | 288.51 |
| DS-2-340-083J | DS 34.0 inch .083 DOM 1310 ENDS with U-Joints | 216.38 |
| DS-2-345-083-800 | DS 34.5 inch .083 DOM 1310 ENDS with U-Joints Slip Yoke Balanced | 288.51 |

| | | |
|-------------------|---|--------|
| DS-2-345-083J | DS 34.5 inch .083 DOM 1310 ENDS with U-Joints | 216.38 |
| DS-2-345-083M-J | DS 34.5 inch .083 MOLY 1310 ENDS with U-Joints | 314.75 |
| DS-2-350-065M-J | DS 35.0 inch .065 MOLY 1310 ENDS with U-Joints | 335.73 |
| DS-2-350-083-800 | DS 35.0 inch .083 DOM 1310 ENDS with U-Joints Slip Yoke Balanced | 288.51 |
| DS-2-350-083J | DS 35.0 inch .083 DOM 1310 ENDS with U-Joints | 216.38 |
| DS-2-355-083-800 | DS 35.5 inch .083 DOM 1310 ENDS with U-Joints Slip Yoke Balanced | 288.51 |
| DS-2-355-083J | DS 35.5 inch .083 DOM 1310 ENDS with U-Joints | 216.38 |
| DS-2-360-083-800 | DS 36.0 inch .083 DOM 1310 ENDS with U-Joints Slip Yoke Balanced | 288.51 |
| DS-2-360-083J | DS 36.0 inch .083 DOM 1310 ENDS with U-Joints | 216.38 |
| DS-2-360-120-800 | DS 36.0 inch .120 DOM 1310 ENDS with U-Joints Slip Yoke Balanced | 260.97 |
| DS-2-365-083-800 | DS 36.5 inch .083 DOM 1310 ENDS with U-Joints Slip Yoke Balanced | 288.51 |
| DS-2-365-083J | DS 36.5 inch .083 DOM 1310 ENDS with U-Joints | 216.38 |
| DS-2-370-120J | DS 30.0 inch .120 DOM 1310 ENDS with U-Joints | 216.38 |
| DS-2-375-083-550 | DS 37.5 inch .083 DOM 1310 ENDS with U-Joints Slip Yoke Balanced | 243.92 |
| DS-2-375-083-800 | DS 37.5 inch .083 DOM 1310 ENDS with U-Joints Slip Yoke Balanced | 288.51 |
| DS-2-375-083J | DS 37.5 inch .083 DOM 1310 ENDS with U-Joints | 216.38 |
| DS-2-380-083-800 | DS 38.0 inch .083 DOM 1310 ENDS with U-Joints Slip Yoke Balanced | 288.51 |
| DS-2-380-083J | DS 38.0 inch .083 DOM 1310 ENDS with U-Joints | 216.38 |
| DS-2-385-083M-800 | DS 38.5 inch .083 MOLY 1310 ENDS with U-Joints Slip Yoke Balanced | 406.57 |
| DS-2-390-083J | DS 39.0 inch .083 DOM 1310 ENDS with U-Joints | 216.38 |
| DS-2-390-120J | DS 39.0 inch .120 DOM 1310 ENDS with U-Joints | 216.38 |
| DS-2-395-083J | DS 39.5 inch .083 DOM 1310 ENDS with U-Joints | 216.38 |
| DS-2-400-120J | DS 40.0 inch .120 DOM 1310 ENDS with U-Joints | 216.38 |
| DS-2-405-120J | DS 40.5 inch .120 DOM 1310 ENDS with U-Joints | 216.38 |
| DS-2-410-120J | DS 41.0 inch .120 DOM 1310 ENDS with U-Joints | 216.38 |
| DS-2-415-120J | DS 41.5 inch .120 DOM 1310 ENDS with U-Joints | 216.38 |
| DS-2-420-120J | DS 42.0 inch .120 DOM 1310 ENDS with U-Joints | 216.38 |
| DS-2-425-120-550 | DS 42.5 inch .120 DOM 1310 ENDS with U-Joints Slip Yoke Balanced | 300.33 |
| DS-2-425-120J | DS 42.5 inch .120 DOM 1310 ENDS with U-Joints | 216.38 |
| DS-2-430-120-800 | DS 43 inch .120 DOM 1310 ENDS with U-Joints Slip Yoke Balanced | 246.20 |
| DS-2-435-120J | DS 43.5 inch .120 DOM WITH 1310 U JOINTS | 216.38 |
| DS-2-440-083M-J | DS 44 inch .083 MOLY 1310 ENDS with U-Joints | 291.45 |
| DS-2-440-095M-J | DS 44 inch .095 MOLY 1310 ENDS with U-Joints | 291.45 |
| DS-2-440-120J | DS 44.0 inch .120 DOM WITH 1310 U JOINTS | 216.38 |
| DS-2-445-120-550 | DS 44.5 inch .120 DOM 1310 ENDS with U-Joints Slip Yoke Balanced | 300.33 |
| DS-2-445-120J | DS 44.5 inch .120 DOM 1310 ENDS with U-Joints Balanced | 216.38 |

| | | |
|--------------------|--|--------|
| DS-2-450-083M-800 | DS 45 inch .083 MOLY 1310 ENDS with U-Joints Slip Yoke Balanced | 444.69 |
| DS-2-450-120J | DS 45.0 inch .120 DOM WITH 1310 U JOINTS | 216.38 |
| DS-2-455-120J | DS 45.5 inch .120 DOM WITH 1310 U JOINTS | 216.38 |
| DS-2-460-120-550 | DS 46.0 inch .120 DOM 1310 ENDS with U-Joints Slip Yoke Balanced | 300.33 |
| DS-2-460-120J | DS 46 inch .120 DOM WITH 1310 U JOINTS | 216.38 |
| DS-2-465-083M-J | DS 46.5 inch .083 MOLY 1310 ENDS with U-Joints | 291.45 |
| DS-2-465-120-550 | DS 46.5 inch .120 DOM 1310 ENDS with U-Joints Slip Yoke Balanced | 300.33 |
| DS-2-465-120J | DS 46.5 inch .120 DOM WITH 1310 U JOINTS | 216.38 |
| DS-2-4675-083M-800 | DS 46.75 inch .083 MOLY 1310 ENDS with U-Joints Slip Yoke Balanced | 444.69 |
| DS-2-4675-120-550 | DS 46.75 inch .120 DOM 1310 ENDS with U-Joints Slip Yoke Balanced | 300.33 |
| DS-2-4675-120J | DS 46.75 inch .120 DOM WITH 1310 U JOINTS | 216.38 |
| DS-2-470-083M-800 | DS 47 inch .083 MOLY 1310 ENDS with U-Joints Slip Yoke Balanced | 444.69 |
| DS-2-470-120J | DS 47 inch .120 DOM WITH 1310 U JOINTS | 216.38 |
| DS-2-475-083M-800 | DS 47.5 inch .083 MOLY 1310 ENDS with U-Joints Slip Yoke Balanced | 444.69 |
| DS-2-475-083M-J | DS 47.5 inch .083 MOLY 1310 ENDS with U-Joints Balanced | 291.45 |
| DS-2-475-120-550 | DS 47.5 inch .120 DOM 1310 ENDS with U-Joints Slip Yoke Balanced | 300.33 |
| DS-2-475-120J | DS 47.5 inch .120 DOM WITH 1310 U JOINTS | 216.38 |
| DS-2-480-120-550 | DS 48.0 inch .120 DOM 1310 ENDS with U-Joints Slip Yoke Balanced | 300.33 |
| DS-2-480-120J | DS 48 inch .120 DOM WITH 1310 U JOINTS | 216.38 |
| DS-2-485-083M-J | DS 48.5 inch .083 MOLY 1310 ENDS with U-Joints Balanced | 291.45 |
| DS-2-485-120J | DS 48.5 inch .120 DOM WITH 1310 U JOINTS | 216.38 |
| DS-2-4875-120-550 | DS 48.75 inch .120 DOM 1310 ENDS with U-Joints Slip Yoke Balanced | 300.33 |
| DS-2-490-083M-J | DS 49 inch .083 MOLY 1310 ENDS with U-Joints | 291.45 |
| DS-2-490-120J | DS 49 inch .120 DOM WITH 1310 U JOINTS | 216.38 |
| DS-2-495-120J | DS 49.5 inch .120 DOM WITH 1310 U JOINTS | 216.38 |
| DS-2-500-120-800 | DS 50 inch .120 DOM WITH 1310 U JOINTS with slip yoke balanced | 265.12 |
| DS-2-500-120J | DS 50 inch .120 DOM WITH 1310 U JOINTS | 216.38 |
| DS-2-505-083M-J | DS 50.5 inch .083 MOLY 1310 ENDS with U-Joints | 291.45 |
| DS-2-510-083M-J | DS 51 inch .083 MOLY 1310 ENDS with U-Joints | 291.45 |
| DS-2-510-120-550 | DS 51.0 inch .120 DOM 1310 ENDS with U-Joints Slip Yoke Balanced | 300.33 |
| DS-2-510-120J | DS 51.0 inch .120 DOM WITH 1310 U-JOINTS | 216.38 |
| DS-2-515-083M-550 | DS 51.5 inch .083 MOLY 1310 ENDS with U-Joints Slip Yoke Balanced | 444.69 |
| DS-2-515-083M-J | DS 51.5 inch .083 MOLY 1310 ENDS with U-Joints | 340.98 |
| DS-2-515-120-550 | DS 51.5 inch .120 DOM 1310 ENDS with U-Joints Slip Yoke Balanced | 300.33 |
| DS-2-515-120J | DS 51.5 inch .120 DOM WITH 1310 U JOINTS | 216.38 |
| DS-2-520-083M-J | DS 52 inch .083 MOLY 1310 ENDS with U-Joints | 327.87 |

| | | |
|-------------------|--|--------|
| DS-2-520-120J | DS 52.0 inch .120 DOM WITH 1310 U JOINTS | 216.38 |
| DS-2-525-083M-550 | DS 52.5 inch .083 MOLY 1310 ENDS with U-Joints Slip Yoke Balanced | 444.69 |
| DS-2-525-083M-J | DS 52.5 inch .083 MOLY 1310 ENDS with U-Joints | 327.87 |
| DS-2-525-120-550 | DS 52.5 inch .120 DOM 1310 ENDS with U-Joints Slip Yoke Balanced | 300.33 |
| DS-2-525-120J | DS 52.5 inch .120 DOM with 1310 U JOINTS | 216.38 |
| DS-25-300-083J | DS 2.5 inch OD 30.0 inch x .083 DOM with 1310 Greaseable U-Joints | 249.16 |
| DS-25-305-083-550 | DS 2.5 inch OD 30.5 inch x .083 DOM with 1310 Greaseable U-Joints | 326.63 |
| DS-25-305-083J | DS 2.5 inch OD 30.5 inch x .083 DOM with 1310 Greaseable U-Joints | 249.16 |
| DS-25-310-083J | DS 2.5 inch OD 31.0 inch x .083 DOM with 1310 Greaseable U-Joints | 249.16 |
| DS-25-320-083-550 | DS 2.5 inch OD 32.0 inch x .083 DOM 1310 U-Joints Slip Yoke Balanced | 326.63 |
| DS-25-340-083J | DS 2.5 inch OD 34.0 inch x .083 DOM with 1310 Greaseable U-Joints | 249.16 |
| DS-25-355-083J | DS 2.5 inch OD 35.5 inch x .083 DOM with 1310 Greaseable U-Joints | 249.16 |
| DS-25-360-083-550 | DS 2.5 inch OD 36.0 inch x .083 DOM 1310 U-Joints Slip Yoke Balanced | 326.63 |
| DS-25-360-083J | DS 2.5 inch OD 36.0 inch x .083 DOM with 1310 Greaseable U-Joints | 249.16 |
| DS-25-380-083-800 | DS 2.5 inch OD 38.0 inch x .083 DOM with 1310 Greaseable U-Joints | 326.63 |
| DS-25-380-083J | DS 2.5 inch OD 38.0 inch x .083 DOM with 1310 Greaseable U-Joints | 249.16 |
| DS-25-40-083-800 | DS 2.5 inch OD 40 inch x .083 DOM with 1310 Greaseable U-Joints | 326.63 |
| DS-25-405-083-800 | DS 2.5 inch OD 40.5 inch x .083 DOM with 1310 Greaseable U-Joints | 326.63 |
| DS-25-405-083J | DS 2.5 inch OD 40.5 inch x .083 DOM with 1310 Greaseable U-Joints | 249.16 |
| DS-25-415-083-550 | DS 2.5 inch OD 41.5 inch x .083 DOM 1310 U-Joints Slip Yoke Balanced | 326.63 |
| DS-25-420-083J | DS 2.5 inch OD 42.0 inch x .083 DOM 1310 U-Joints | 262.28 |
| DS-25-425-083J | DS 2.5 inch OD 42.5 inch x .083 DOM 1310 U-Joints | 262.28 |
| DS-25-430-083J | DS 2.5 inch OD 43.0 inch x .083 DOM 1310 U-Joints | 262.28 |
| DS-25-435-083J | DS 2.5 inch OD 43.5 inch x .083 DOM 1310 U-Joints | 262.28 |
| DS-25-440-083J | DS 2.5 inch OD 44.0 inch x .083 DOM 1310 U-Joints | 262.28 |
| DS-25-445-083J | DS 2.5 inch OD 44.5 inch x .083 DOM 1310 U-Joints | 262.28 |
| DS-25-450-083J | DS 2.5 inch OD 45.0 inch x .083 DOM 1310 U-Joints | 262.28 |
| DS-25-455-083-550 | DS 2.5 inch OD 45.5 inch x .083 DOM 1310 U-Joints Slip Yoke Balanced | 326.63 |
| DS-25-455-083J | DS 2.5 inch OD 45.5 inch x .083 DOM 1310 U-Joints | 262.28 |
| DS-25-460-083-550 | DS 2.5 inch OD 46.0 inch x .083 DOM 1310 U-Joints Slip Yoke Balanced | 326.63 |
| DS-25-460-083J | DS 2.5 inch OD 46.0 inch x .083 DOM 1310 U-Joints | 262.28 |
| DS-25-465-083J | DS 2.5 inch OD 46.5 inch x .083 DOM 1310 U-Joints | 262.28 |
| DS-25-470-083-550 | DS 2.5 inch OD 47.0 inch x .083 DOM 1310 U-Joints Slip Yoke Balanced | 326.63 |
| DS-25-470-083J | DS 2.5 inch OD 47.0 inch x .083 DOM 1310 U-Joints | 262.28 |
| DS-25-475-083J | DS 2.5 inch OD 47.5 inch x .083 DOM 1310 U-Joints | 262.28 |
| DS-25-480-083-550 | DS 2.5 inch OD 48.0 inch x .083 DOM 1310 U-Joints Slip Yoke Balanced | 326.63 |

| | | |
|-----------------------|---|--------|
| DS-25-480-083J | DS 2.5 inch OD 48.0 inch x .083 DOM 1310 U-Joints | 262.28 |
| DS-25-485-083J | DS 2.5 inch OD 48.5 inch x .083 DOM 1310 U-Joints | 262.28 |
| DS-25-490-083-550 | DS 2.5 inch OD 49.0 inch x .083 DOM 1310 U-Joints Slip Yoke Balanced | 326.63 |
| DS-25-490-083J | DS 2.5 inch OD 49.0 inch x .083 DOM 1310 U-Joints | 262.28 |
| DS-25-495-083-550 | DS 2.5 inch OD 49.5 inch x .083 DOM 1310 U-Joints Slip Yoke Balanced | 326.63 |
| DS-25-495-083J | DS 2.5 inch OD 49.5 inch x .083 DOM 1310 U-Joints | 262.28 |
| DS-25-4975-083J | DS 2.5 inch OD 49.75 inch x .083 DOM 1310 U-Joints | 262.28 |
| DS-25-500-083-550 | DS 2.5 inch OD 50.0 inch x .083 DOM 1310 U-Joints and slip yoke balanced | 326.63 |
| DS-25-500-083J | DS 2.5 inch OD 50.0 inch x .083 DOM 1310 U-Joints | 262.28 |
| DS-25-505-083J | DS 2.5 inch OD 50.5 inch x .083 DOM 1310 U-Joints | 262.28 |
| DS-25-510-083-550 | DS 2.5 inch OD 51 inch x .083 DOM 1310 U-Joints Slip Yoke Balanced | 326.63 |
| DS-25-510-083J | DS 2.5 inch OD 51.0 inch x .083 DOM 1310 U-Joints | 262.28 |
| DS-25-5125-083-550 | DS 2.5 inch OD 51.25 inch x .083 DOM 1310 U-Joints Slip Yoke Balanced | 326.63 |
| DS-25-515-083-550 | DS 2.5 inch OD 51.5 inch x .083 DOM 1310 U-Joints Slip Yoke Balanced | 326.63 |
| DS-25-515-083-800 | DS 2.5 inch OD 51.5 inch x .083 DOM 1310 U-Joints 8 inch Slip Yoke Balanced | 326.63 |
| DS-25-515-083J | DS 2.5 inch OD 51.5 inch x .083 DOM 1310 U-Joints | 262.28 |
| DS-25-520-083-550 | DS 2.5 inch OD 52.0 inch x .083 DOM 1310 U-Joints Slip Yoke Balanced | 326.63 |
| DS-25-520-083J | DS 2.5 inch OD 52.0 inch x .083 DOM 1310 U-Joints | 262.28 |
| DS-25-525-083-550 | DS 2.5 inch OD 52.5 inch x .083 DOM 1310 U-Joints Slip Yoke Balanced | 326.63 |
| DS-25-525-083-800 | DS 2.5 inch OD 52.5 inch x .083 DOM 1310 U-Joints Slip Yoke Balanced | 326.63 |
| DS-25-525-083J | DS 2.5 inch OD 52.5 inch x .083 DOM 1310 U-Joints | 262.28 |
| DS-25-535-083J | DS 2.5 inch OD 53.5 inch x .083 DOM 1310 U-Joints | 262.28 |
| DS-25-540-083-550 | DS 2.5 inch OD 54.0 inch x .083 DOM 1310 U-Joints Slip Yoke Balanced | 326.63 |
| DS-25-540-083-800 | DS 2.5 inch OD 54.0 inch x .083 DOM 1310 U-Joints Slip Yoke Balanced | 326.63 |
| DS-25-540-083J | DS 2.5 inch OD 54.0 inch x .083 DOM 1310 U-Joints | 262.28 |
| DS-25-550-083-550 | DS 2.5 inch OD 55.0 inch x .083 DOM 1310 U-Joints Slip Yoke Balanced | 326.63 |
| DS-25-550-083J | DS 2.5 inch OD 55.0 inch x .083 DOM 1310 U-Joints | 262.28 |
| DS-25-555-083-550 | DS 2.5 inch OD 55.5 inch x .083 DOM 1310 U-Joints Slip Yoke Balanced | 326.63 |
| DS-25-555-083J | DS 2.5 inch OD 55.5 inch x .083 DOM 1310 U-Joints | 262.28 |
| DS-25-565-083J | DS 2.5 inch OD 56.5 inch x .083 DOM 1310 U-Joints | 262.28 |
| DS-25-Custom-083J | DS 2.5 X .083 DOM 1310 ENDS with U-Joints Specify center to center length up to | 249.16 |
| DS-2-Custom-083J | DS 2 X .083 DOM 1310 ENDS with U-Joints Specify center to center length up to | 226.00 |
| DS-2-Custom-083M-J | DS 2 X .083 MOLY 1310 ENDS with U-Joints Specify center to center length up to | 327.87 |
| DS-3-300-083-1350J G | 3.0 inch OD DS .083 DOM 1350 Ends & greaseable & 1350 U-Joints Specify C | 245.23 |
| DS-3-300-083-1350J S | 3.0 inch OD DS .083 DOM 1350 Ends & Solid 1350 U-Joints Specify Center to C | 264.90 |
| DS-3-300-083M-1350J G | 3.0 inch OD DS .083 MOLY Tubing with 1350 Cast Ends & greaseable 1350 U- | 379.10 |

| | | |
|------------------------|--|--------|
| DS-3-500-083-1310J G | 3.0 inch OD DS .083 DOM 1310 Ends & Greaseable 1310 U-Joints Specify up t | 242.61 |
| DS-3-500-083-1310J S | 3.0 inch OD DS .083 DOM 1310 Ends & 1310 SOLID Cross U-Joints Specify ce | 275.40 |
| DS-3-500-083-1350J G | 3.0 inch OD DS .083 DOM 1350 Ends & Greaseable 1350 U-Joints, Specify ce | 249.16 |
| DS-3-500-083-1350J S | 3.0 inch OD DS .083 DOM 1350 Ends & SOLID Cross 1350 u joints Specify up | 268.85 |
| DS-3-500-083M-1350J G | 3.0 inch OD DS .083 MOLY Tubing with 1350 Cast Ends & greaseable 1350 U- | 405.33 |
| DS-3-500-083M-1350J S | 3.0 inch OD DS .083 MOLY Tubing with 1350 Cast Ends & Solid cross 1350 U- | 431.57 |
| DS-35-500-083-1310-J S | 3.5 inch OD DS .083 DOM 1310 Solid Cross U-Joints Specify center to cente u | 383.62 |
| DS-35-500-083J-S | 3.5 inch OD DS .083 DOM 1350 Solid Cross U-Joints Specify center to center u | 379.10 |
| DS-35-620-083-1310-J S | 3.5 inch OD DS .083 DOM 1310 Solid Cross U-Joints Specify center to center 6 | 392.22 |
| DS-35-620-083J-S | 3.5 inch OD DS .083 DOM 1350 Solid Cross U-Joints Specify center to center 6 | 405.33 |
| DS-3-580-083-1310J | 3.0 inch OD DS .083 DOM 58 inch 1310 Ends & Greaseable 1310 U-Joints | 242.61 |
| DSA-3-1310-125J | Drive Shaft Aluminum 3.0 inch x .125 1310 Balanced with solid cross u joints; us | 398.30 |
| DSA-3-1350-125J | Drive Shaft Aluminum 3.0 inch x .125 1350 Balanced with solid cross u joints; us | 409.25 |
| DSA-3-250-125AL | DS 3 inch OD - 25.0 inch .125 ALUM 1310 Ends with U-Joints | 380.34 |
| DSA-3-310-125AL | DS 3 inch OD - 31.0 inch .125 ALUM 1310 Ends with greaseable U-Joints | 380.34 |
| DSA-3-315-125AL | DS 3 inch OD - 31.5 inch .125 ALUM 1310 Ends with greaseable U-Joints | 380.34 |
| DSA-3-320-125AL | DS 3 inch OD - 32.0 inch .125 ALUM 1310 Ends with greaseable U-Joints | 380.34 |
| DSA-3-330-125AL | DS 3 inch OD - 33.0 inch .125 ALUM 1310 Ends with U-Joints | 380.34 |
| DSA-3-340-125AL | DS 34.0 inch .125 ALUM 1310 Ends with U-Joints | 380.34 |
| DSA-3-345-125AL | DS 3 inch OD - 34.5 inch .125 ALUM 1310 Ends with U-Joints | 380.34 |
| DSA-3-350-125AL | DS 3 inch OD - 35 inch .125 ALUM 1310 Ends with U-Joints | 380.34 |
| DSA-3-355-125AL | DS 3 inch OD - 35.5 inch .125 ALUM 1310 Ends with U-Joints | 380.34 |
| DSA-3-355-125AL-800 | DS 3 inch OD - 35.5 inch .125 ALUM 1310 Ends with U-Joints Slip Yoke Balanc | 457.80 |
| DSA-3-360-125AL | DS 3 inch OD - 36.0 inch .125 ALUM 1310 Ends with U-Joints | 380.34 |
| DSA-3-360-125AL-800 | DS 3 inch OD - 36.0 inch .125 ALUM 1310 Ends with U-Joints Slip Yoke Balanc | 457.80 |
| DSA-3-365-125AL | DS 3 inch OD - 36.5 inch .125 ALUM 1310 Ends with U-Joints | 380.34 |
| DSA-3-370-125AL | DS 3 inch OD - 37.0 inch .125 ALUM 1310 Ends with U-Joints | 380.34 |
| DSA-3-370-125AL-800 | DS 3 inch OD - 37.0 inch .125 ALUM 1310 Ends with U-Joints Slip Yoke Balanc | 457.80 |
| DSA-3-375-125AL | DS 3 inch OD - 37.5 inch .125 ALUM 1310 Ends with U-Joints | 380.34 |
| DSA-3-380-125AL | DS 3 inch OD - 38.0 inch .125 ALUM 1310 Ends with U-Joints | 380.34 |
| DSA-3-380-125AL-800 | DS 3 inch OD - 38.0 inch .125 ALUM 1310 Ends with U-Joints Slip Yoke Balanc | 457.80 |
| DSA-3-385-125AL | DS 3 inch OD - 38.5 inch .125 ALUM 1310 Ends with U-Joints | 380.34 |
| DSA-3-390-125AL | DS 3 inch OD - 39.0 inch .125 ALUM 1310 Ends with U-Joints | 380.34 |
| DSA-3-395-125AL | DS 3 inch OD - 39.5 inch .125 ALUM 1310 Ends with U-Joints | 380.34 |
| DSA-3-410-125AL | DS 3 inch OD - 41.0 inch .125 ALUM 1310 Ends with U-Joints | 380.34 |

| | | |
|------------------------------|---|--------|
| DSA-3-420-125AL | DS 3 inch OD - 42.0 inch .125 ALUM 1310 Ends with U-Joints | 380.34 |
| DSA-3-430-125AL | DS 3 inch OD - 43.0 inch .125 ALUM 1310 Ends with U-Joints | 380.34 |
| DSA-3-450-125AL | DS 3 inch OD - 45.0 inch .125 ALUM 1310 Ends with greaseable U-Joints | 380.34 |
| DSA-3-460-125AL | DS 3 inch OD - 46.0 inch .125 ALUM 1310 Ends with greaseable U-Joints | 380.34 |
| DSA-3-470-125AL | DS 3 inch OD - 47.0 inch .125 ALUM 1310 Ends with greaseable U-Joints | 380.34 |
| DSA-3-480-125AL | DS 3 inch OD - 48.0 inch .125 ALUM 1310 Ends with greaseable U-Joints | 380.34 |
| DSA-3-485-125AL | DS 3 inch OD - 48.5 inch .125 ALUM 1310 Ends with greaseable U-Joints | 380.34 |
| DSA-3-490-125AL | DS 3 inch OD - 49.0 inch .125 ALUM 1310 Ends with greaseable U-Joints | 380.34 |
| DSA-3-500-125AL | DS 3 inch OD - 50.0 inch .125 ALUM 1310 Ends with greaseable U-Joints | 380.34 |
| DSA-3-510-125AL | DS 3 inch OD - 51 inch .125 ALUM 1310 Ends with greaseable U-Joints | 380.34 |
| DSA-35-1330-114J | Drive Shaft Aluminum 3.50 inch x .114 1330 Balanced, Specify center to center l | 431.57 |
| DSA-35-1330-27-43.5 | 43.5 inch c to c Alum Driveshaft, 1330 U-Joint, Ford Mustang w/27 spline slip yok | 451.95 |
| DSA-35-1330-31-42.5 | 42.5 inch c to c Alum Driveshaft, 1330 U-Joint, Ford Mustang w/31 spline slip yok | 431.57 |
| DSA-35-1330-31-43.5 | 43.5 inch c to c Alum Driveshaft, 1330 U-Joint, Ford Mustang w/31 spline slip yok | 431.57 |
| DSA-35-1350-114J | Drive Shaft Aluminum 3.50 inch x .114 1350 Balanced with solid cross u joints Sp | 444.69 |
| DSA-35-1350-125J | Drive Shaft Aluminum 3.50 inch x .125 1350 Balanced, with solid cross u joints; | 478.79 |
| DSA-35-1350-125J LONG | Drive Shaft Aluminum 3.50 inch x .125 1350 with/ solid cross u joints; using Son | 508.96 |
| DSA-35-1350-27-125-44.5 | 44.5 inch c to c Alum Driveshaft, 1350 U-Joint, Ford Mustang w/27 spline slip yok | 546.57 |
| DSA-3-520-125AL | DS 3 inch OD - 52.0 inch .125 ALUM 1310 Ends with greaseable U-Joint | 380.34 |
| DSA-3-Custom-125AL | DS 3 inch OD - .125 ALUM 1310 Ends with U-Joints, specify center to center leng | 390.94 |
| DSA-40-1350-087J | Drive Shaft Aluminum 4.00 inch x .087 1350 Balanced, Specify center to center le | 470.93 |
| DSA-40-1350-125J | Drive Shaft Aluminum 4.00 inch x .125 1350 Balanced, with solid cross u joints S | 536.51 |
| DSA-40-1410-087J | Drive Shaft Aluminum 4.00 inch x .087 1410 Balanced, Solid Spicer U-Joints Sp | 484.04 |
| DSA-6769-350 | DS Alum 67-69 CAMARO / FIREBIRD 350, 49 7/8 inch C to C with slip yoke | 549.63 |
| DSA-6769-400 | DS Alum 67-69 Camaro / FIREBIRD 400, 49 1/2 inch C to C with slip yoke | 562.74 |
| DSA-8200 | DS Alum 82-00 CAMARO / FIREBIRD 350, 41 5/8 inch C to C with 27 spline slip | 562.74 |
| DSA-FMS-4602G-28 | 45.5 inch c to c Alum Driveshaft, 1330 U-Joint, Ford Mustang w/28 spline slip yok | 431.57 |
| DSA-FMS-4602J-31 | 45.5 inch c to c Alum Driveshaft, 1330 U-Joint, Ford Mustang w/31 spline slip yok | 431.57 |
| DS-JK 7/16 BLW Kit w Loctite | JK 7/16 inch Bolt and Lock Washer Kit with Loctite | 10.42 |
| DS-JK1310F | Stock replacement JK/ JKU 07-17 front 1310 greaseable | 550.94 |
| DS-JK1310FK | Stock Front JK driveshaft replacement kit includes: transfer case yoke and differe | 615.21 |
| DS-JK1310R | Stock replacement JK rear 1310 greaseable no yokes | 550.94 |
| DS-JK1310RK | Stock Rear JK drive shaft replacement Kit includes: transfer case yoke, differenti | 657.19 |
| DS-JK1310SF | Front JK driveshaft replacement includes: solid 1310 u joints and full spline stub | 537.32 |
| DS-JK1310SFK | Front JK driveshaft replacement kit includes: transfer case and differential yokes, | 675.56 |

| | | |
|----------------------|--|--------|
| DS-JK1310SR | Rear JK drive shaft replacement includes: solid 1310 u-joints and full spline stub | 567.02 |
| DS-JK1310SRK | Rear JK drive shaft replacement kit includes: transfer case and differential yokes, | 707.04 |
| DS-JK1350F | Front JK driveshaft, solid 1350 u-joints, full spline stub shaft and NO YOKES | 721.47 |
| DS-JK1350FK | Front JK driveshaft replacement kit includes: transfer case flange, diff yoke, solid | 903.80 |
| DS-JK1350R | Rear Jk drive shaft replacement kit includes: solid 1350 u-joints, full spline stub sl | 726.71 |
| DS-JK1350RK | Rear JK driveshaft replacement kit includes: transfer case flange, and diff yoke, s | 903.80 |
| DS-JL-1310SFK | Front JL driveshaft replacement kit includes: transfer case and differential yokes, | 619.95 |
| DS-JL-1310SFKD30 | Front JL driveshaft replacement kit includes: transfer case and differential yokes, | 619.95 |
| DS-JL-1310SFKD44 | Front JL driveshaft replacement kit includes: transfer case and differential yokes, | 619.95 |
| DS-JL-1310SRKD35 | Rear JL drive shaft replacement kit includes: transfer case and differential yokes, | 639.90 |
| DS-JL-1310SRKD44 | Rear JL drive shaft replacement kit includes: transfer case and differential yokes, | 639.90 |
| DS-JL1350FK | Front JL driveshaft replacement kit includes: transfer case flange, diff yoke, solid | 799.95 |
| DS-JL-1350FKD30 | Front JL driveshaft replacement kit includes: transfer case flange, diff yoke, solid | 759.95 |
| DS-JL-1350FKD44 | Front JL driveshaft replacement kit includes: transfer case flange, diff yoke, solid | 759.95 |
| DS-JL1350RK | Rear JL driveshaft replacement kit includes: transfer case flange, and diff yoke, s | 799.95 |
| DS-JL-1350RKD35 | Rear JL driveshaft replacement kit includes: transfer case flange, and diff yoke, s | 799.95 |
| DS-JL-1350RKD44 | Rear JL driveshaft replacement kit includes: transfer case flange, and diff yoke, s | 799.95 |
| F88 MO Kit | F8.8 inch 28 and 31 spline 2009 & older Master Overhaul Kit | 159.89 |
| F88355 | Ford 8.8 inch Ring and Pinion Standard 355 Ratio | 265.99 |
| F88373 | Ford 8.8 inch Ring and Pinion Standard 373 Ratio | 265.99 |
| F88410 | Ford 8.8 inch Ring and Pinion Standard 410 Ratio | 265.99 |
| F88456 | Ford 8.8' Ring and Pinion Standard 456 Ratio | 265.99 |
| F88488 | Ford 8.8 inch Ring and Pinion Standard 488 Ratio | 265.99 |
| F88513 | Ford 8.8 inch Ring and Pinion Standard 513 Ratio | 265.99 |
| F88traclocrossshaft | Ford 8.8 inch trac loc cross shaft .875 inch OD | 12.77 |
| F88True Trac 913A561 | Ford 8.8 inch Eaton True Trac 913A561 | 699.99 |
| F9325HT28K | Ford 9 inch Heli Trac kit for 2.891 stock case. 325 Ratio Premium Gear PEM3 F | 799.00 |
| F9325HT31K | Ford 9 inch Heli Trac kit for 2.891 stock case. 325 Ratio Premium Gear PEM3 F | 799.00 |
| F9325TL28K | Ford 9 inch tracloc kit for 2.891 stock case. 325 Ratio Premium Gear PEM3 Pre | 780.00 |
| F9325TL31K | Ford 9 inch tracloc kit for 2.891 stock case. 325 Ratio Premium Gear PEM3 Pre | 780.00 |
| F9350 | Ford 9 inch Ring and Pinion Standard 350 Ratio | 189.00 |
| F9350HT28K | Ford 9 inch Heli Trac kit for 2.891 stock case. 350 Ratio Premium Gear PEM3 F | 799.00 |
| F9350HT31K | Ford 9 inch Heli Trac kit for 2.891 stock case. 350 Ratio Premium Gear PEM3 F | 799.00 |
| F9350TL28K | Ford 9 inch tracloc kit for 2.891 stock case. 350 Ratio Premium Gear PEM3 Pre | 780.00 |
| F9350TL31K | Ford 9 inch tracloc kit for 2.891 stock case. 350 Ratio Premium Gear PEM3 Pre | 780.00 |
| F9370 | Ford 9 inch Ring and Pinion Standard 370 Ratio | 189.00 |

| | | |
|------------|---|--------|
| F9370HT28K | Ford 9 inch Heli Trac kit for 2.891 stock case. 370 Ratio Premium Gear PEM3 F | 799.00 |
| F9370HT31K | Ford 9 inch Heli Trac kit for 2.891 stock case. 370 Ratio Premium Gear PEM3 F | 799.00 |
| F9370TL28K | Ford 9 inch tracloc kit for 2.891 stock case. 370 Ratio Premium Gear PEM3 Pre | 780.00 |
| F9370TL31K | Ford 9 inch tracloc kit for 2.891 stock case. 370 Ratio Premium Gear PEM3 Pre | 780.00 |
| F9389 | Ford 9 inch Ring and Pinion Standard 389 Ratio | 189.00 |
| F9389HT28K | Ford 9 inch Heli Trac kit for 2.891 stock case. 389 Ratio Premium Gear PEM3 F | 799.00 |
| F9389HT31K | Ford 9 inch Heli Trac kit for 2.891 stock case. 389 Ratio Premium Gear PEM3 F | 799.00 |
| F9389TL28K | Ford 9 inch tracloc kit for 2.891 stock case. 389 Ratio Premium Gear PEM3 Pre | 780.00 |
| F9389TL31K | Ford 9 inch tracloc kit for 2.891 stock case. 389 Ratio Premium Gear PEM3 Pre | 780.00 |
| F9411 | Ford 9 inch Ring and Pinion Standard 411 Ratio | 189.00 |
| F9411HT28K | Ford 9 inch Heli Trac kit for 2.891 stock case. 411 Ratio Premium Gear PEM3 P | 799.00 |
| F9411HT31K | Ford 9 inch Heli Trac kit for 2.891 stock case. 411 Ratio Premium Gear PEM3 P | 799.00 |
| F9411LW | Ford 9 inch Ring and Pinion 411 Ratio Lightweight | 321.70 |
| F9411TL28K | Ford 9 inch tracloc kit for 2.891 stock case. 411 Ratio Premium Gear PEM3 Pre | 780.00 |
| F9411TL31K | Ford 9 inch tracloc kit for 2.891 stock case. 411 Ratio Premium Gear PEM3 Pre | 780.00 |
| F9430 | Ford 9 inch Ring and Pinion Standard 430 Ratio | 189.00 |
| F9457 | Ford 9 inch Ring and Pinion Standard 457 Ratio 32tooth 7tooth | 189.00 |
| F9457LW | Ford 9 inch Ring and Pinion Standard 457 Ratio 32tooth 7tooth Lightweight | 189.00 |
| F9471 | Ford 9 inch Ring and Pinion Standard 471 Ratio | 189.00 |
| F9471LW | Ford 9 inch Ring and Pinion Lightened 471 Ratio | 256.47 |
| F9486 | Ford 9 inch Ring and Pinion Standard 486 Ratio | 189.00 |
| F9486LW | Ford 9 inch Ring and Pinion Lightened 486 Ratio | 256.47 |
| F9500 | Ford 9 inch Ring and Pinion Standard 500 Ratio | 189.00 |
| F9500LW | Ford 9 inch Ring and Pinion Lightened 500 Ratio | 256.47 |
| F9514 | Ford 9 inch Ring and Pinion Standard 514 Ratio | 189.00 |
| F9514LW | Ford 9 inch Ring and Pinion 514 Ratio Lightweight | 321.70 |
| F9529 | Ford 9 inch Ring and Pinion Standard 529 Ratio | 189.00 |
| F9529LW | Ford 9 inch Ring and Pinion Lightened 529 Ratio | 256.47 |
| F9529LW | Ford 9 inch Ring and Pinion Lightened 529 Ratio | 361.41 |
| F9537 | Ford 9 inch Ring & Pinion 537 Special Ratio Standard Weight | 306.54 |
| F9537LW | Ford 9 inch Ring and Pinion 537 Ratio Lightweight | 321.70 |
| F9543 | Ford 9 inch Ring and Pinion Standard 543 Ratio | 189.00 |
| F9543LW | Ford 9 inch Ring and Pinion Lightened 543 Ratio | 256.47 |
| F9550 | Ford 9 inch Ring & Pinion 5.50 Special ratio Standard Weight | 306.54 |
| F9557 | Ford 9 inch Ring & Pinion 5.57 Special Ratio Standard Weight | 306.54 |
| F9567 | Ford 9 inch Ring and Pinion Standard 567 Ratio | 189.00 |

| | | |
|-------------------------|--|--------|
| F9567LW | Ford 9 inch Ring and Pinion Lightened 567 Ratio | 256.47 |
| F9575 | Ford 9 inch Ring & Pinion 5.75 Special Ratio Standard Weight | 306.54 |
| F9575LW | Ford 9 inch Ring and Pinion 575 Ratio Lightweight | 321.70 |
| F9583 | Ford 9 inch Ring and Pinion Standard 583 Ratio 35/6 T | 189.00 |
| F9583LW | Ford 9 inch Ring and Pinion Lightened 583 Ratio 30/6 T | 256.47 |
| F9600 | Ford 9 inch Ring and Pinion Standard 600 Ratio | 189.00 |
| F9600LW | Ford 9 inch Ring and Pinion Lightened 600 Ratio | 256.47 |
| F9614 | Ford 9 inch Ring and Pinion Standard 614 Ratio | 383.50 |
| F9614LW | Ford 9 inch Ring and Pinion Light Weight 614 Ratio | 383.50 |
| F9620 | Ford 9 inch Ring and Pinion Standard 620 Ratio | 189.00 |
| F9620LW | Ford 9 inch Ring and Pinion Lightened 620 Ratio | 256.47 |
| F9633 | Ford 9 inch Ring and Pinion Standard 633 Ratio | 189.00 |
| F9633LW | Ford 9 inch Ring and Pinion Lightened 633 Ratio | 256.47 |
| F9643 | Ford 9 inch Ring & Pinion 6.43 Special Ratio Standard Weight | 306.54 |
| F9650 | Ford 9 inch Ring and Pinion Standard 650 Ratio | 189.00 |
| F9650LW | Ford 9 inch Ring and Pinion Lightened 650 Ratio | 256.47 |
| F9666LW | Ford 9 inch Ring and Pinion Lightened 666 Ratio | 280.89 |
| F9683LW | Ford 9 inch Ring and Pinion Lightened 683 Ratio | 280.89 |
| F9700LW | Ford 9 inch Ring and Pinion Lightened 700 Ratio | 280.89 |
| F9AXTIS | Ford 9 inch Axle Tube Inside Seal | 16.62 |
| F9AXTOR | Ford 9 inch Axle Tube O-Ring | 1.28 |
| F9AXTS3Kit | Ford 9 inch Axle Tube Seal Alum. Red with seal & O-rings | 39.28 |
| F9BackingPlate Set | Ford 9 inch Drum Brake Backing Plate- pair new style Torino 3/8 inch | 139.80 |
| F9BK1625ID2891ODPremium | Ford 9 inch Bearing Kit 1.625 ID 2.891 OD Premium Bearings | 110.19 |
| F9BK1781ID2891OD | Ford 9 inch Bearing Kit 1.781 ID 2.891 OD | 100.35 |
| F9BK1781ID2891ODPremium | Ford 9 inch Bearing Kit 1.781 ID 2.891 OD Premium Bearings | 110.19 |
| F9CSLV | Ford 9 inch Crush Sleeve | 5.13 |
| F9DIK | Ford 9 inch Deluxe Install Kit with crush sleeve, pinion bearings, seals, shims and | 91.75 |
| F9DIK SS | Ford 9 inch Deluxe Install Kit with solid pinion spacer, pinion bearings, seal, gask | 95.70 |
| F9HG | Ford 9 inch Housing Gasket | 2.89 |
| F9HGK | Ford 9 inch Housing Gasket Kit - 5 pcs. | 13.44 |
| F9HT28 | Ford 9 inch Heli Trac 28 spline | 345.00 |
| F9HT31 | Ford 9 inch Heli Trac 31 spline | 469.00 |
| F9HT35 | Ford 9 inch Heli Trac 35 spline Gear Drive Differential, 2.0 inch OD bearing journ | 523.99 |
| F9IK | Ford 9 inch Install Kit | 39.36 |
| F9IK SS | Ford 9 inch Install Kit with solid spacer and shims | 45.90 |

| | | |
|-----------------------|---|--------|
| F9IK w/ Stk RGB | Ford 9 inch Install Kit wth Stock Ring Gear Bolts | 39.36 |
| F9IKEcono | Ford 9 inch Install Kit Econo | 32.73 |
| F9PBR | Ford 9 inch Pilot Bearing Retainer | 5.08 |
| F9PCBRK | Ford 9 inch Carrier Bearing and Race Kit | 34.76 |
| F9PCBRK G Case | Ford 9 inchG -Case Carrier Bearing and Race Kit KOYO - 2 each | 40.60 |
| F9PCBRK KOYO | Ford 9 inch Carrier Bearing and Race Kit KOYO - 2 each | 37.98 |
| F9PN | Ford 9 inch Pinion Nut Fits 7.5 inch, 8 inch, 8.8 inch, 9 inch Pinions | 5.13 |
| F9PN35 | Ford 9 inch Pinion Nut Fits 35 Spline | 15.34 |
| F9POR | Ford 9 inch Pinion O Ring | 3.85 |
| F9PS35 | Ford 9 inch Pinion Support Seal 35 Spline | 17.26 |
| F9PS35 Stud Kit 10 pc | F9PS35 Stud Kit for 10 bolt pinion support with studs and nuts (5 of 7/16 inch & 5 of 1/2 inch) | 51.09 |
| F9PS3510 | Ford 9 inch Alum. 10 Bolt Pinion Support; for Large Bearing No races | 198.80 |
| F9PS3510Kit | Ford 9 inch Alum 10 Bolt Pinion Support (no races) with 6 pc shim pack & 10 pc spacer | 261.05 |
| F9PS3510R | Ford 9 inch Pinion Support 35 10 Bolt with RACES INSTALLED | 234.81 |
| F9PS3510-RKit | Ford 9 inch Alum 10 Bolt Pinion Support RACES INSTALLED with 6 pc shim pack & 10 pc spacer | 271.54 |
| F9PS3510SP | 10 hole Pinon Shim kit 6 pack for Pro Large Pinion Support 10 hole, 1 pc each | 21.75 |
| F9PS3604 | Ford 9 inch Pinion Seal Small Outer Diameter 8.8 inch plus some 9 inch ford | 14.06 |
| F9PS7044 | Ford 9 inch Pinion Stock Seal | 11.49 |
| F9PS7044V | Ford 9 inch Pinion Seal Hi Temp Viton | 11.25 |
| F9PSCD | Ford 9 inch Cast Daytona Pinion Support | 100.04 |
| F9PSCDR | Ford 9 inch Cast Daytona Pinion Support with Races Installed | 130.52 |
| F9PSCStock | Ford 9 inch Cast Stock Support | 96.20 |
| F9PSLB Pur | Pinion Carrier Big Bearing- Purple | 126.98 |
| F9PSLBR Pur | Pinion Support Big Bearing (Purple) Alum with races installed | 169.22 |
| F9PSLBRK | Bearing, Races, o ring, spacer & seal Kit for Ford 9 inch Large Bearing Alum. 35 | 153.41 |
| F9PSSB | Ford 9 inch Alum. Daytona Pinion Support Small Bearing; No races | 126.98 |
| F9PSSBR | Ford 9 inch Alum. Daytona Pinion Support Small Bearing with Races | 163.97 |
| F9PSSBRK | Bearing, races, oring, spacer & seal Kit (Daytona) Small Alum. Pinion Support | 74.77 |
| F9PSSK | Ford 9 inch Pinion Support Shims; 5 hole, 7 shims .005, .010(x2), .012, .014, .016 | 15.34 |
| F9RPKCS | Ford 9 inch Ring and Pinion Kit with Crush Sleeve | 28.86 |
| F9RPKSS | Ford 9 inch Ring and Pinion Kit with Solid Spacer | 44.60 |
| F9SPS | Ford 9 inch Solid Pinion Shims; 5 shims 1-10, 2-12, 1-16 & 1-20 | 13.05 |
| F9SPS35 | Ford 9 inch Pinion Shims Only for 35 Spline | 47.46 |
| F9SPSK | Ford 9 inch Solid Pinion Spacer Kit | 16.99 |
| F9SPSK35 | Ford 9 inch Adjustable Pinion Spacer Kit 35 Spline with shims | 64.28 |
| F9SPSKL | Ford 9 inch Solid Pinion Spacer Kit with Long Spacer for Daytona Support | 16.99 |

| | | |
|--------------------------|---|--------|
| F9SPSP | Ford 9 inch Solid Pinion Spacer .422 | 5.13 |
| F9SPSPL | Ford 9 inch Solid Pinion Spacer .475 (.053 inch longer than stock) | 4.49 |
| F9tracloc 28spline | Ford 9 inch Trac Loc ASSY 28 Spline; must use friction modifier | 329.00 |
| F9tracloc 31spline | Ford 9 inch Trac Loc ASSY 31 Spline; must use friction modifier | 329.00 |
| F9tracloc fric mod | Ford 8 inch & 9 inch trac loc friction modifier - 4 oz. bottle | 9.56 |
| F9traclocboltk 10 pc | Ford 9 inch trac lock bolt kit with washers- 10 pc | 20.91 |
| F9tracloccase | Ford 9 inch carrier hat & gear case for F9 trac loc 4pin 28 and 31 spline | 166.69 |
| F9tracloccrossshaft | Ford 8 inch & 9 inch trac loc cross shaft, also fits 9 inch ford mini spool | 19.19 |
| F9traclocset | Ford 8 inch & 9 inch trac loc clutch 9 PC SET | 85.20 |
| F9traclocint28 | Ford 8 inch & 9 inch 4P trac loc spider gear kit w/ 28 spline | 153.48 |
| F9traclocint31 | Ford 8 inch & 9 inch 4P trac loc spider gear kit w/ 31 spline | 153.48 |
| F9traclocReBKit | Ford 8 inch and 9 inch Trac Loc Basic Rebuild Kit; bottle friction modifier, clutch p | 68.21 |
| F9TraclocRK28 | Ford 9 inch Trac Loc Complete Rebuild Kit 28; includes Clutch Sets, springs, pins | 199.00 |
| F9TraclocRK31 | Ford 9 inch Trac Loc Complete Rebuild Kit 31; includes Clutch Set, springs, pins | 199.00 |
| F9TracOpenDif28Kit | Open Differential 28 Spline Kit | 93.14 |
| F9TracOpenDif31Kit | Open Differential 31 Spline Kit | 93.14 |
| F9True Trac 28 / 912A587 | Ford 9 inch True Trac 28 spline | 664.99 |
| F9True Trac 31 / 913A586 | Ford 9 inch inch Eaton True Trac 31 spline 913A586 | 664.99 |
| F9True Trac 35 / 914A690 | Ford 9 inch Eaton True Trac 35 spline | 727.99 |
| F-Body CBKit | F Body Complete Bracket Kit 82 -92 and 93 -02 | 264.98 |
| F-Body SprLeafPerch | F Body (& X-body) Rear Multi Leaf Spring Axle Mounting Perches - Pair | 168.02 |
| FHCSD5161812UCKit | Bolt Flat Head Cap Screw Drive Flange 5/16 diameter 18 tpi 1/2 long G8 steel Ur | 9.19 |
| FHN225225 | New Flanged Housing 45 inch Centered pinion axle flange to axle flange width W | 562.74 |
| FHN235235 | New Flanged Housing 47 inch Centered pinion axle flange to axle flange width W | 562.74 |
| FHN240240 | New Flanged Housing 48 inch Centered pinion (21.5-21.5 inch) axle flange to axl | 562.74 |
| FHN24252425 | New Flanged Housing 48.5 inch Centered pinion axle flange to axle flange width | 562.74 |
| FHN245245 | New Flanged Housing 49 inch Centered pinion axle flange to axle flange width W | 562.74 |
| FHN250230 | New Flanged Housing 48 inch Centered Housing axle flange to axle flange width | 562.74 |
| FHN250250 | New Flanged Housing 50 inch Centered pinion axle flange to axle flange width W | 562.74 |
| FHN255235 | New Flanged Housing 49 inch Centered Housing axle flange to axle flange width | 562.74 |
| FHN255255 | New Flanged Housing 51 inch Centered pinion axle flange to axle flange width V | 562.74 |
| FHN260240 | New Flanged Housing 50 inch Centered Housing axle flange to axle flange width | 562.74 |
| FHN260260 | New Flanged Housing 52 inch Centered pinion axle flange to axle flange width W | 562.74 |
| FHN265265 | New Flanged Housing 53 inch Centered pinion axle flange to axle flange width W | 562.74 |
| FHN26752675 | New Flanged Housing 53.5 inch Centered pinion axle flange to axle flange width | 562.74 |
| FHN270250 | New Flanged Housing 52 inch Centered Housing axle flange to axle flange width | 562.74 |

| | | |
|---------------|---|--------|
| FHN270270 | New Flanged Housing 54 inch Centered pinion axle flange to axle flange width V | 562.74 |
| FHN27252525 | New Flanged Housing 52.5 inch Centered Housing axle flange to axle flange width | 562.74 |
| FHN275255 | New Flanged Housing 53 inch Centered Housing axle flange to axle flange width | 562.74 |
| FHN275275 | New Flanged Housing 55 inch Centered pinion axle flange to axle flange width V | 562.74 |
| FHN27752575 | New Flanged Housing 53.5 inch Centered Housing axle flange to axle flange width | 562.74 |
| FHN27752775 | New Flanged Housing 55.5 inch Centered pinion axle flange to axle flange width | 562.74 |
| FHN280260 | New Flanged Housing 54 inch Centered Housing axle flange to axle flange width | 562.74 |
| FHN280280 | New Flanged Housing 56 inch Centered pinion axle flange to axle flange width W | 562.74 |
| FHN28252625 | New Flanged Housing 54.5 inch Centered Housing axle flange to axle flange width | 562.74 |
| FHN28252825 | New Flanged Housing 56.5 inch Centered pinion axle flange to axle flange width | 562.74 |
| FHN285265 | New Flanged Housing 55 inch Centered Housing axle flange to axle flange width | 562.74 |
| FHN285285 | New Flanged Housing 57 inch Centered pinion axle flange to axle flange width. \ | 562.74 |
| FHN28752675 | New Flanged Housing 55.5 inch Centered Housing axle flange to axle flange width | 562.74 |
| FHN28752875 | New Flanged Housing 57.5 inch Centered pinion axle flange to axle flange width | 562.74 |
| FHN290270 | New Flanged Housing 56 inch Centered Housing axle flange to axle flange width | 562.74 |
| FHN290290 | New Flanged Housing 58 inch Centered pinion axle flange to axle flange width. \ | 562.74 |
| FHN29252725 | New Flanged Housing 56.5 inch Centered Housing axle flange to axle flange width | 562.74 |
| FHN29252925 | New Flanged Housing 58.5 inch Centered pinion axle flange to axle flange width. | 573.24 |
| FHN295275 | New Flanged Housing 57 inch Centered Housing axle flange to axle flange width | 573.24 |
| FHN295295 | New Flanged Housing 59 inch Centered pinion axle flange to axle flange width | 573.24 |
| FHN29752775 | New Flanged Housing 57.5 inch Centered Housing axle flange to axle flange width | 562.74 |
| FHN29752975 | New Flanged Housing 59.5 inch Centered pinion axle flange to axle flange width | 573.24 |
| FHN300280 | New Flanged Housing 58 inch OFFSET 1 inch to passenger side With fill and drain | 573.24 |
| FHN300300 | New Flanged Housing 60 inch Centered pinion axle flange to axle flange width V | 573.24 |
| FHN30252825 | New Flanged Housing 58.5 inch Centered Housing axle flange to axle flange width | 562.74 |
| FHN305285 | New Flanged Housing 59 inch OFFSET 1 inch to passenger side With fill and drain | 573.24 |
| FHN305305 | New Flanged Housing 61 inch Centered pinion axle flange to axle flange width V | 583.73 |
| FHN30752875 | New Flanged Housing 59.5 inch Centered Housing axle flange to axle flange width | 573.24 |
| FHN30752975 | New Flanged Housing 60.5 inch stock pinion location 67-81 F-Body (NO BRACKET) | 583.73 |
| FHN30753075 | New Flanged Housing 61.5 inch Centered pinion axle flange to axle flange width | 583.73 |
| FHN310290 | New Flanged Housing 60 inch OFFSET 1 inch to passenger side With fill and drain | 583.73 |
| FHN310310 | New Flanged Housing 62 inch Centered pinion axle flange to axle flange width. \ | 583.73 |
| FHN3112529125 | New Flanged Housing 60.25 inch centered housing With fill and drain (28.625 inch) | 583.73 |
| FHN31252925 | New Flanged Housing 60.5 inch Centered Housing axle flange to axle flange width | 583.73 |
| FHN315315 | New Flanged Housing 63 inch Centered pinion axle flange to axle flange width. V | 583.73 |
| FHN31752975 | New Flanged Housing 61.5 inch Centered Housing axle flange to axle flange width | 583.73 |

| | | |
|----------------------|--|---------|
| FHN320300 | New Flanged Housing 62 inch Centered Housing axle flange to axle flange width | 583.73 |
| FHN320320 | New Flanged Housing 64 inch Centered pinion axle flange to axle flange width. \ | 583.73 |
| FHN32753075 | New Flanged Housing 63.5 inch Centered Housing axle flange to axle flange wid | 583.73 |
| FHN330310 | New Flanged Housing 64 inch Centered Housing axle flange to axle flange width | 583.73 |
| FHN62-67NovaMonoLeaf | New Flanged Housing 57.25 inch Stock pinion Location axle flange to axle flange | 654.57 |
| FHN64-66 Mustang | New Flanged Housing 57.25 inch Centered pinion axle flange to axle flange width | 654.57 |
| FHN67-70 Mustang | New Flanged Housing 59.25 inch Centered pinion axle flange to axle flange width | 654.57 |
| FHN67-70C10 | New Flanged Housing 62 inch Stock pinion location axle flange to axle flange wic | 654.57 |
| FHN70-72C10 | New Flanged Housing 63 inch Stock pinion location axle flange to axle flange wic | 654.57 |
| FHN73-86C10 | New Flanged Housing 63.5 inch Stock pinion location axle flange to axle flange w | 654.57 |
| FHNAB300290SL | A Body New Flanged Housing 59.5 inch Stock pinion Location with .375 Ends N | 785.75 |
| FHNAB305295SL | A Body New Flanged Housing 60.5 inch Stock pinion Location with .375 Ends 6 | 785.75 |
| FHNAB305295SL KIT | FHNAB305295SL KIT with Flange Axles 31 spline 2 1/2 inch offset | 1122.00 |
| FHNAB315305SL | A Body New Flanged Housing 62.5 inch Stock pinion Location with .375 Ends 6 | 785.75 |
| FHNAB55-57GMSL | Tri Five New Flanged Leaf Spring Housing 60 inch Stock pinion Location with .37 | 654.57 |
| FHNBB300290SL | B Body Narrowest New Flanged Housing59.5 inch Stock pinion Location with .37 | 793.61 |
| FHNBB305295SL | B Body New Flanged Housing 60.5 inch Stock pinion Location with .375 Ends 5 | 793.61 |
| FHNCBK310290 | GM 82-92 F Body Flanged Housing 61.5 inch OFFSET 1 inch to passenger side | 846.08 |
| FHNFB307529752SL | F Body Leaf Spring Flanged Housing 60.5 inch Stock pinion Location with .375 E | 654.57 |
| FHNFB307529752SL Kit | FHNFB307529752SL KIT with Flange Axles 31 spline 2 1/2 inch offset, specify di | 1122.00 |
| FHNFB31752975 | GM Camaro 82-92 F-Body Flanged Housing 61.5 inch OFFSET 1 inch to passen | 583.73 |
| FHNK260260 | NEW Flanged Housing Kit 52 inch Centered with a pair of 3/8 inch Flange AR 2 | 1030.12 |
| FHNK270270 | NEW Flanged Housing Kit 54 inch Centered with a pair of 3/8 inch Flange AR 2 E | 1030.12 |
| FHNK275275 | NEW Flanged Housing Kit 55 inch Centered with a pair of 3/8 inch Flange AR 2 E | 1030.12 |
| FHNK280280 | NEW Flanged Housing Kit 56 inch Centered with a pair of 3/8 inch Flange AR 2 E | 1030.12 |
| FHNK285285 | NEW Flanged Housing Kit 57 inch Track width Centered Pinion with a pair of 3/8 | 1030.12 |
| FHNK290270 | NEW Flanged Housing Kit 56 inch CENTERED HOUSING with a pair of 1/2 inch | 1030.12 |
| FHNK290290 | NEW Flanged Housing Kit 58 inch Centered with a pair of 3/8 inch Flange AR 2 E | 1030.12 |
| FHNK295295 | NEW Flanged Housing Kit 59 inch Centered with a pair of 3/8 inch Flange AR 2 E | 1030.12 |
| FHNK29752975 | NEW Flanged Housing Kit 59.5 inch Centered with a pair of 3/8 inch Flange AR 2 | 1030.12 |
| FHNK300300 | NEW Flanged Housing Kit 60 inch Centered with a pair of 3/8 inch Flange AR 2 E | 1030.12 |
| FHNK305305 | NEW Flanged Housing Kit 61 inch Centered with a pair of 3/8 inch Flange AR 2 E | 1030.12 |
| FHNK310290 | NEW Flanged Housing Kit 60 inch CENTERED HOUSING with a pair of 3/8 inch | 1030.12 |
| FHNK310310 | NEW Flanged Housing Kit 62 inch Centered with a pair of 3/8 inch Flange AR 2 E | 1030.12 |
| FHNK67-70C10 | C-10 Flanged Housing Kit 62 inch Stock Pinion location (28.75 inch - 27.75 inch) | 1122.00 |
| FHNK70-72C10 | C-10 Flanged Housing Kit 63 inch Stock Pinion location (29.25 inch - 28.25 inch) | 1122.00 |

| | | |
|------------------------------|--|--------|
| FHNM290290 | New Stamped Flanged Housing G Body GM Metric 58 inch Centered (26.5 inch - | 733.28 |
| FHNM300300 | New Stamped Flanged Housing G Body GM Metric 60 inch Centered (27.5 inch-2 | 733.28 |
| FHNM310310 | New Stamped Flanged Housing G Body GM Metric 62 inch Centered (28.5 inch-2 | 733.28 |
| FKNH4 | Floater Kit No Housing with 5x4 3/4 Hubs | 779.50 |
| FKNH5 | Floater Kit No Housing with 5x5 Hubs, .810 rotors, nuts. specify axles _____ | 759.50 |
| Flange Housing New - Custom | Flange Housing New- Custom with Fill and Drain **** Tubing and Housing Ends | 505.03 |
| Flange Housing Sm W RB New-(| Flange Housing New Small Web Round Back - Custom**** Tubing and Housing | 596.85 |
| FlangeAR375 BB | Flanged Axle Retainer 3/8 inch BB | 15.34 |
| FlangeAR375 Sm Ford | Flanged Axle Retainer 3/8 inch Small Bearing 2.81 inch OD Ford | 15.34 |
| FlangeAR500 | Flanged Axle Retainer 1/2 inch Big Ford | 15.34 |
| FlangeAx UpC Access Hole | Labor to drill flange axle access hole- per axle | 9.00 |
| FlangeAx UpC C2L | Flange Axle Cut to Length per axle | 11.00 |
| FlangeAx UpC FAssy | Flange Axle Full Assembly-includes pressing in the studs/bearing and spacer -pe | 17.00 |
| FlangeAx UpC HoleDiam. | Labor to Drill Flange Axle Bolt Pattern for blank Axles per axle | 35.00 |
| FlangeAx UpC Turn HR | Flange Axle Labor to turn HUB Register per axle | 12.00 |
| FlangeAx UpC Turn O.D. | Flange Axle Labor to turn O.D. per axle | 12.00 |
| FlangeAx28BBL | 33 inch Flange Axle 28 Spline Bare with 3 Bolt Patterns for Big Bearing, Long 9 1 | 159.00 |
| FlangeAx28BBS | 29.51 inch Flange Axle 28 Spline Bare with 3 Bolt Patterns, Big Bearing Short 10 | 159.00 |
| FlangeAx31BBL | 33 inch Flange Axle 31 Spline 3 Bolt Pattern Big Bearing Long 9 1/4 inch Spline- | 159.00 |
| FlangeAx31BBL Blank | 33 inch Flange Axle 31 Spline BLANK, Big Bearing Long 9 1/4 inch Spline - 2 3/8 | 178.28 |
| FlangeAx31BBS | 29.51 inch Flange Axle 31 Spline 3 Bolt Pattern Big Bearing Short 10 inch Spline- | 159.00 |
| FlangeAx35L | Flange Axle 35 Spline 31.75 inch long with 8 inches of inner spline, 3.06 hub regi | 169.00 |
| FlangeAx35S | Flange Axle 35 Spline 29.5 inch long with 8 inches of inner spline, 3.06 hub regis | 169.00 |
| FlangeAx35Sht-2 | Flange Axle 35 Spline 23.5 inch long with 8 inches of inner spline, 3.06 hub regis | 169.00 |
| FlangeAXCOMBO28BBL 2 1/2 | Flanged Axle 28 Spline COMBO 2 1/2 inch Offset 3.062 inch Hub Register with b | 199.00 |
| FlangeAXCOMBO28BBL 2 3/8 | Flanged Axle 28 Spline Long COMBO 2 3/8 inch Offset, 3.062 inch Hub Register | 199.00 |
| FlangeAXCOMBO28BBS 2 1/2 | Flanged Axle 28 Spline COMBO 2 1/2 Offset 3.062 inch Hub Register with big be | 199.00 |
| FlangeAXCOMBO28BBS 2 3/8 | Flanged Axle 28 Spline COMBO 2 3/8 Offset 3.062 inch Hub Register with big be | 199.00 |
| FlangeAXCOMBO31BBL 2 1/2 | Flanged Axle 31 Spline Long COMBO 33 inch total length, 2 1/2 Offset 3.062 incl | 199.00 |
| FlangeAXCOMBO31BBL 2 3/8 | Flanged Axle 31 Spline COMBO 2 3/8 Offset 3.062 inch Hub Register with big be | 199.00 |
| FlangeAXCOMBO31BBS 2 1/2 | Flanged Axle 31 Spline Short COMBO 29.5 inch total length, 2 1/2 Offset 3.062 ir | 199.00 |
| FlangeAXCOMBO31BBS 2 3/8 | Flanged Axle 31 Spline COMBO 2 3/8 Offset 3.062 inch Hub Register with big be | 199.00 |
| FlangeAXCOMBO35BBL 2 1/2 | Flanged Axle 35 spline COMBO Long 31.75 inch with 8 inch of spline, 3.062 inch | 199.00 |
| FlangeAXCOMBO35BBL 2 3/8 | Flanged Axle 35 spline COMBO Long 31.75 inch with 8 inch of spline, 3.062 inch | 199.00 |
| FlangeAXCOMBO35BBS 2 1/2 | Flanged Axle 35 spline COMBO Short 29.5 inch with 8 inch of spline, 3.062 inch | 199.00 |
| FlangeAXCOMBO35BBS 2 3/8 | Flanged Axle 35 spline COMBO Short 29.5 inch with 8 inch of spline, 3.062 inch | 199.00 |

| | | |
|---------------------------------|---|--------|
| FlangeAXCOMBO35BBSht-2 2 1 | Flanged Axle 35 spline COMBO Shortest 23.5 inch with 8 inch of spline, 3.062 ir | 199.00 |
| FlangeAXCOMBO35BBSht-2 2 3 | Flanged Axle 35 spline COMBO Shortest 23.5 inch with 8 inch of spline, 3.062 ir | 199.00 |
| FlangeAxHE1/2 | Housing End 1/2 inch Large, Older Ford flanged axle | 40.99 |
| FlangeAXHE1/2LM PR | Pair of Housing Ends (2) 1/2 inch, flanged axle | 81.98 |
| FlangeAxHE3/8LM | Housing End 3/8 inch Late Model, flanged axle - Torino | 40.99 |
| FlangeAXHE3/8LM PR | Pair of Housing Ends (2) 3/8 inch Late Model, flanged axle (Torino) | 81.98 |
| FlangeAxSpacer BB | 1/8 inch axle spacer for bearing offset | 10.42 |
| FlangeAxStud1/2 inch KIT BB S | Flange AX Press In SHORT Stud 1/2 inch BB 5 pc KIT .685 knurl 1 7/8 inch long | 20.27 |
| FlangeAxStud1/2inch-20 x 3.0 KI | Flange AX Screw In Stud 1/2 inch - 20 x 3.0 inch long 5 pc kit with Lock Washer | 20.52 |
| FlangeAxStud5/8K Fine2 3/4 | Flange Axle Press In Stud 5/8 inch Fine 5 pc Kit 2 3/4 inch Long | 22.45 |
| FlangeAxStud7/16KIT BB S | Flange AX Press In Stud 7/16 inch BB 5 pc KIT short .685 knurl | 20.49 |
| FLAX28BBL 2.78 | 33 inch Flange Axle 28 Spline 3 Bolt Pattern Big Bearing Long 9 1/4 inch Spline 2 | 169.00 |
| FLAX28BBL 2.875 | 33 inch Flange Axle 28 Spline 3 Bolt Pattern Big Bearing Long 9 1/4 inch Spline 2 | 169.00 |
| FLAX28BBS 2.78 | 29.51 inch Flange Axle 28 Spline 3 Bolt Pat. B-Bearing Short 10 inch Spline 2.78 | 169.00 |
| FLAX28BBS 2.875 | 29.51 inch Flange Axle 28 Spline 3 Bolt Pat. B-Bearing Short 10 inch Spline 2.87 | 169.00 |
| FLAX31BBL 2.78 | 33 inch Flange Axle 31 Spline 3 Bolt Pattern Big Bearing Long 9 1/4 inch Spline | 169.00 |
| FLAX31BBL 2.875 | 33 inch Flange Axle 31 Spline 3 Bolt Pattern Big Bearing Long 9 1/4 inch Spline | 169.00 |
| FLAX31BBS 2.78 | 29.51 inch Flange Axle 31 Spline 3 Bolt Pattern Big Bearing Short 10 inch Spline | 169.00 |
| FLAX31BBS 2.875 | 29.51 inch Flange Axle 31 Spline 3 Bolt Pattern Big Bearing Short 10 inch Spline | 169.00 |
| FLAX35BBL 2.78 | 31.75 inch Flange Axle 35 Spline 3 Bolt Pattern Big Bearing Long 9 1/4 inch Splir | 169.00 |
| FLAX35BBL 2.875 | 31.75 inch Flange Axle 35 Spline 3 Bolt Pattern Big Bearing Long 9 1/4 inch Splir | 169.00 |
| FLAX35BBS 2.78 | 29.51 inch Flange Axle 35 Spline 3 Bolt Pattern Big Bearing Short 10 inch Spline | 169.00 |
| FLAX35BBS 2.875 | 29.51 inch Flange Axle 35 Spline 3 Bolt Pattern Big Bearing Short 10 inch Spline | 169.00 |
| FLAX35BBSHT-2 2.78 | 23.5 inch Flange Axle 35 Spline 3 Bolt Pattern Big Bearing Short 8 inch Spline 2 | 169.00 |
| FLAX35BBSHT-2 2.875 | 23.5 inch Flange Axle 35 Spline 3 Bolt Pattern Big Bearing Short 8 inch Spline 2 | 169.00 |
| FLAX7.5GMSSM | Flange Axle 7.5 inch GM with 2 bolt patterns, 5x4.75 and 5x5 .685 knurl size, 26 | 159.04 |
| FLAXCombo28BBL 2.78 2 1/2 | Flanged Axle 28 Spline COMBO Long with 9 1/4 inch spline, sealed A-20 bearing | 209.00 |
| FLAXCombo28BBL 2.78 2 3/8 | Flanged Axle 28 Spline COMBO Long with 9 1/4 inch spline, sealed A-20 bearing | 209.00 |
| FLAXCombo28BBL 2.875 2 1/2 | Flanged Axle 28 Spline COMBO Long with 9 1/4 inch spline, sealed A-20 bearing | 209.00 |
| FLAXCombo28BBL 2.875 2 3/8 | Flanged Axle 28 Spline COMBO Long with 9 1/4 inch spline, sealed A-20 bearing | 209.00 |
| FLAXCombo28BBS 2.78 2 1/2 | Flanged Axle 28 Spline COMBO Short with 10 inch spline, sealed A-20 bearing a | 209.00 |
| FLAXCombo28BBS 2.78 2 3/8 | Flanged Axle 28 Spline COMBO Short with 10 inch spline, sealed A-20 bearing a | 209.00 |
| FLAXCombo28BBS 2.875 2 1/2 | Flanged Axle 28 Spline COMBO Short with 10 inch spline, sealed A-20 bearing a | 209.00 |
| FLAXCombo28BBS 2.875 2 3/8 | Flanged Axle 28 Spline COMBO Short with 10 inch spline, sealed A-20 bearing a | 209.00 |
| FLAXCombo31BBL 2.78 2 1/2 | Flanged Axle 31 Spline COMBO Long with 9 1/4 inch spline, sealed A-20 bearing | 209.00 |
| FLAXCombo31BBL 2.78 2 3/8 | Flanged Axle 31 Spline COMBO Long with 9 1/4 inch spline, sealed A-20 bearing | 209.00 |

| | | |
|--------------------------------|--|--------|
| FLAXCombo31BBL 2.875 2 1/2 | Flanged Axle 31 Spline COMBO Long with 9 1/4 inch spline, sealed A-20 bearing | 209.00 |
| FLAXCombo31BBL 2.875 2 3/8 | Flanged Axle 31 Spline COMBO Long with 9 1/4 inch spline, sealed A-20 bearing | 209.00 |
| FLAXCombo31BBS 2.78 2 1/2 | Flanged Axle 31 Spline COMBO Short with 10 inch spline, sealed A-20 bearing a | 209.00 |
| FLAXCombo31BBS 2.78 2 3/8 | Flanged Axle 31 Spline COMBO Short with 10 inch spline, sealed A-20 bearing a | 209.00 |
| FLAXCombo31BBS 2.875 2 1/2 | Flanged Axle 31 Spline COMBO Short with 10 inch spline, sealed A-20 bearing a | 209.00 |
| FLAXCombo31BBS 2.875 2 3/8 | Flanged Axle 31 Spline COMBO Short with 10 inch spline, sealed A-20 bearing a | 209.00 |
| FLAXCombo35BBL 2.78 2 1/2 | Flanged Axle 35 Spline COMBO Long with 8 inch spline, sealed A-20 bearing an | 209.00 |
| FLAXCombo35BBL 2.78 2 3/8 | Flanged Axle 35 Spline COMBO Long with 8 inch spline, sealed A-20 bearing an | 209.00 |
| FLAXCombo35BBL 2.875 2 1/2 | Flanged Axle 35 Spline COMBO Long with 8 inch spline, sealed A-20 bearing an | 209.00 |
| FLAXCombo35BBL 2.875 2 3/8 | Flanged Axle 35 Spline COMBO Long with 8 inch spline, sealed A-20 bearing an | 209.00 |
| FLAXCombo35BBS 2.78 2 1/2 | Flanged Axle 35 Spline COMBO Short 29.5 inches with 8 inch spline, sealed A-20 | 209.00 |
| FLAXCombo35BBS 2.78 2 3/8 | Flanged Axle 35 Spline COMBO Short 29.5 inches with 8 inch spline, sealed A-20 | 209.00 |
| FLAXCombo35BBS 2.875 2 1/2 | Flanged Axle 35 Spline COMBO Short 29.5 inches with 8 inch spline, sealed A-20 | 209.00 |
| FLAXCombo35BBS 2.875 2 3/8 | Flanged Axle 35 Spline COMBO Short 29.5 inches with 8 inch spline, sealed A-20 | 209.00 |
| FLAXCombo35BBSht-2 2.78 2 1/2 | Flanged Axle 35 Spline COMBO Shortest with 8 inch spline, sealed A-20 bearing | 209.00 |
| FLAXCombo35BBSht-2 2.78 2 3/8 | Flanged Axle 35 Spline COMBO Shortest 23.5 inches with 8 inch spline, sealed A | 209.00 |
| FLAXCombo35BBSht-2 2.875 2 1/2 | Flanged Axle 35 Spline COMBO Shortest 23.5 inches with 8 inch spline, sealed A | 209.00 |
| FLAXCombo35BBSht-2 2.875 2 3/8 | Flanged Axle 35 Spline COMBO Shortest 23.5 inches with 8 inch spline, sealed A | 209.00 |
| FlaxFord88 | Flange Axle Ford 8.8 Crown Vic Grand marquis town car, splines 31, length 34.2 | 125.00 |
| FS1230 | 30 Spline Spool 12 Bolt GM for Car 4 series case | 109.00 |
| FS28 | 28 Spline Spool 9 inch Ford 6.25 lbs. straight body | 109.00 |
| FS28DS | 28 Spline 9 inch Ford Drag Spool 8.55 lbs. tapered body | 125.00 |
| FS28LW | 28 Spline Spool Lightweight 9 inch Ford 6.0 lbs. scalloped | 129.00 |
| FS31 | 31 Spline Spool 9 inch Ford 6.05 lbs. drilled straight body | 109.00 |
| FS31 STRGF | Scalloped 9 inch Ford 31 spool with a Thicker Ring Gear Flange 7.5 lbs. | 129.00 |
| FS31DS | 31 Spline 9 inch Ford Drag Spool 8.3 lbs. tapered body | 125.00 |
| FS31LW | 31 Spline Spool Lightweight 9 inch Ford 5.85 lbs. scalloped | 129.00 |
| FS35LB | 35 Spline Spool 9 inch Ford Large Bearing | 109.00 |
| FS35SB | 35 Spline Spool 9 inch Ford Small Bearing | 109.00 |
| FS8530 | 30 Spline Spool 8.5 inch 10 Bolt GM | 109.00 |
| FS87530 | 8.75 Chrysler Full Spool 30 spline | 99.00 |
| FS8831 | 31 Spline Spool 8.8 inch Ford | 109.00 |
| FS933LW | 33 Spline Spool 9 inch Ford | 119.00 |
| FS940LW | 40 Spline Spool Lite 9 inch Ford 7.1 lbs. 2.00 inch journal size for 3.25 inch carri | 129.00 |
| FSD4430 | Dana 44 Full Spool 30 spline 3.92 and higher ratios fits 3.92, 4.10, 4.56 and 4.88 | 129.00 |
| FSM940 | 40 spline Pro Spool 2.25" journal size Moser 5S9F40PB replace Strange spool 5 | 370.00 |

| | | |
|-------------------------|--|--------|
| G1310K | Girdle 1310 with bolts, lock washers, and nuts 2 pc set | 34.09 |
| G1350K | Girdle 1350 with bolts, lock washers, and nuts 2 pc set | 45.90 |
| GB SprPerchKit | G Body Spring Perch Cup Kit - pair for Street Pigtail coil springs | 69.46 |
| GDAXPLUG | Gun Drilled Axle Plug - threaded 3/8-16 for axle spacer bolts | 11.54 |
| GDW526531 | Gun Drilled Wide 5 31 Spline 26.5 inch Long - black | 182.34 |
| GDW527531 B | Gun Drilled Wide 5 31 Spline 27.5 inch Long - Hi Test Black | 219.95 |
| GDW52831 | Gun Drilled Wide 5 31 Spline 28 inch Long - black | 182.34 |
| GDW528531 B | Gun Drilled Wide 5 31 Spline 28.5 inch Long - Hi Test Black | 219.95 |
| GDW52931 B | Gun Drilled Wide 5 31 Spline 29.0 inch Long - Hi Test Black | 219.95 |
| GDW529531 B | Gun Drilled Wide 5 31 Spline 29.5 inch Long - Hi Test Black | 219.95 |
| GDW53031 B | Gun Drilled Wide 5 31 Spline 30 inch Long - Hi Test Black | 219.95 |
| GDW530531 B | Gun Drilled Wide 5 31 Spline 30.5 inch Long - Hi Test Black | 219.95 |
| GDW53131 B | Gun Drilled Wide 5 31 Spline 31.0 inch Long - Hi Test Black | 219.95 |
| GDW531531 B | Gun Drilled Wide 5 31 Spline 31.5 inch Long - Hi Test Black | 219.95 |
| GDW53231 B | Gun Drilled Wide 5 31 Spline 32 inch Long - Hi Test Black | 219.95 |
| GDW532531 B | Gun Drilled Wide 5 31 Spline 32.5 inch Long - Hi Test Black | 219.95 |
| GDW53331 B | Gun Drilled Wide 5 31 Spline 33 inch Long - Hi Test Black | 219.95 |
| GDW533531 B | Gun Drilled Wide 5 31 Spline 33.5 inch Long - Hi Test Black | 219.95 |
| GDW53431 B | Gun Drilled Wide 5 31 Spline 34 inch Long - Hi Test Black | 219.95 |
| GDW53531 B | Gun Drilled Wide 5 31 Spline 35 inch Long - Hi Test Black | 219.95 |
| GDW535531 B | Gun Drilled Wide 5 31 Spline 35.5 inch Long - Hi Test Black | 219.95 |
| GDW53631 B | Gun Drilled Wide 5 31 Spline 36 inch Long - Hi Test Black | 219.95 |
| GDW53731 B | Gun Drilled Wide 5 31 Spline 37 inch Long - Hi Test Black | 219.95 |
| GDW53831 | Gun Drilled Wide 5 31 Spline 38 inch Long - black | 182.34 |
| GM1085 MO Kit | GM 8.5 inch 10 bolt Rear Master Overhaul Kit | 142.99 |
| GM30885BC | 10 Bolt GM Ring and Pinion 308 Ratio, 8.5 inch Bolt Circle | 353.99 |
| GM34275BC | 10 Bolt GM Ring and Pinion 342 Ratio, 7.5 inch Bolt Circle | 261.99 |
| GM34285BC | 10 Bolt GM Ring and Pinion 342 Ratio, 8.5 inch Bolt Circle | 262.99 |
| GM37375BC | 10 Bolt GM Ring and Pinion 373 Ratio, 7.5 inch Bolt Circle | 261.99 |
| GM37385BC | 10 Bolt GM Ring and Pinion 373 Ratio, 8.5 inch Bolt Circle | 262.99 |
| GM41075BC | 10 Bolt GM Ring and Pinion 410 Ratio, 7.5 inch Bolt Circle | 261.99 |
| GM41085BC | 10 Bolt GM Ring and Pinion 410 Ratio, 8.5 inch Bolt Circle | 262.99 |
| GM45675BC | 10 Bolt GM Ring and Pinion 456 Ratio, 7.5 inch Bolt Circle | 261.99 |
| GM45685BC | 10 Bolt GM Ring and Pinion 456 Ratio, 8.5 inch Bolt Circle | 262.99 |
| GM85True Trac 913A481 | GM 8.5 inch Eaton True Trac 913A481 | 649.99 |
| GN Housing New - Custom | GN Floater Housing New- Custom with 2.5 inch GN Snouts ** Build Sheet Need | 615.21 |

| | | |
|------------------------|---|--------|
| GN Snout HV | 2 inch HV Snout for Howe/Vogel Hubs | 62.85 |
| GNDCBLK | Grand National Dust Cover Black | 12.19 |
| GNDCBLKKit | Kit - Grand National Dust Cover Black with o-ring & screws | 15.74 |
| GNDCTHKKit | Kit - Grand National Thick Dust Cover with P | 16.95 |
| GNDFK5x43/4 | Grand National Drive Flange Kit 5x4 3/4 with cap, o-rings and screws | 110.19 |
| GNDFK5x43/4S | Grand National Scalloped Drive Flange Kit 5x4 3/4 with cap, o-rings and screws | 116.75 |
| GNDFK5x5 | Grand National Drive Flange Kit 5x5 with cap, o-rings and screws | 103.64 |
| GNDFK5x5S | Grand National Scalloped Drive Flange Kit 5x5 with cap, o-rings and screws | 110.19 |
| GNF5x4 3/4R | Grand National Steel Flange 5x4 3/4 Bolt Circle - Bare | 65.41 |
| GNF5x4 3/4R-S | Grand National Scalloped Steel Flange 5x4 3/4 Bolt Circle Raw | 71.83 |
| GNF5x5R | Grand National Steel Flange 5x5 Bolt Circle - Bare | 62.85 |
| GNF5x5R-S | Grand National Scalloped Steel Flange 5x5 Bolt Circle Raw | 62.85 |
| GNH5x4 3/4R | Grand National Hub 5x4 3/4 Bolt Circle | 175.00 |
| GNH5x5R | Grand National Hub 5x5 Bolt Circle | 165.00 |
| GNHBAK | Grand National Bearing and Accessory Kit with both o-rings | 41.26 |
| GNHDCOR | Grand National Hub Dust Cover O Ring | 2.57 |
| GNHOR | Grand National Hub O Ring, Thin for PEM GN Hubs - .070 inches | 3.21 |
| GNHOR- THICK | Grand National Hub O Ring THICK .139 inches thick | 3.21 |
| GNHP5x4 3/4 | Grand National 5x4 3/4 Hub Partial Kit, includes, Hub with races & WSSK | 219.90 |
| GNHP5x5 | Grand National 5x5 Hub Partial Kit, includes, Hub with races & 5/8 long coarse st | 209.90 |
| GNHRK5x4 3/4 | Grand National Hubs 5 on 4 3/4 Kit with (2) hubs, 810 Rotors and Snout Nuts | 609.00 |
| GNHRK5x5 | Grand National Hubs 5 on 5 Kit with (2) hubs, (2) 810 Rotors and (2) Snout Nuts | 589.00 |
| GNHSPHLE | Grand National Hub Seal Double Lip | 7.64 |
| GNHub 5 on 4 75 Kit | Grand National Hub 5 on 4 3/4 Kit | 269.99 |
| GNHub 5 on 4 75 Kit SS | Grand National Hub 5 on 4 3/4 Kit with Short Studs | 269.99 |
| GNHub 5 on 5 Kit | Grand National Hub 5 on 5 Kit | 259.99 |
| GNHub 5 on 5 Kit SS | Grand National Hub 5 on 5 Kit with Short Studs | 259.99 |
| GNHULDS | Grand National Hub Seal Ultra Low Drag - O-ring style | 30.77 |
| GNLW | Grand National Lock Washer | 5.08 |
| GNSMW5 | Mini Wide 5 Snout - Coleman IMCA & Afco mini 5 hub style | 62.85 |
| GNSN-NonLW | GN Snout Non-Slotted Washer with tang only for locking kit | 2.95 |
| GNSNRH | Grand National NUT Right Hand | 16.62 |
| GNSNRH-Lock | GN 2.5 inch Locking RH Nut Assembly - nut and washers with set screws | 22.28 |
| GNSR | Grand National Snap Ring - for pre-2014 PEM Hubs with single lip seal | 4.49 |
| GNSRH | SNOUT Grand National 2.5 inch RH | 44.84 |
| GNSSGN | Grand National Snout Seal GN Axle, blue ID 1.375 inch OD 1.878 inch | 8.02 |

| | | |
|----------------|---|---------|
| GNSSW5 | Grand National Snout Seal Wide 5 Axle ID 1.25 inch OD 1.874 inch | 10.21 |
| HCN245225R | Flanged Housing 47 inch axle flange to axle flange width New Roundback Small | 636.20 |
| HCN24752275R | Flanged Housing 47.5 inch axle flange to axle flange width New Roundback Sma | 636.20 |
| HCN250230R | Flanged Housing 48 inch axle flange to axle flange width New Roundback Small | 636.20 |
| HCN25252325R | Flanged Housing 48.5 inch axle flange to axle flange width New Roundback Sma | 636.20 |
| HCN255235R | Flanged Housing 49 inch axle flange to axle flange width New Roundback Small | 636.20 |
| HCN260240R | Flanged Housing 50 inch axle flange to axle flange width New Roundback Small | 636.20 |
| HCN265245R | Flanged Housing 51 inch axle flange to axle flange width NEW Round Back Sma | 636.20 |
| HCN270250R | Flanged Housing 52 inch axle flange to axle flange width NEW Round Back Sma | 636.20 |
| HCN275255R | Flanged Housing 53 inch axle flange to axle flange width NEW Round Back Sma | 636.20 |
| HCN280260R | Flanged Housing 54 inch axle flange to axle flange width New Roundback Small | 636.20 |
| HCN285265R | Flanged Housing 55 inch axle flange to axle flange width New Roundback Small | 636.20 |
| HCN28752675R | Flanged Housing 55.5 inch axle flange to axle flange width New Roundback Sma | 636.20 |
| HCN290270H | Flanged Housing 56" axle flange to axle flange width New Humpback Small Web | 636.20 |
| HCN290270R | Flanged Housing 56 inch axle flange to axle flange width New Roundback Small | 636.20 |
| HCN29252725R | Flanged Housing 56.5 inch axle flange to axle flange width New Roundback Sma | 636.20 |
| HCN295275R | Flanged Housing 57 inch axle flange to axle flange width NEW Round Back Sma | 636.20 |
| HCN29752775R | Flanged Housing 57.5 inch axle flange to axle flange width NEW Round Back Srr | 636.20 |
| HCN300280R | Flanged Housing 58 inch axle flange to axle flange width NEW Round Back Sma | 636.20 |
| HCN305285R | Flanged Housing 59 inch axle flange to axle flange width New Round back Small | 636.20 |
| HCN3087528875R | Flanged Housing 59.75 inch axle flange to axle flange width New Roundback Sm | 636.20 |
| HCN310290R | Flanged Housing 60 inch axle flange to axle flange width NEW Round Back Sma | 636.20 |
| HCN315295R | Flanged Housing 61 inch axle flange to axle flange width NEW Round Back Sma | 636.20 |
| HCN320300R | Flanged Housing 62 inch axle flange to axle flange width NEW Round Back Sma | 636.20 |
| HCN325305R | Flanged Housing 63 inch axle flange to axle flange width NEW Round Back Sma | 636.20 |
| HCNK475R | Flanged Housing 47.5 inch axle flange to axle flange width New Roundback Sma | 1099.00 |
| HCNK47R | Flanged Housing 47 inch axle flange to axle flange width New Roundback Small | 1099.00 |
| HCNK485R | Flanged Housing 48.5 inch axle flange to axle flange width New Roundback Sma | 1099.00 |
| HCNK48R | Flanged Housing 48 inch axle flange to axle flange width New Roundback Small | 1099.00 |
| HCNK49R | Flanged Housing 49 inch axle flange to axle flange width New Roundback Small | 1099.00 |
| HCNK50R | Flanged Housing 50 inch axle flange to axle flange width New Roundback Small | 1099.00 |
| HCNK51R | Flanged Housing 51 inch axle flange to axle flange width New Roundback Small | 1099.00 |
| HCNK52R | Flanged Housing 52 inch axle flange to axle flange width New Roundback Small | 1099.00 |
| HCNK53R | Flanged Housing Kit 53 inch CENTERED HOUSING NEW Small Web Round Ba | 1099.00 |
| HCNK54R | Flanged Housing 54 inch axle flange to axle flange width New Roundback Small | 1099.00 |
| HCNK555R | Flanged Housing 55.5 inch axle flange to axle flange width New Roundback Sma | 1099.00 |

| | | |
|--------------|---|---------|
| HCNK55R | Flanged Housing 55 inch axle flange to axle flange width New Roundback Small | 1099.00 |
| HCNK56H | Flanged Housing 56' axle flange to axle flange width New Humpback Small Web | 1099.00 |
| HCNK56R | Flanged Housing 56 inch axle flange to axle flange width New Roundback Small | 1099.00 |
| HCNK575R | Flanged Housing Kit 57.5 inch CENTERED HOUSING with NEW Small Web Rou | 1099.00 |
| HCNK57R | Flanged Housing Kit 57 inch CENTERED HOUSING with NEW Small Web Roun | 1099.00 |
| HCNK58R | Flanged Housing 58 inch axle flange to axle flange width New Roundback Small | 1099.00 |
| HCNK5975R | Flanged Housing 59.75 inch axle flange to axle flange width New Roundback Sm | 1099.00 |
| HCNK59R | Flanged Housing 59 inch axle flange to axle flange width New Roundback Small | 1099.00 |
| HCNK60R | Flanged Housing 60 inch axle flange to axle flange width New Roundback Small | 1099.00 |
| HCNK61R | Flanged Housing 61 inch axle flange to axle flange width New Roundback Small | 1099.00 |
| HCNK62R | Flanged Housing 62 inch axle flange to axle flange width New Roundback Small | 1099.00 |
| HCNK63R | Flanged Housing 63 inch axle flange to axle flange width New Roundback Small | 1099.00 |
| HDB34 | Housing Drain Bung 3/4 inch steel weld in | 11.49 |
| HFCKit | Housing Fill with aluminum plug, steel bung and o-ring | 32.73 |
| HFO-ring | Fill Cap O-ring | 1.28 |
| HH716201G8K | Hex Head 7/16 diameter 20 tpi 1.0 inch True Trac/Heli Trac ring gear bolt kit Gra | 16.99 |
| HH7162034G8K | Hex Head 7/16 inch x 20 tpi 3/4 inch Spool Grade 8 10 pc ring gear bolt Kit | 16.99 |
| HKO1000 | OPTION DOM Tubes .250 wall (both sides) | 53.64 |
| HKO1100 | OPTION Centerless Ground Tubes for Floater Housings Tubing turned to 2.999 | 59.47 |
| HKO1200-1 | Welded On GM Metric Brake Brackets added to any FLOATER housing installed | 116.75 |
| HKO1400 | OPTION Chrome Moly Tubes 3 inch OD x .188 inch wall | 75.79 |
| HKO1500-1 | Housing New Back Brace for HNF9 includes back brace and labor to install prev | 144.22 |
| HKO1600 | OPTION Gundrilled Hi Test Axle Option for pair of axles Must list axle lengths b | 198.22 |
| HKO1700 | OPTION Wilwood Spec 37 Rotors upgrade | 182.07 |
| HKO1800 | OPTION REM finish hub bearings & races | 52.47 |
| HKO1900 | OPTION Install 5/8th Tube; Specify side _____ | 105.00 |
| HKO1950 | OPTION Install .750 wall Tube; Specify side _____ | 195.00 |
| HKO2000-1 | Upcharge for Multi Lower Mounts added to a metric housing installed- includes bi | 65.59 |
| HKO2300 | OPTION Round Back Housing | 22.15 |
| HKO2401 | OPTION Cambered Snout - one side....1 degree....specify Driver or Passenger S | 75.79 |
| HKO24015 | OPTION Cambered Snout - one side..1.5 degree....specify Driver or Passenger S | 75.79 |
| HKO2402 | OPTION Cambered Snout - one side....2 degree....specify Driver or Passenger S | 75.79 |
| HKO2500 | OPTION Install Jack ring on bottom of housing | 25.65 |
| HKO2600-1 | Upcharge for Locking Nuts- pair | 43.29 |
| HKO2700 | OPTION Fully Assemble a Street Kit (does NOT include installing brake assembl | 139.92 |
| HKO2800 | OPTION GN Scalloped Drive Flange Pair | 23.32 |

| | | |
|-----------------|--|--------|
| HMBL B-on | Bolt-On Lower Metric Mount - PAIR 2.75 inch bottom of tube to center of hole - N | 129.87 |
| HMBL B-on 2.5 | B-on Metric LOWER Trailing Arm Mounts Rear 2.5 inch IMCA Hobby Stock - PAI | 129.87 |
| HMBL B-on 3.5 | B-on Metric LOWER Trailing Arm Mounts Rear 3.5 inch IMCA Hobby Stock - PAI | 129.87 |
| HMBL Multi B-on | Bolt-On Lower Multi Metric Mount - PAIR | 162.66 |
| HMBLMulti | Multi Hole Lower Metric Brackets - PAIR weld on | 129.87 |
| HMBLSet | Metric LOWER Trailing Arm Mounts Rear- PAIR 2.75 inch bottom of tube to cent | 53.13 |
| HMBLSet IMCA HS | Metric LOWER Trailing Arm Mounts Rear 2.5 inch drop IMCA Hobby Stock - PAI | 53.13 |
| HMBLSet- Street | Metric LOWER Trailing Arm Mounts Rear G- Body Street 3.25 inch drop with sho | 59.03 |
| HMBUSet | Metric UPPER Trailing Arm MOUNTS Rear without bushings; PAIR | 69.46 |
| HMBUSet-ST | Street Metric UPPER Trailing Arm MOUNTS Rear without bushings, with Gusset | 69.46 |
| HMBUSHSet | Ford 9 inch Metric Housing Top BUSHINGS - PAIR | 41.04 |
| HMSHockStud | Shock Mount Stud, each | 12.77 |
| HN No Ends | New Housing NO Ends, 62 inch Max Tube End to Tube End; Specify Centered F | 558.81 |
| HN270270 | New Floater Housing 54 inch Centered Pinion(27.0 inch-27.0 inch) | 587.66 |
| HN280280 | New Floater Housing 56 inch Centered (28.0 inch-28.0 inch) | 587.66 |
| HN280300 | New Floater Housing 58 inch OFFSET Pinion 1 inch to the Left (driver side) (28.C | 598.16 |
| HN280320 | New Floater Housing 60 inch OFFSET Pinion 2 inch to the Left (driver side) (28.C | 598.16 |
| HN285305 | New Floater Housing 59 inch OFFSET Pinion 1 inch to the Left (driver side) (28 | 587.66 |
| HN285325 | New Floater Housing 61 inch OFFSET Pinion 2 inch to driver side (28.5 inch-32.5 | 615.21 |
| HN290290 | New Floater Housing 58 inch Centered (29.0 inch-29.0 inch) | 587.66 |
| HN290290HV | New 2 inch HV Floater Housing 58 inch Centered Pinion for Howe/Vogel Hubs 2 | 636.20 |
| HN290300 | New Floater Housing 59 inch OFFSET Pinion 1/2 inch to the Driver side (29.0 in | 598.16 |
| HN290310 | New Floater Housing 60 inch OFFSET Pinion 1 inch to the left (driver side) (29.0 | 598.16 |
| HN290330 | New Floater Housing 62 inch OFFSET Pinion 2 inch to the Left (driver side) (29.C | 615.21 |
| HN290330HV | New 2 inch hv Floater Housing 62 inch OFFSET Pinion 2 inch to the Left (driver | 649.32 |
| HN295285 | New Floater Housing 58 inch Offset (29.5 inch-28.5 inch) | 598.16 |
| HN295295 | New Floater Housing 59 inch Centered (29.5 inch-29.5 inch) | 598.16 |
| HN295295HV | New 2 inch GN Floater Housing 59 inch Centered for Howe/Vogel Hubs 2 inch H | 636.20 |
| HN300280 | New Floater Housing 58 inch OFFSET Pinion 1 inch to the Right (passenger side | 598.16 |
| HN300290 | New Floater Housing 59 inch OFFSET Pinion 1/2 inch to the Right (passenger si | 598.16 |
| HN300290 5/8LR | New Floater Housing 59 inch OFFSET Pinion 1/2 inch to the Right (passenger si | 643.63 |
| HN300300 | New Floater Housing 60 inch Centered (30.0 inch-30.0 inch) | 598.16 |
| HN300300HV | New 2 inch HV Floater Housing 60 inch Centered Pinion for Howe/Vogel Hubs 2 | 649.32 |
| HN300320 | New Floater Housing 62 inch OFFSET pinion 1 inch to the driver side (30.0 inch- | 615.21 |
| HN300340 | New Floater Housing 64 inch OFFSET pinion 2 inch to the driver side (30.0 inch- | 615.21 |
| HN305285 | New Floater Housing 59 inch OFFSET Pinion 1 inch to the Right (passenger side | 598.16 |

| | | |
|----------------|--|---------|
| HN305305 | New Floater Housing 61 inch Centered (30.5 inch-30.5 inch) | 615.21 |
| HN305315 | New Floater Housing 62 inch OFFSET Pinion 1/2 inch to the Left (driver side) (30.5 inch-30.5 inch) | 615.21 |
| HN305325 | New Floater Housing 63 inch OFFSET pinion 1 inch to the driver side (30.5 inch-30.5 inch) | 580.39 |
| HN310270 | New Floater Housing 58 inch OFFSET Pinion 2 inch to the Right (passenger side) (30.5 inch-30.5 inch) | 587.66 |
| HN310290 | New Floater Housing 60 inch OFFSET 1 inch to the right (passenger side) (31.0 inch-31.0 inch) | 598.16 |
| HN310290HV | New 2 inch GN Floater Housing 60 inch OFFSET Pinion 1 inch to the Right (Passenger side) (31.0 inch-31.0 inch) | 636.20 |
| HN310300 | New Floater Housing 61 inch OFFSET 1/2 inch to the right (passenger side) (31.0 inch-31.0 inch) | 615.21 |
| HN310310 | New Floater Housing 62 inch Centered (31.0 inch-31.0 inch) | 615.21 |
| HN310310HV | New 2 inch HV Floater Housing 62 inch inchCentered Pinion for Howe/Vogel Hubs (31.0 inch-31.0 inch) | 649.32 |
| HN31253125 | New Floater Housing 62.5 inch Centered (31.25 inch-31.25 inch) | 615.21 |
| HN313752975 | New Floater Housing 61.125 inch (31.375 inch-29.75 inch) | 580.39 |
| HN315305 | New Floater Housing 62 inch OFFSET .5 inch to the Right (passenger side) (31.5 inch-31.5 inch) | 615.21 |
| HN315315 | New Floater Housing 63 inch Centered (31.5 inch-31.5 inch) | 615.21 |
| HN315315HV | New 2 inch HV Floater Housing 63 inch inch Centered Pinion for Howe/Vogel Hubs (31.5 inch-31.5 inch) | 649.32 |
| HN320290 | New Floater Housing 61 inch OFFSET 1.5 inch to the right (passenger side) (32.0 inch-32.0 inch) | 615.21 |
| HN320290-250 | New Floater Housing 61 inch OFFSET 1.5 inch to the right (passenger side) (32.0 inch-32.0 inch) | 615.21 |
| HN320300 | New Floater Housing 62 inch OFFSET 1 inch to the right (passenger side) (32.0 inch-32.0 inch) | 615.21 |
| HN320320 | New Floater Housing 64 inch Centered (32.0 inch-32.0 inch)* | 615.21 |
| HN320320HV | New 2 inch HV Floater Housing 64 inch Centered for Howe/Vogel Hubs 2 inch hubs (32.0 inch-32.0 inch) | 649.32 |
| HN330290 | New Floater Housing 62 inch OFFSET 2.0 inch to the right (passenger side) (33.0 inch-33.0 inch) | 615.21 |
| HN330290-250 | New Floater Housing 62 inch OFFSET 2.0 inch to the right (passenger side) (33.0 inch-33.0 inch) | 668.85 |
| HN350260 | New Floater Housing 61 inch OFFSET 4.5 inch to the right (passenger side) (35.0 inch-35.0 inch) | 628.34 |
| HNAB300300 | A Body New Floater Housing 60 inch Pinion Stock Pinion Location (30.5-29.5) | 628.34 |
| HNAB315305 | New Floater Housing 62 inch OFFSET .5 inch to the Right (passenger side) (31.5 inch-31.5 inch) | 785.75 |
| HNBBF9 | Housing Back Brace for HNF9 Stamped Ford 9 inch Housing | 46.12 |
| HNF9 | New Housing Stamped Ford 9 | 255.00 |
| HNF9 Sm Web RB | Ford 9 inch Small Web New Housing Round back | 307.77 |
| HNF9P | New Housing Stamped Ford 9 Prepped with Studs | 274.95 |
| HNF9RB | New Housing Stamped Ford 9 Round back | 275.00 |
| HNHV-Custom | New 2 inch GN Howe/Vogel Floater Housing HNF9 - CUSTOM for 2 inch ID bearings | 617.52 |
| HNK2803005 | New Floater Housing Kit 58 inch Offset with 1 inch offset to left 5x5 .810 rotors Solid axle | 1299.90 |
| HNK2803204 | New Floater Housing Kit 60 inch Offset Pinion 2 inch to left (driver side) 5x4.75 hubs | 1319.90 |
| HNK2803205 | New Floater Housing Kit 60 inch Offset with 2 inch offset to left 5x5 .810 rotors solid axle | 1299.90 |
| HNK2853055 | New Floater Housing Kit 59 inch Offset 1 inch to Drive Side with 5x5 hubs 0.810 rotors | 1299.90 |
| HNK2853255 | New Floater Housing Kit 61 inch Offset with 2 inch offset to driver side 5x5 .810 rotors | 1299.90 |
| HNK2902904 | New Floater Housing Kit 58 inch Centered 5x4.75 hubs with .810 rotors, solid axle | 1319.90 |

| | | |
|------------------|---|---------|
| HNK2902905 | New Floater Housing Kit 58 inch Centered 5x5 .810 rotors Solid axles Axle seals | 1299.90 |
| HNK2903004 | New Floater Housing Kit 59 inch OFFSET Pinion 1/2 inch to the left (driver side) | 1319.90 |
| HNK2903005 | New Floater Housing Kit 59 inch OFFSET Pinion 1/2 inch to the left (driver side) | 1299.90 |
| HNK2903304 | New Floater Housing Kit 62 inch OFFSET Pinion 2 inch to the Left (driver side) 5; | 1319.90 |
| HNK2903305 | New Floater Housing Kit 62 inch OFFSET Pinion 2 inch to the Left (driver side) 5; | 1299.90 |
| HNK2952954 | New Floater Housing Kit 59 inch Centered 5x4.75 hub .810 rotors Solid axles A; | 1319.90 |
| HNK2952955 | New Floater Housing Kit 59 inch Centered 5x5 .810 rotors Solid axles Axle sea | 1299.90 |
| HNK3002805 | New Floater Housing Kit 58 inch Pinion 1 inch to Right 5x5 .810 rotors Solid axle | 1299.90 |
| HNK3002904 | New Floater Housing Kit 59 inch RAGE 5x4 3/4 .810 rotors Solid axles Axle sea | 1319.90 |
| HNK3002905 | New Floater Housing Kit 59 inch 300-290 offset 5x5 .810 rotors Solid axles Axle | 1299.90 |
| HNK3002905 5/8LR | New Floater Housing Kit 59 inch OFFSET Pinion 1/2 inch to the Right (passenge | 1349.90 |
| HNK3003004 | New Floater Housing Kit 60 inch Centered 5x4.75 hubs .810 rotor Solid axles Axl | 1319.90 |
| HNK3003005 | New Floater Housing Kit 60 inch Centered 5x5 Hubs .810 Rotors Solid Axles Axl | 1299.90 |
| HNK3003205 | New Floater Housing Kit 62 inch OFFSET Pinion 1 inch to driver side .810 rotors | 1299.90 |
| HNK3003405 | New Floater Housing Kit 64 inch OFFSET Pinion 2 inch to driver side .810 rotors | 1309.90 |
| HNK3052855 | New Floater Housing Kit 59 inch Pinion 1 inch to Right 5x5 .810 rotors Solid axle | 1299.90 |
| HNK3053054 | New Floater Housing Kit 61 inch Centered 5x4.75 hubs .810 rotors Solid axles A; | 1319.90 |
| HNK3053055 | New Floater Housing Kit 61 inch Centered 5x5 .810 rotors Solid axles Axle seals | 1299.90 |
| HNK3053155 | New Floater Housing Kit 62 inch OFFSET Pinion 1/2 inch to left (driver side) 5x5 | 1299.90 |
| HNK3053255 | New Floater Housing Kit 63 inch OFFSET Pinion 1 inch to driver side .810 rotors | 1299.90 |
| HNK3102705 | New Floater Housing Kit 58 inch OFFSET Pinion 2 inch to the right (passenger s | 1299.90 |
| HNK3102904 | New Floater Housing Kit 60 inch OFFSET Pinion 1 inch to right (passenger side) | 1299.90 |
| HNK3102905 | New Floater Housing Kit 60 inch OFFSET Pinion 1 inch to right (passenger side) | 1299.90 |
| HNK3103005 | New Floater Housing Kit 61 inch OFFSET Pinion 1/2 inch to the Right (passenge | 1299.90 |
| HNK3103104 | New Floater Housing Kit 62 inch Centered 5x4.75 hubs .810 rotors Solid axles A | 1319.90 |
| HNK3103105 | New Floater Housing Kit 62 inch Centered 5x5 .810 rotors Solid axles Axle seals | 1299.90 |
| HNK312531255 | New Floater Housing Kit 62.5 inch Centered 5x5 .810 rotor Solid axles Axle seals | 1299.90 |
| HNK313752975 | New Floater Housing Kit 61.125 inch 5x5 .810 rotors Solid axles Axle seals (31 | 1299.90 |
| HNK3202905 | New Floater Housing Kit 61 inch OFFSET Pinion 1.5 inch to right (passenger side) | 1299.90 |
| HNK3203005 | New Floater Housing Kit 62 inch OFFSET 1 inch to the right (passenger side) 5x | 1299.90 |
| HNK3203204 | New Floater Housing Kit 64 inch Centered 5x4.75 hubs .810 rotors Solid axles A; | 1319.90 |
| HNK3203205 | New Floater Housing Kit 64 inch Centered 5x5 .810 rotors Solid axles Axle seals | 1299.90 |
| HNK3302905 | New Floater Housing Kit 62 inch OFFSET Pinion 2.0 inch to the right(passenge : | 1299.90 |
| HNK3502605 | New Floater Housing Kit 61 inch OFFSET Pinion 4.5 inch to the Right (passenge | 1319.90 |
| HNK-CUSTOM-4 | New Floater Housing Kit CUSTOM with 4.75 hubs .810 rotors Axle seals Solid a | 1352.90 |
| HNK-CUSTOM-5 | New Floater Housing Kit CUSTOM with 5x5 hubs .810 rotors Axle seals Solid ax | 1312.90 |

| | | |
|--------------------|--|---------|
| HNM290290 | New Stamped Floater Housing 58 inch Centered for Metric (29.0 inch-29.0 inch) | 767.38 |
| HNM290290 Multi | New Stamped Floater Housing 58 inch Centered for Metric (29.0 inch-29.0 inch) | 767.38 |
| HNM290290SSMB | New Stamped Floater Housing 58 inch Centered for Metric (29.0 inch-29.0 inch) | 767.38 |
| HNM290290TM | New Stamped Floater Housing 58 inch Centered for Metric (29.0 inch-29.0 inch) | 733.28 |
| HNM295295 | New Stamped Floater Housing 59 inch Centered for Metric (29.5 inch-29.5 inch) | 767.38 |
| HNM295295TM | New Stamped Floater Housing 59 inch Centered for Metric (29.5 inch-29.5 inch) | 743.77 |
| HNM300290 | New Stamped Floater Housing 59 inch Offset for Metric (30.0 inch-29.0 inch) -4 c | 767.38 |
| HNM300290 Multi | New Stamped Floater Housing 59 inch Offset for Metric (30.0 inch-29.0 inch) -4 c | 832.97 |
| HNM300300 | New Stamped Floater Housing 60 inch Centered for Metric (30.0 inch-30.0 inch) | 767.38 |
| HNM300300 Multi | New Stamped Floater Housing 60 inch Centered for Metric (30.0 inch-30.0 inch) | 832.97 |
| HNM300300-2.5 | New Stamped Floater Housing 60 inch Centered for Metric (30.0 inch-30.0 inch) | 767.38 |
| HNM300300B | New Stamped Floater Housing 60 inch Centered for Metric (30.0 inch-30.0 inch) | 875.00 |
| HNM300300B 2.5 | New Stamped Floater Housing 60 inch Centered for Metric (30.0 inch-30.0 inch) | 875.00 |
| HNM300300B MULTI | New Stamped Floater Housing 60 inch Centered for Metric (30.0 inch-30.0 inch) | 875.00 |
| HNM300300TM | New Stamped Floater Housing 60 inch Centered for Metric (30.0 inch-30.0 inch) | 743.77 |
| HNM305285 | New Stamped Floater Housing 59 inch offset pinion to the right (passengers side) | 767.38 |
| HNM305305 | New Stamped Floater Housing 61 inch Centered for Metric (30.5 inch-30.5 inch) | 777.87 |
| HNM310310 | New Stamped Floater Housing 62 inch Centered for Metric (31.0 inch-31.0 inch) | 777.87 |
| HNM310310TM | New Stamped Floater Housing 62 inch Centered for Metric (31.0 inch-31.0 inch) | 754.26 |
| HNM58-SSM | HNM58-SSM 9 inch inch Ford 58 inch Southern Sport Mod New Stamped HOUS | 884.12 |
| HNM60-SSM | HNM60-SSM 9 inch Ford 60 inch Southern Sport Mod New Stamped HOUSINC | 884.12 |
| HNMK2902904 | New Stamped Floater Metric Housing Kit 58 inch Centered 4.75 hubs with .810 r | 1429.90 |
| HNMK2902904 Multi | New Stamped Floater Metric Housing Kit 58 inch Centered 4.75 hubs with .810 r | 1479.90 |
| HNMK2902905 | New Stamped Floater Metric Housing Kit 58 inch Centered 5x5 with .810 rotors s | 1399.90 |
| HNMK2902905 Multi | New Stamped Floater Metric Housing Kit 58 inch Centered 5x5 with .810 rotors S | 1449.90 |
| HNMK2952954 | New Stamped Floater Metric Housing Kit 59 inch Centered 5x4.75 hubs with .810 | 1429.90 |
| HNMK2952955 | New Stamped Floater Metric Housing Kit 59 inch Centered 5x5 with .810 rotors S | 1399.90 |
| HNMK3002904 Multi | New Stamped Floater Metric Housing Kit 59 inch Offset 5x4 3/4 with .810 rotors 5 | 1479.90 |
| HNMK3002905 Multi | New Stamped Floater Metric Housing Kit 59 inch Offset 5x5 with .810 rotors Soli | 1449.90 |
| HNMK3003004 | New Stamped Floater Metric Housing Kit 60 inch Centered 5x4.75 hubs with .810 | 1429.90 |
| HNMK3003004 Multi | New Stamped Floater Metric Housing Kit 60 inch Centered 5x4 3/4 with .810 roto | 1479.90 |
| HNMK3003004B MULTI | Multi Mount Metric Floater Housing Kit with Brake Brackets 60 inch Centered 5x | 1554.90 |
| HNMK3003005 | New Stamped Floater Metric Housing Kit 60 inch Centered 5x5 with .810 rotors S | 1399.90 |
| HNMK3003005 Multi | New Stamped Floater Metric Housing Kit 60 inch Centered 5x5 with .810 rotors S | 1449.90 |
| HNMK3003005B MULTI | Multi Mount Metric Floater Housing Kit with Brake Brackets 60 inch Centered 5x! | 1534.90 |
| HNMK300300B4 | New Stamped Floater Metric Housing Kit 60 inch Centered 5x4.75 hubs with .810 | 1519.90 |

| | | |
|-------------------------|---|---------|
| HNMK300300B5 | New Stamped Floater Metric Housing Kit 60 inch Centered 5x5 with .810 rotors S | 1499.90 |
| HNMK3053054 | New Stamped Floater Metric Housing Kit 61 inch Centered 5x4.75 hubs with .810 | 1429.90 |
| HNMK3053055 | New Stamped Floater Metric Housing Kit 61 inch Centered 5x5 with .810 rotors S | 1399.90 |
| HNMK3103104 | New Stamped Floater Metric Housing Kit 62 inch Centered 5x4.75 hubs with .810 | 1429.90 |
| HNMK3103105 | New Stamped Floater Metric Housing Kit 62 inch Centered 5x5 with .810 rotors S | 1399.90 |
| HNMK58-SSM4 | New Southern Sport Mod Kit - Stamped Floater Metric Housing Kit 58 inch Cente | 1514.90 |
| HNMK58-SSM5 | New Southern Sport Mod Kit - Stamped Floater Metric Housing Kit 58 inch Cente | 1499.90 |
| HNMK60-SSM4 | New Southern Sport Mod Kit - Stamped Floater Metric Housing Kit 60 inch Cente | 1514.90 |
| HNMK60-SSM5 | New Southern Sport Mod Kit - Stamped Floater Metric Housing Kit 60 inch Cente | 1499.90 |
| HNW5300300 | New Wide 5 Floater Housing 60 inch Centered (32 3/4 inch - 32 3/4 inch) wide 5 | 609.97 |
| HNW5310310 | New Wide 5 Floater Housing 62 inch Centered wide 5 snouts with HNF9 | 617.84 |
| HNW5320320 | New Wide 5 Floater Housing 64 inch Centered wide 5 snouts with HNF9 | 628.34 |
| HNW5-Custom | New Wide 5 Floater Housing HNF9 - CUSTOM must have build sheet Late Mod | 654.57 |
| HNW5M Custom | New Mini 5 Floater Housing Centered Pinion Custom Length mini 5 Coleman sn | 659.32 |
| HNW5M290290 | New Mini 5 Floater Housing 58 inch Centered Pinion mini 5 Coleman snouts with | 649.32 |
| HNW5M300300 | New Mini 5 Floater Housing 60 inch Centered Pinion mini 5 Coleman snouts | 649.32 |
| HNW5M310310 | New Mini 5 Floater Housing 62 inch Centered Pinion mini 5 Coleman snouts | 649.32 |
| HNW5M313752975 | New Mini 5 Floater Housing 61.125 inch Centered Pinion mini 5 Coleman snouts | 649.32 |
| Housing New HV - Custom | Floater Housing New HV- Custom with 2.0 inch HV snouts ** Build Sheet Neede | 655.00 |
| HPP34 | Housing Pipe Drain Plug 3/4 inch | 3.79 |
| HSF9K | Housing Stud Kit Ford 9 inch - 10 pcs. | 15.74 |
| HSF9LW & Nut Kit Only | Housing Stud Kit Ford 9 inch with Lock Washer and Nut - 10 pcs each. NO STUI | 10.49 |
| HSF9LWNK | Housing Stud Kit Ford 9 inch with Lock Washer and Nut - 10 pcs each. HSF9LW | 18.37 |
| HVBKit | Howe Vogel Bearing and Race Kit 2 pcs. each | 58.97 |
| HVBKitwithSeal | Howe Vogel Bearing and Race Kit with Seal. 2 bearings, 2 races and seal | 66.83 |
| HVNT Barb | Housing Vent Barb for small web HC and PC housings | 4.36 |
| INSY-350-1350Q | 1350 Slip Yoke Quick Release for TH350, PG, 700R, 4L60E GM 27 spline - 6 inc | 230.82 |
| INSY-400-1350Q | 1350 Slip Yoke Quick Release for TH400, 4L80E GM 32 spline - 6.6 inch CL to e | 230.82 |
| INSY-727-1350Q | 1350 Slip Yoke Quick Release for NP833, 727, Liberty, Doug Nash & Richmond : | 230.82 |
| INSY-904-1350Q | 1350 Slip Yoke Quick Release for A904, Small NP833, 4SPD Chrysler - 25/26 sp | 230.82 |
| INSY-AOD-1350Q | 1350 Slip Yoke Quick Release fits 4R70LW & Ford AOD Transmissions 28 spline | 230.82 |
| INSY-C4-1350Q | 1350 Slip Yoke Quick Release for C4 & T5 Ford 28 spline - 6.25 inch CL to end F | 230.82 |
| INSY-C6-1350Q | 1350 Slip Yoke Quick Release for C6 & Tremec Ford 31 spline - 6.4 inch CL to e | 230.82 |
| K7339/6207ZZ | Koyo QC Rear Lower Shaft Bearing | 12.77 |
| K7390/6307ZZ | Koyo QC Front Lower Shaft Bearing | 20.47 |
| KHM804810 | Ford 9 inch RACE Large Bearing Alum. Pinion Support Back Head - Koyo | 20.47 |

| | | |
|--------------------------|---|--------|
| KHM89410 | Ford 9 inch RACE for Alum. Pinion Support Daytona - Koyo | 7.64 |
| KHM89443 | Ford 9 inch Bearing for Alum. Pinion Support Daytona, Head Bearing - Koyo | 32.07 |
| Kit501 | Kit with Marking Compound and Brush | 3.19 |
| KLM102910 | Ford 9 inch Carrier Race Koyo | 6.36 |
| KLM102949 | Ford 9 inch Carrier Bearing Koyo | 11.49 |
| KLM104911 | Ford 9 inch Race for FS35LB Koyo 2.00 inch ID x 3.25 inch OD | 8.93 |
| KLM104949 | Ford 9 inch Bearing for FS35LB Koyo 2.00 inch ID x 3.25 inch OD | 14.06 |
| KLM603011 | Ford 9 inch G-Case Race Koyo 1.781ID 3.060 OD | 6.74 |
| KLM603049 | Ford 9 inch G-Case Bearing Koyo 1.781 ID 3.060 OD | 12.19 |
| KM88010 | Ford 9 inch Pinion Race - Koyo | 5.78 |
| KM88048 | Ford 9 inch Pinion Bearing - Koyo | 11.49 |
| Labor Center Section | Labor to assemble and set up center section | 95.00 |
| Labor Drive Shaft | Drive Shaft Labor 1 shop hour | 65.00 |
| Labor General | Labor 1 shop hour \$65.00 | 65.00 |
| Labor Lighten R & P | Labor Lighten Ring & Pinion | 35.00 |
| Labor Machine | Labor Drill bolt pattern in pair of Rotors or Change Hub Register in pair of rotors | 22.00 |
| Labor QC Rebuild | Labor to rebuild Complete Quick Change | 190.00 |
| Labor Shorten Housing | Labor to shorten rear end housing | 130.00 |
| Labor Straighten Housing | Labor to straighten rear end housing | 110.00 |
| LDUP LN58SS | Lug Nut 5/8 inch UNC Single Side-set of 5 Coarse Thread | 5.13 |
| MK24205 | Dynatex Threadlocker 0.5 mil | 4.18 |
| MS7526 | 26 Spline Mini Spool 7.5 inch GM | 79.00 |
| MS7528 | 28 Spline Mini Spool 7.5 inch GM | 79.00 |
| MS8528 | 28 Spline Mini Spool 8.5 inch GM | 79.00 |
| MS928 | 28 Spline Mini Spool 9 inch Ford | 29.95 |
| MS931 | 31 inch Spline Mini Spool 9 inch Ford | 29.95 |
| MSD44-30 | 30 Spline Mini Spool for Dana 44 | 79.00 |
| N T2-2-1309A | 1310 Aluminum Flange Yoke, 3.2 bolt circle, 1.96 pilot 6061-T6 | 109.35 |
| N T2-2-1369A | 1330 Aluminum Flange Yoke, 4.25 bolt circle, 2.0 pilot 6061-T6 | 118.51 |
| N T2-2-949A | 1330 Aluminum Flange Yoke 3.5 bolt circle, 2.0 pilot | 174.98 |
| N T2-3-10431HP | 1310 Slip Yoke TH400 32 spline 5.5 inch Long - Black Forged | 224.56 |
| N T2-3-10831HP | 1330 Slip Yoke GM TH400 32 spline 6.76 inch long Black Forged | 227.47 |
| N T2-3-13131HP | 1310 Slip Yoke GM 32 spline TH400 4.88 inch long Black Forged | 266.35 |
| N T2-3-4871HP | 1310 Slip Yoke Ford 28 Spline C-4 6.0 inch Long Black Forged | 266.35 |
| N T2-3-5981HP | 1330 Slip Yoke Ford 28 Spline - C-4 5.9 inch long Black Forged | 227.47 |
| N T2-3-6081HP | 1310 Slip Yoke GM 27 spline PG TH350 5.50 inch long - Black Forged also fits 2 | 227.47 |

| | | |
|------------------|--|--------|
| N T2-3-6081HP8XL | 1310 Slip Yoke 27 spline 8 inch for Bert, Brinn & Falcon Circle Track Transmissi | 228.59 |
| N T2-3-8251HP | 1310 Slip Yoke Ford 28 spline C4 6.5 inch long Black Forged | 262.48 |
| N T3-2-119A | 1350 Aluminum Flange Yoke, 3.75 bolt circle, 2.75 inch pilot | 138.06 |
| N T3-2-1579A | 1350 Aluminum Flange Yoke, 4.25 bolt circle, 2.0 pilot | 112.58 |
| N T3-2-1719 | 1480 Aluminum Flange Yoke, 4.25 bolt circle, 2.679 pilot | 185.57 |
| N T3-2-1859A | 1350 Aluminum Flanged Yoke 4.75 bolt circle, 2.95 pilot | 92.66 |
| N T3-2-1869 | 1480 Flange Yoke 4.75 bolt circle, 2.955 pilot | 192.61 |
| N T3-2-949A | 1350 Aluminum Flange Yoke. 3.5 bolt circle, 2.0 pilot | 153.08 |
| N T3-3-14061HP | 1350 Slip Yoke Ford 28 spline 4R70W 6.63 inch Long Black Forged | 224.56 |
| N T3-3-2431CBH | 1350 Slip Yoke GM TH400 32 spline 5.5 inch long Black 4340 Chrome Moly for I | 339.72 |
| N T3-3-2431CBHP | 1350 Slip Yoke GM 32 spline TH400 32 spline 5.5 inch long with counter bore fo | 197.88 |
| N T3-3-2431HP | 1350 Slip Yoke GM TH400 32 spline 5 1/2 inch long Black Forged | 197.88 |
| N T3-3-2491HP | 1350 Slip Yoke Ford 31 spline C6, T56 & Tremec 6.44 inch long - Black Forged | 197.88 |
| N T3-3-4281HP | 1350 Slip Yoke GM 27 spline TH350 PG 6.94 inch long - Black Forged | 224.56 |
| N T3-3-5551HP | 1350 Slip Yoke GM TH400 32 spline 7.94 inch - Black Forged | 224.56 |
| N T3-3-6081H | 1350 Slip Yoke GM TH350 5.5 inch PG 27spline ROLLER Bearing - NT Series B | 339.72 |
| N T3-3-6081HP | 1350 Slip Yoke GM 27 spline TH350 PG 5.5 inch long - Black Forged | 197.88 |
| N T3-3-8251HP | 1350 Slip Yoke 28 spline Ford C4 ,AOD, T5 6.5 inch long Black Forged | 210.74 |
| N T35-ALFY-07 | 1350 Aluminum 6 Bolt Adaptor Flange Yoke 94mm x 4251 inch OD Fits inch15. | 291.33 |
| N T35-ALFY-08 | 1350 Aluminum 8 bolt Adaptor Flange Yoke 88mm Hellcat Fits inch15-later Doc | 350.81 |
| N T35-ALFY-09 | 1350 Aluminum 6 Bolt adaptor Flange Yoke Kit 95mm Fits Ford Mustang with 9. | 198.45 |
| N T35-ALFY-10 | 1350 Aluminum 6 Bolt Adaptor Flange Yoke Kit 93mm Fits Ford Mustang with 9 | 217.40 |
| N T35-GMFD-01K | 1350 3 Bolt Adaptor Flange Yoke Kit 110mm Fits 6L80, 6L90, 8L90, 10L80 units | 313.04 |
| N1-0153P | 1310 Solid Cross-Performance U Joint 1-1/16 inch caps x 3-7/32 inch | 50.88 |
| N1-5349 | 1310 x Cleveland 1330 Greasable Conversion U Joint 3-5/8 x 1-1/8 inch | 39.00 |
| N2-0053P | 1350 Performance U-Joint | 55.51 |
| N2-0054P | 1410 Solid Cross Performance U Joint | 70.12 |
| N2-1153 | 1350 x 3R Greasable Conversion U Joint | 54.50 |
| N2-1435 | 1350 x 1410 Solid Cross Conversion U Joint | 62.38 |
| N2-1569 | 1330 x 3R - S44 conversion U Joint | 31.52 |
| N2-2-329 | 1310 Flange Yoke 3.125 bolt circle 2.375 pilot | 53.52 |
| N2-2-479 | 1310 Flange Yoke 3.750 Bolt Circle 2.750 Pilot | 57.98 |
| N2-3050 | 1330 x 1350 Greasable Conversion U Joint | 54.99 |
| N2-3-10431X | 1310 Slip Yoke 5.50 inch 32 Spline TH400, Borg Warner T10 with 32 spline rear | 152.63 |
| N2-3-15631X | 1310 Slip Yoke 31 spline 7.0 inch Long C6 31/30 Spline | 198.76 |
| N2-3-4871X | 1310 Slip Yoke 6.03 inch 28 spline C4, T5, AOD, Toploader, Tremec 28 Spline | 161.63 |

| | | |
|----------------------|---|--------|
| N2-4800P | 1330 Solid Cross Performance Ujoint 1-1/16 inch caps x 3-5/8 inch | 45.95 |
| N2-4-8091X | 1310 End Yoke Dana 44 1.146-26 Spline 1.55 Hub Diameter | 169.95 |
| N2-4900 | 1330 1-1/16 inch x 1330 Cleveland 1-1/8 inch cap -3-5/8 inch x 3-5/8 inch Conve | 38.92 |
| N2-4953 | 1350 x 1330 Cleveland Conversion Joint - 3-5/8 x 1-3/16 to 3-5/8 x 1-1/8 cap | 81.02 |
| N2-4-JK01 | 1310 T-Case Yoke U-Bolt Style JK 07-Newer | 143.91 |
| N2-4-JK02 | 1310 Diff Yoke (Rear) U-Bolt Style JK 07-Newer | 143.91 |
| N2-4-JK03 | 1310 T-Case Yoke CV Style JK 07-Newer | 183.36 |
| N3-1-JK05 | JK07-17 T-CASE REAR 1350 FLANGE | 116.31 |
| N3-1-JK07 | 1350 Companion Flange Front Transfer Case JK07-Newer | 116.31 |
| N3-2-1579F | 1350 Flange Yoke 8.8 inch ford | 67.00 |
| N3-3130 | 1310 x 3R GM Metric Conversion U Joint - SUPERCEDES S5-3022-1X | 56.39 |
| N3-3140 | 1310 x 1350 Conversion U Joint | 69.11 |
| N3-3-2431X | 1350 Slip Yoke GM TH400 32 Spline - 5.5 inch Length | 155.00 |
| N3-3-4271X | 1350 series 27 spline 5.94" long Drive Shaft Transmission Slip Yoke fits 200-R4, | 127.00 |
| N3-4-JK04 | 1350 Jeep JK Diff Yoke (Rear) | 171.48 |
| N3-4-JK08 | 1350 Pinion Yoke | 143.91 |
| P10573/340210 | Modified Hybrid Front Hub Seal | 8.97 |
| P23756 | Wide 5 Hub Seal - wide 5 standard seal | 7.06 |
| P23756LD | Wide 5 Hub Seal LOW DRAG O-ring Style - W5 | 24.99 |
| P27820D | QC Pinion Race - double race | 42.27 |
| P27880 | QC Pinion Bearing - 2 required | 29.45 |
| P27880Kit | QC Pinion Support Bearing/Race Kit | 83.13 |
| P362A | QC 2.000/2.032 inch Spool Race (P368A & 368S) | 11.49 |
| P368A | QC 2.000 inch Spool Bearing | 17.90 |
| P368S | QC 2.032 inch Spool Bearing | 21.49 |
| P7339/6207ZZ | QC Rear Lower Shaft Bearing - | 16.62 |
| P7390/6307ZZ | QC Front Lower Shaft Bearing - | 17.90 |
| P8871 | GM Metric Hub Seal | 8.28 |
| P9134 | Flange Axle Bearing - Radial Drag Racing with o-ring - green 1.562 inch ID x 3.15 inch OD | 44.89 |
| P9136M | ***NOT FOR USE WITH PEM AXLE*** Flange Axle Bearing - Radial with o-ring - | 38.47 |
| PA20Set | Flange Axle Bearing Set, sealed with retainer ring 1.565 inch ID x 3.15 inch OD | 39.85 |
| ParkingBrakeCableKit | Universal Cut to length parking brake cable kit. This parking brake cable kit rep | 99.00 |
| PCK57H | PC Kit Flanged Housing 57 inch axle flange to axle flange width Recon. Small W | 877.56 |
| PCN22252225R | Flanged Housing 44.5 inch axle flange to axle flange width New Round Back Sm | 636.20 |
| PCN240240R | Flanged Housing 48 inch axle flange to axle flange width New Roundback Small | 636.20 |
| PCN245245R | Flanged Housing 49 inch axle flange to axle flange width New Roundback Small | 636.20 |

| | | |
|--------------------|---|---------|
| PCN250250R | PC Kit Flanged Housing 50.0 inch axle flange to axle flange width New Round Back Small | 636.20 |
| PCN255255R | Flanged Housing 51 inch axle flange to axle flange width New Round Back Small | 636.20 |
| PCN260260R | Flanged Housing 52 inch axle flange to axle flange width New Round Back Small | 636.20 |
| PCN265265R | Flanged Housing 53 inch axle flange to axle flange width New Roundback Small | 636.20 |
| PCN270270R | Flanged Housing 54 inch axle flange to axle flange width New Roundback Small | 636.20 |
| PCN275275R | Flanged Housing 55 inch axle flange to axle flange width New Roundback Small | 636.20 |
| PCN27752775R | Flanged Housing 55.5 inch axle flange to axle flange width New Roundback Small | 636.20 |
| PCN280280H | Flanged Housing 56 inch axle flange to axle flange width New Humpback Small | 636.20 |
| PCN280280R | Flanged Housing 56 inch axle flange to axle flange width New Roundback Small | 636.20 |
| PCN28252825R | Flanged Housing 56.5 inch axle flange to axle flange width New Humpback Small | 636.20 |
| PCN285285R | Flanged Housing 57 inch axle flange to axle flange width New Round Back Small | 636.20 |
| PCN2887528875 | Flanged Housing 57.75 inch axle flange to axle flange width New Round Back Small | 636.20 |
| PCN290290R | Flanged Housing 58 inch axle flange to axle flange width NEW Round Back Small | 636.20 |
| PCN295295R | Flanged Housing 59 inch axle flange to axle flange width New Roundback Small | 636.20 |
| PCN300300R | Flanged Housing 60 inch axle flange to axle flange width New Round Back Small | 636.20 |
| PCN305305R | Flanged Housing 61 inch axle flange to axle flange width New Roundback Small | 636.20 |
| PCN30753075R | Flanged Housing 61.5 inch axle flange to axle flange width New Roundback Small | 636.20 |
| PCN310310R | Flanged Housing 62 inch axle flange to axle flange width New Roundback Small | 636.20 |
| PCNGPS53-72F100 | 53-72 Ford F100 Flanged Housing 61.25 inch axle flange to axle flange width New Round Back Small | 699.19 |
| PCNGPS65-66M | 65-66 Ford Mustang Flanged Housing 57.25 inch axle flange to axle flange width New Round Back Small | 699.19 |
| PCNGPS67-70M | 67-70 Ford Mustang Flanged Housing 59.25 inch axle flange to axle flange width New Round Back Small | 699.19 |
| PCNGPS68-69 Torino | 68-69 Ford Torino Flanged Housing 59.5 inch axle flange to axle flange width New Round Back Small | 699.19 |
| PCNGPS71-73M | 71-73 Ford Mustang Flanged Housing 61.25 inch axle flange to axle flange width New Round Back Small | 699.19 |
| PCNGPS73-79F100 | 73-79 Ford F100 Flanged Housing 63.25 inch axle flange to axle flange width New Round Back Small | 699.19 |
| PCNK50R | PC Kit Flanged Housing 50.0 inch axle flange to axle flange width New Round Back Small | 1099.00 |
| PCNK51R | PC Kit Flanged Housing 51.0 inch axle flange to axle flange width New Round Back Small | 1099.00 |
| PCNK52H | PC Kit Flanged Housing 52.0 inch axle flange to axle flange width New Humpback Small | 1061.21 |
| PCNK52R | PC Kit Flanged Housing 52.0 inch axle flange to axle flange width New Round Back Small | 1099.00 |
| PCNK53H | PC Kit Flanged Housing 53.0 inch axle flange to axle flange width New Humpback Small | 1061.21 |
| PCNK53R | PC Kit Flanged Housing 53.0 inch axle flange to axle flange width New Round Back Small | 1099.00 |
| PCNK54R | PC Kit Flanged Housing 54.0 inch axle flange to axle flange width New Round Back Small | 1099.00 |
| PCNK555R | PC Kit Flanged Housing 55.5 inch axle flange to axle flange width New Round Back Small | 1099.00 |
| PCNK55R | PC Kit Flanged Housing 55 inch axle flange to axle flange width New Roundback Small | 1099.00 |
| PCNK565R | PC Kit Flanged Housing 56.5 inch axle flange to axle flange width New Round Back Small | 1099.00 |
| PCNK56H | PC Kit Flanged Housing 56 inch axle flange to axle flange width New Humpback Small | 1061.21 |
| PCNK56R | PC Kit Flanged Housing 56 inch axle flange to axle flange width New Round Back Small | 1099.00 |

| | | |
|----------------|---|---------|
| PCNK5775R | PC Kit Flanged Housing 57.75 inch axle flange to axle flange width New Roundback | 1099.00 |
| PCNK57R | PC Kit Flanged Housing 57 inch axle flange to axle flange width New Roundback | 1099.00 |
| PCNK58R | PC Kit Flanged Housing 58 inch axle flange to axle flange width New Roundback | 1099.00 |
| PCNK59R | PC Kit Flanged Housing 59 inch axle flange to axle flange width New Roundback | 1099.00 |
| PCNK60R | PC Kit Flanged Housing 60 inch axle flange to axle flange width New Roundback | 1099.00 |
| PCNK62R | PC Kit Flanged Housing 62 inch axle flange to axle flange width New Roundback | 1099.00 |
| PEM 1301 | Bolt On Snout - O-Ring only | 4.95 |
| PEM Gear Lube | PEM Red Gear Lube 1 Quart 75-140W | 22.80 |
| PEM1 | Ford 9 inch master install kit with crush sleeve F9BK1781ID2891OD, F9RPKCS, | 136.42 |
| PEM1 PREMIUM | F9BK1781ID2891OD, F9RPKCS, HH7162034G8K | 142.98 |
| PEM10 PREMIUM | F95BK2.25ID3812OD, F9SPSP35, HH7162034G8K fits D 3.812, 35 Spline Pinion | 295.15 |
| PEM11 PREMIUM | Complete Bearing Install Kit for 3.25 inch case, 2.89 inch carrier bearings, stock | 178.40 |
| PEM1300 | Spindle Snout, Rear, Bolt-On, W5, Straight | 85.51 |
| PEM2 | F9BK1781ID3060OD, F9RPKCS, HH7162034G8K | 142.98 |
| PEM2 PREMIUM | F9BK1781ID3060OD, F9RPKCS, HH7162034G8K | 145.61 |
| PEM3 | F9BK1781ID2891OD, F9SPSP, F9SPS, HH7162034G8K | 142.98 |
| PEM3 PREMIUM | 9 inch Ford Complete Install Kit for 2.89 case with stock pinion support F9BK178 | 149.54 |
| PEM4 | F9BK1781ID3060OD, F9SPSP, F9SPS, HH7162034G8K fits stock pinion support | 145.61 |
| PEM4 PREMIUM | F9BK1781ID3060OD, F9SPSP, F9SPS, HH7162034G8K fits stock pinion support | 152.16 |
| PEM5 PREMIUM | F9BK1781ID3060OD, F9SPSPL, F9SPS, HH7162034G8K fits small Daytona pin | 175.78 |
| PEM6 PREMIUM | F9BK2.001ID3250OD, F9SPSP35, HH7162034G8K (1.0 inch) fits D 3.250, 35 Sp | 295.15 |
| PEM7 PREMIUM | F9BK2.00ID3250OD, F9SPSPL, F9SPS, HH7162034G8K fits small Daytona pin | 182.34 |
| PEM-720025 | Leaf Spring Perches 3.0 inch Tube, 2 1/2 inch Width, Pair | 50.02 |
| PEM8 PREMIUM | F9BK1781ID2891OD, F9SPSPL, F9SPS, HH7162034G8K fits small Daytona pin | 169.22 |
| PEM9 PREMIUM | Complete Bearing Install Kit for 3.25 inch case, 2.89 inch carrier bearings, Dayton | 191.52 |
| PG 187N-178ALW | XTREME Offset Complete 3.25 inch Locker CT with Heavy Spring - Xtreme Gear | 265.00 |
| PG F9/411LW | Xtreme PG Ford 9 inch Ring & Pinion 411 Ratio LW | 124.00 |
| PG F9/429BPLW | Xtreme PG 9310 PRO Ford 9 inch Ring & Pinion 429 Ratio Big Pinion LW | 150.00 |
| PG F9/430LW | Xtreme PG Ford 9 inch Ring & Pinion 430 Ratio LW | 124.00 |
| PG F9/457LW | Xtreme PG Ford 9 inch Ring & Pinion 457 Ratio LW | 124.00 |
| PG F9/463LW | Xtreme PG Ford 9 inch Ring & Pinion 463 Ratio LW | 124.00 |
| PG F9/471LW | Xtreme PG Ford 9 inch Ring & Pinion 471 Ratio LW | 124.00 |
| PG F9/486LW | Xtreme PG Ford 9 inch Ring & Pinion 486 Ratio LW | 124.00 |
| PG F9/500LW | Xtreme PG Ford 9 inch Ring & Pinion 500 Ratio LW | 124.00 |
| PG F9/514LW | Xtreme PG Ford 9 inch Ring & Pinion 514 Ratio LW | 124.00 |
| PG F9/529LW | Xtreme PG Ford 9 inch Ring & Pinion 529 Ratio LW | 124.00 |

| | | |
|-------------------------|---|---------|
| PG F9/SPL28LW | Xtreme PG Ford 9 inch Offset 28 Spline Full Spool 1.78 inch journal | 50.00 |
| PG F9/SPL31LW | Xtreme PG Ford 9 inch Offset 31 Spline Full Spool 1.78 inch journal | 85.00 |
| PG F9/SPL40LW | Xtreme PG Ford 9 inch Offset 40 Spline Full Spool 2.0 inch journal | 50.00 |
| PG F95/411BPLW | Xtreme PG PRO 9310 Ford 9.5 inch Ring & Pinion 411 Ratio Big Pinion ULW | 150.00 |
| PG F95/429BPLW | Xtreme PG PRO 9310 Ford 9.5 inch Ring & Pinion 429 Ratio Big Pinion ULW | 150.00 |
| PG F95/SPL40LW | Xtreme PG Ford 9.5 inch Offset 40 Spline Full Spool 2.25 inch journal | 90.00 |
| PG LC3062 | Locker CASE 1.78 inch STANDARD (not offset) | 60.00 |
| PLM102910 | Ford 9 inch Carrier Race - Neutral Brand | 7.82 |
| PLM102949 | Ford 9 inch Carrier Bearing - Neutral Brand | 9.94 |
| PLMetricKit | GM Metric bearing and race kit with seal - for one wheel - A3 & A6 LM12649/126 | 28.79 |
| PLMetricKit-DC | Complete Wheel Kit with dust cap, nut, washer & cotter pin GM Metric bearing & | 39.95 |
| PM88010 | Ford 9 inch Pinion Race - Neutral Brand | 7.06 |
| PM88048 | Ford 9 inch Pinion Bearing - Neutral Brand | 11.74 |
| PMU1205 | QC Pinion Pilot Roller Bearing - Nose bearing | 32.65 |
| PRace325case289bearing | Conversion Race from 3.250 Carrier Bearing to 2.891 OD x 1.78 inch ID bearing | 34.58 |
| Pwide5Kit | Wide 5 bearing and race kit 2 races & 2 bearings - for one wheel | 41.32 |
| Pwide5KitLocking | Wide 5 bearing and race kit with seal - for one wheel with locking wide 5 aluminum | 53.65 |
| Pwide5Kitwseal | Wide 5 bearing and race kit with seal - for one wheel | 45.92 |
| QC Det Locker 31 Spline | QC Aluminum Detroit Locker 31 Spline | 749.00 |
| QC Gear Poster | Quick Change Gear Poster 19 x 25 inch Laminated | 8.65 |
| QC Gear Storage Case | Quick Change Gear Storage Case for 8 sets | 49.95 |
| QC Gear Tote Black | Quick Change Plastic Gear Tote For One Set, Black | 7.99 |
| QC411R&P | Quick Change Ring and Pinion 4.11 Ratio - bare 8/33t | 307.65 |
| QC411R&PLoaded | QC Ring and Pinion 4.11 Ratio Loaded w/ bearings, posi nut and pinion pilot bearing | 472.01 |
| QC486R&P | Quick Change Ring and Pinion 4.86 Ratio - bare 7/34t | 307.65 |
| QC486R&PLoaded | QC Ring and Pinion 4.86 Ratio Loaded w/ bearings, posi nut and pinion pilot bearing | 472.01 |
| QCATW5-411 | Quick Change Rear End with 411 R&P, Std Alum Spool, W5 Alum Tubes, breathe | 2395.00 |
| QCATW5-411 1Ton MAX | Quick Change Rear End with 411 R&P, W5 Alum 1 Ton aluminum tubes, 8 rib bell | 2998.00 |
| QCATW5-411 1Ton MAXLH | Quick Change Rear End with 411 R&P, W5 Alum 1 Ton aluminum tubes, 8 rib bell | 2998.00 |
| QCATW5-411 1Ton MAXR | Quick Change Rear End with 411 R&P, W5 Alum 1 Ton aluminum tubes, 8 rib bell | 2998.00 |
| QCATW5-411 MAX | Quick Change Rear End with 411 R&P, W5 Alum Tubes, lightened aluminum spool | 2959.00 |
| QCATW5-486 | Quick Change Rear End with 486 R&P, Std Alum Spool, W5 Alum Tubes, snout n | 2395.00 |
| QCATW5-486 1Ton MAX | Quick Change Rear End with 486 R&P, W5 Alum 1 Ton aluminum tubes, 8 rib bell | 2998.00 |
| QCATW5-486 1Ton MAXLH | Quick Change Rear End with 486 R&P, W5 Alum 1 Ton aluminum tubes, 8 rib bell | 2998.00 |
| QCATW5-486 1Ton MAXR | Quick Change Rear End with 486 R&P, W5 Alum 1 Ton aluminum tubes, 8 rib bell | 2998.00 |
| QCATW5-486 MAX | Quick Change Rear End with 486 R&P, W5 Alum Tubes, lightened aluminum spool | 2959.00 |

| | | |
|---------------------|--|--------|
| QCC0010 | QC Center Section - Sprint Style Mag/Alum Alloy | 698.00 |
| QCC0010T | Thermal Coated QC Center Section- Mg/Alum Alloy | 798.00 |
| QCC0020 | QC Driver Side Bell 6 rib - Mag/Alum Alloy - BARE (left) | 279.00 |
| QCC0020K | QC Driver Side 6 rib Bell Kit with race and thrust block assy (left) | 299.00 |
| QCC0020T | Thermal Coated QC Driver Side - Mg/Alum Alloy Side Bell - PEM QCB001D with | 349.00 |
| QCC0020TK | QC Driver Side 6 rib Bell Kit Thermal Coated with race and thrust block assy (left) | 369.00 |
| QCC0021 | QC Driver Side - 8 rib Mg/Alum Alloy Side Bell - BARE (left) | 329.00 |
| QCC0021K | QC Driver Side 8 rib Bell Kit with race and thrust block assy (left) | 349.00 |
| QCC0021T | Thermal Coated QC Driver Side - 8 rib Mg/Alum Alloy Side Bell | 369.00 |
| QCC0021TK | QC Driver Side 8 rib Bell Kit Thermal Coated with race and thrust block assy (left) | 389.00 |
| QCC0030 | QC Passenger Side Bell 6 rib - Mag/Alum Alloy - BARE | 299.00 |
| QCC0030K | QC Passenger Side Bell Kit 6 rib with race, both fill plugs installed | 319.00 |
| QCC0030T | Thermal Coated QC Passenger Side - Mg/Alum Alloy Side Bell - PEM QCP001P | 369.00 |
| QCC0030TK | QC Passenger Side Bell Kit 6 rib Thermal Coated with race, both fill plugs installed | 389.00 |
| QCC0031 | QC Passenger Side - 8 rib Mg/Alum Alloy Side Bell - BARE (right) | 339.00 |
| QCC0031K | QC Passenger Side Bell Kit 8 rib with race, both fill plugs installed | 359.00 |
| QCC0031T | Thermal Coated QC Passenger Side - 8 rib Mg/Alum Alloy Side Bell | 389.00 |
| QCC0031TK | QC Passenger Side Bell Kit Thermal coated 8 rib with race, both fill plugs installed | 409.00 |
| QCC0040B BB6B-K | QC 6 Bolt Billet Back Cover Kit with Big Bearings Installed - Black Anodized QC | 299.00 |
| QCC0040B BB6B-K RED | QC 6 Bolt Billet Back Cover Kit with Big Bearings Installed - RED Anodized QC | 299.00 |
| QCC0040B BB-K | QC Billet Back Cover Kit with Big Bearings Installed - 10 bolt Black Anodized QC | 289.00 |
| QCC0040B BB | QC Billet Back Cover - Bare engraved - 10 bolt Black Anodized | 239.00 |
| QCC0040K | QC Back Cover Kit with bearings and caps ** fits Winters 10 bolt or PEM 10 bo | 236.04 |
| QCC0050-31 | QC Aluminum Tube (25 3/16 inch overall length) with W5 Snout stock B measur | 289.95 |
| QCC0050-315 | QC Aluminum Tube (25.6875 inch overall length) with W5 Snout -left rear B mea | 289.95 |
| QCC0050-32 | QC Aluminum Tube (26 3/16 inch overall length) with W5 Snout stock B measur | 289.95 |
| QCC0050-33 | QC Aluminum Tube (27 3/16 inch overall length) with W5 Snout stock B measur | 289.95 |
| QCC0050-34 | QC Aluminum Tube (28 3/16 inch overall length) with W5 Snout - stock B measu | 289.95 |
| QCC0050-35 | QC Aluminum Tube (29 3/16 inch overall length) with W5 Snout stock B measur | 289.95 |
| QCC0050-36 | QC Aluminum Tube (30 3/16 inch overall length) with W5 Snout - stock B meas | 289.95 |
| QCC0050-CTL | QC Alum Tubing with W5 Snout Custom B measurement_____ cut to | 299.95 |
| QCC0051-31 | QC Aluminum 1 Ton Tube (25 3/16 inch overall length) with 1 ton Snout and stair | 329.00 |
| QCC0051-315 | QC Aluminum 1 Ton Tube (25 11/16 inch overall length) with 1 ton Snout and sta | 329.00 |
| QCC0051-32 | QC Aluminum 1 Ton Tube (26 3/16 inch overall length) with 1 ton Snout and stair | 329.00 |
| QCC0051-325 | QC Aluminum 1 Ton Tube (26.6875 inch overall length) with 1 ton Snout and stair | 329.00 |
| QCC0051-33 | QC Aluminum 1 Ton Tube (27 3/16 inch overall length) with 1 ton Snout and stair | 329.00 |

| | | |
|-------------|---|--------|
| QCC0051-34 | QC Aluminum 1 Ton Tube (28 3/16 inch overall length) with 1 ton Snout and stair | 329.00 |
| QCC0051-35 | QC Aluminum 1 Ton Tube (29 3/16 inch overall length) with 1 ton Snout and stair | 329.00 |
| QCC0051-36 | QC Aluminum 1 Ton Tube (30 3/16 inch overall length) with 1 ton Snout and stair | 329.00 |
| QCC0051-CTL | QC Alum 1 Ton Tubing with 1 ton Snout - Custom B measurement_____ | 333.42 |
| QCC0051-WR | QC Aluminum 1 ton tube seal wear ring | 25.60 |
| QCC0060 | QC Solid Lower Thru Shaft - Heat Treated | 155.00 |
| QCC0061 | QC Gun Drilled Lower Thru Shaft - Heat Treated | 179.51 |
| QCC0062 | QC Solid Lower Thru Shaft - Heat Treated - DMI | 191.99 |
| QCC0080o | QC Pinion Seal Plate - O-ring | 2.57 |
| QCC0081K | QC Pinion Seal Plate (red) with o-ring and double lip seal - Kit | 74.71 |
| QCC0090 | QC Steel Yoke - 10 spline forged steel | 49.99 |
| QCC0090-K | QCC0090 qc yoke, QCC0116K bolt & washer plus RED tube of loctite/threadlock | 73.95 |
| QCC0091 | QC Yoke Long Forged Black Chromoly | 141.53 |
| QCC0092 | QC Yoke Standard Length Black Chromoly | 141.53 |
| QCC0100 | QC Rear Pinion Retainer | 33.29 |
| QCC0101 | QC Rear Pinion Retainer Locking Tab - 3 needed 2374 | 7.06 |
| QCC0102 | QC Spacer under Rear Pinion Retainer | 23.03 |
| QCC0103 | QC Posi Lock Nut for pinion - RH thread | 59.00 |
| QCC0104 | QC Back Cover HD Gasket - sprint center with steel core | 12.82 |
| QCC0105 | QC Back Cover Gasket | 4.49 |
| QCC0106 | QC HH Cap Screw 3/8 inch - 16 x 1 G8 for pinion retainer and yoke support | 1.93 |
| QCC0106K | QC HH Cap Screw for yoke support - 6 pcs. | 9.17 |
| QCC0107 | QC Carrier Side Bell Seal | 10.95 |
| QCC0108 | QC Std Back Cover Bearing - 6305 | 21.99 |
| QCC0109 | QC Flat Washer 3/8 inch for side bell tube bolt | 0.58 |
| QCC0112o | QC Back Cover Bearing Retainer Cover O ring | 1.74 |
| QCC0113 | QC Cover Stud 3/8 inch -16 x 1 3/4 inch | 3.72 |
| QCC0113K | QC Back Cover Stud Kit 10pc | 31.48 |
| QCC0114K | QC Back Cover Plug with O-ring - also side bell small fill level plug | 4.65 |
| QCC0114o | QC Back Cover Plug O-ring | 1.61 |
| QCC0115K | QC Center Section Filler Plug with O-ring | 23.54 |
| QCC0115o | QC Center Section Filler Plug O-ring | 1.61 |
| QCC0116 | QC Yoke Retainer Bolt | 2.64 |
| QCC0116K | QC Yoke Bolt & Washer Kit | 6.55 |
| QCC0117 | QC Yoke Retainer Washer | 0.77 |
| QCC0118 | QC Side Bell O-ring - thin square | 10.21 |

| | | |
|---------------|--|--------|
| QCC0119S | QC SHORT Back Cover NUT - Alum. RED | 6.36 |
| QCC0119S K-10 | QC SHORT Back Cover Nuts RED 10 pc Kit | 56.41 |
| QCC0119S K-6 | QC SHORT Back Cover Nuts RED 6 pc Kit | 33.85 |
| QCC0120 | QC Lower Shaft bearing retainer - snap ring | 5.00 |
| QCC0121o | QC rear pinion support o-ring | 1.74 |
| QCC0122 | QC Back Cover SHS for alum. bearing cover | 1.28 |
| QCC0123 | QC Back Cover Bearing Retainer Cover Aluminum | 19.24 |
| QCC0124 | BHCS 1/4 inch -20 1/2 inch long Billet Rear Cover | 0.85 |
| QCC0125 | QC Aluminum Pipe Plug 3/8 inch -18 | 2.89 |
| QCC0126 | QC Yoke Support Seal - Pre August 2024 | 15.34 |
| QCC0128K | QC Passenger Side Bell Fill Plug- 1 7/8 inch Inspection plug with O-ring | 31.48 |
| QCC0129K | QC Tube Bell Bolt and Washer Kit - 6pcs for one bell tube | 15.08 |
| QCC0131/0132K | QC Ring Gear Bolt & Washer Kit 12 pc inchs each | 39.28 |
| QCC0132 | QC Ring Gear Washer 3/8 x 24 G8 | 1.79 |
| QCC0133 | QC Spool Shim 12pc Kit | 8.51 |
| QCC0137K | QC Thrust Block Kit | 22.04 |
| QCC0138 | QC Breather Tubing | 1.61 |
| QCC0139-1K | New 2022-Up QC Vent Kit for PEM Quick Change Rear End | 28.79 |
| QCC0139K | QC Breather Vent Kit with 18 inch tube | 28.79 |
| QCC0140K | QC Thru Bolt Kit with short bolts 12 pc | 45.92 |
| QCC0145 | QC Pinion Thrust Washer | 3.28 |
| QCC0147 | QC Cover Bearing for Big Bearing Billet Rear Cover | 29.95 |
| QCC0148 | QC Reducer Cavity Fill Fitting 10an to 12an | 20.99 |
| QCC0149K | QC 12an-10an Reducer with o-ring - Fill cavity fitting for QC rear | 16.72 |
| QCC0149o | QC 12an-10an Reducer o-ring | 1.74 |
| QCC0151 | QC Yoke Support Double Lip Seal for Red yoke support August 2024 7204T | 13.95 |
| QCC0230K | QC Snout Nut for 1 ton Alum. tube wide 5 with locking system | 19.19 |
| QCC0231 | QC Snout Nut Alum. wide 5 with locking system | 16.62 |
| QCC0232WK | QC Welded upper GM metric mount kit for housing, fits 6 rib and 8 rib QC side be | 150.86 |
| QCC0233K | QC side Bell Bolt Kit with side bell O-rings | 35.35 |
| QCC0234 | QC One Ton W5 Seal | 17.90 |
| QCC0236 | QC Inner One Ton W5, Tapered Bearing Set REM ISF Finished | 34.58 |
| QCC0237K | One Ton W5 Tapered Bearing Set and Seal Kit - 1 ton (no snout nuts) REM ISF | 85.20 |
| QCC0238K | 1 ton bearing, race, seal and locking nut kit for 1 wheel. ISF Polished | 103.00 |
| QCC0260 | QC TrueTrac 31 - winters track 31 spline | 859.00 |
| QCC0270K | QC W5 Axle Bolt Kit includes 2 bolts, 2 jam nuts and 2 washers 3/8-24 | 6.56 |

| | | |
|---------------------------|--|---------|
| QCC0275K | QC GDW5 Axle Bolt Kit includes 2 bolts, 2 jam nuts and 2 washers 3/8-16 | 6.56 |
| QCC0290 | Quick Change Jack Plate - zinc plated steel | 12.95 |
| QCC10411 | Standard, Prepped 411 Quick Change Center Section with spool, load ring & pin | 1279.00 |
| QCC10411T | Thermal Coated, prepped 411 Quick Change Center Section with LW spool, load ring & pin | 1809.00 |
| QCC10486 | Standard, Prepped 486 Quick Change Center Section with spool, load ring & pin | 1279.00 |
| QCC10486T | Thermal Coated, prepped 486 Quick Change Center Section with LW spool, load ring & pin | 1809.00 |
| QCC20300 | Standard Quick Change Driver Side Bell with Tube Installed for 300-300 | 509.00 |
| QCC20300625 | Standard Quick Change Driver Side Bell with Tube Installed for 300-300 5/8 wall | 569.00 |
| QCC20300T | Thermal Coated Quick Change Driver Side Bell & Tube for 300-300 | 539.00 |
| QCC20300T625 | Thermal Coated Quick Change Driver Side Bell & Tube for 300-300 5/8 wall tubir | 589.00 |
| QCC20310 | Standard Quick Change Driver Side Bell with Tube Installed for 300-310 | 509.00 |
| QCC20310T | Thermal Coated Quick Change Driver Side Bell & Tube for 310-300 | 539.00 |
| QCC21300T | Thermal Coated Quick Change Driver 8 Rib Side Bell & Tube for 300-300 | 615.00 |
| QCC30300 | Standard Quick Change Passenger Side Bell & Tube for 300-300 | 529.00 |
| QCC30300T | Thermal Coated Quick Change Passenger Side Bell & Tube for 300-300 | 569.00 |
| QCC30300T625 | Thermal Coated Quick Change Passenger Side Bell & Tube for 300-300 with 5/8 | 568.89 |
| QCC31300T | Thermal Coated Quick Change Passenger 8 Rib Side Bell & Tube for 300-300 | 649.00 |
| QCC31300T-8CM | Thermal Coated Quick Change Passenger 8 Rib Side Bell & CM Tube for 300-300 | 669.00 |
| QCC31360T 1T | Thermal Coated Quick Change Passenger 8 Rib Side Bell & Aluminum Wide 5 Tube | 699.00 |
| QCCCK | Conversion Kit for QC to GN, 60 inch track width, centered pinion, with steel tube | 516.83 |
| QCCCK4 | Conversion Kit for QC to GN 60 inch Track Width, centered pinion, with steel tube | 999.00 |
| QCCCK5 | Conversion Kit for QC to GN, 60 inch Track Width, centered pinion, with steel tube | 969.00 |
| QCCRBK-2.032 | Standard PEM Quick change rebuild kit with all bearings/races/seals/orings | 261.05 |
| QCFSA31 | Quick Change Full Spool Aluminum STD 2.031 inch journal | 282.12 |
| QCFSA31L | Quick Change Lightened Full Spool Aluminum 2.031 inch journal | 307.77 |
| QCKSTGN5-411 | Quick Change Rear End Complete HOUSING KIT with 411 R&P, Std Alum Spool | 2649.00 |
| QCKSTGN5-411 MAX | Quick Change Rear End Complete HOUSING KIT with 411 R&P, Steel Tubes with | 3475.00 |
| QCKSTGN5-411 MAX-2OFF | Quick Change Rear End 60 inch Offset Pinion (280-320) Complete HOUSING KIT | 3475.00 |
| QCKSTGN5-411 MAX-60CP | Quick Change Rear End 60 inch Centered Pinion (300-300) Complete HOUSING KIT | 3475.00 |
| QCKSTGN5-411 MAX-60CP-8CI | 8 Rib Quick Change Rear End 60 inch Centered Pinion (300-300) Complete HOUSING KIT | 3599.00 |
| QCKSTGN5-411 MAX-8CM | 8 Rib Quick Change Rear End Complete HOUSING KIT with 411 R&P, Steel Tubes | 3599.00 |
| QCKSTGN5-411-2OFF | Quick Change Rear End 60 inch Offset Pinion (280-320) Complete housing kit with | 2649.00 |
| QCKSTGN5-411-60CP | Quick Change Rear End 60 inch Centered Pinion Complete housing kit with 411 | 2649.00 |
| QCKSTGN5-486 | 8 Rib Quick Change Rear End 60 inch Centered Pinion Complete housing kit with | 2795.00 |
| QCKSTGN5-486 MAX | Quick Change Rear End Complete housing kit with 486 R&P, Std Alum Spool, Std | 2649.00 |
| QCKSTGN5-486 MAX-2OFF | Quick Change Rear End Complete HOUSING KIT with 486 R&P, Steel Tubes with | 3475.00 |

| | | |
|---------------------------|---|---------|
| QCKSTGN5-486 MAX-60CP | Quick Change Rear End 60 inch Offset Pinion (280-320) Complete HOUSING KIT | 3475.00 |
| QCKSTGN5-486 MAX-60CP-8CM | Quick Change Rear End 60 inch Centered Pinion (300-300) Complete HOUSING KIT | 3599.00 |
| QCKSTGN5-486 MAX-8CM | 8 Rib Quick Change Rear End 60 inch Centered Pinion (300-300) Complete HOUSING KIT | 3599.00 |
| QCKSTGN5-486-2OFF | 8 Rib Quick Change Rear End Complete HOUSING KIT with 486 R&P, Chrome Moly Steel | 2649.00 |
| QCKSTGN5-486-310-290 | Quick Change Rear End 60 inch Offset Pinion (280-320) Complete housing kit with 486 QC Rear | 2649.00 |
| QCKSTGN5-486-60CP | 486 QC Rear 310-290 Complete Kit 5X5 Hubs | 2649.00 |
| QCNT-411 | Quick Change Rear End with 411 R&P and Std Alum Spool NO TUBES | 1849.00 |
| QCNT-411 MAX | Quick Change Rear End with 411 R&P- NO TUBES with Lightened Aluminum Spool | 2469.00 |
| QCNT-411 MAX-8 | 8 Rib Quick Change Rear End with 411 R&P- NO TUBES with Lightened Aluminum Spool | 2549.00 |
| QCNT-486 | Quick Change Rear End with 486 R&P and Std Alum Spool NO TUBES | 1849.00 |
| QCNT-486 MAX | Quick Change Rear End with 486 R&P- NO TUBES with Lightened Aluminum Spool | 2469.00 |
| QCNT-486 MAX-8 | 8 Rib Quick Change Rear End with 486 R&P- NO TUBES with Lightened Aluminum Spool | 2549.00 |
| QCO1000 | OPTION QC Lightened Full Spool Alum 2.031 inch | 45.47 |
| QCO1100 | OPTION LW 9.5 inch OD Lighter Weight Ring Gear | 57.13 |
| QCO1200 | OPTION LW 9.0 inch OD Ultra Light Ring Gear (only for GM 602 & 604 crate engines) | 64.13 |
| QCO1400 | OPTION REM Finish QC Ring & Pinion | 103.77 |
| QCO1500 | OPTION REM Finish all applicable bearings and races in assembly | 64.13 |
| QCO1600B | OPTION Gundrilled Hi Test Axle Option for pair of axles (only available on QCKSTGN5-486 MAX-60CP-8CM) | 198.22 |
| QCO1750 | OPTION .188 inch wall Chrome Moly Steel 2.5 inch GN Rear Tubes (pair) (only available on QCKSTGN5-486 MAX-60CP-8CM) | 75.79 |
| QCO1800 | OPTION Black anodized 10 bolt Billet Rear Cover on a Standard QC Rear QCC0000 | 104.94 |
| QCO1900 | OPTION Wilwood Spec 37 Rotors, 1 inch wide x 1 3/4 inch dia. pair (only available on QCKSTGN5-486 MAX-60CP-8CM) | 182.07 |
| QCO2000 | OPTION Drilled Lower Shaft | 45.47 |
| QCO2100 | OPTION Box and Ship Assembled (center, bells & tubes only)- this does not include axle | 31.80 |
| QCO2200 | OPTION Install 5/8th Tube GN rearend on one side SPECIFY SIDE: _____ | 105.00 |
| QCO2205 | OPTION Install .750 wall GN rearend on one side SPECIFY SIDE: _____ | 195.00 |
| QCO2250 | OPTION Install 5/8th Tube on W5 late model rearend; SPECIFY SIDE _____ | 105.00 |
| QCO2255 | OPTION Install .750 wall on W5 late model rearend SPECIFY SIDE _____ | 195.00 |
| QCO2400-1 | Upcharge for GM Mounts Metric rear top & bottom; single hole QCC0232WK | 274.16 |
| QCO2450-1 | Upcharge for GM Mounts Metric rear top & Multi bottom; multi hole QCC0232WK | 321.38 |
| QCO2500 | OPTION Assemble center and bells | 11.66 |
| QCO2600-1 | Upcharge for GN Locking Nuts- pair | 43.29 |
| QCO2700 | OPTION 6 Bolt Black anodized Billet Rear Cover in a Standard QC Rear QCC0000 | 129.00 |
| QCO2800 | OPTION 8 Rib Side Bells - QCC0021 & QCC0031 - both sides | 92.11 |
| QCO2900 | OPTION One ton aluminum tube (per side) 1 ton | 80.45 |
| QCO3000 | OPTION Polishing QC Rearend Street Kit | 1399.20 |
| QCO3200 | OPTION Fully Assembling QC Rearend Street Kit (brakes not installed) | 116.60 |

| | | |
|-------------------------|---|---------|
| QCO3300 | OPTION Longer forged rear end yoke QCC0091 | 146.92 |
| QCO3400 | OPTION GN Scalloped Drive Flanges | 23.32 |
| QCO3500 | OPTION DOM Tubes .250 wall (both sides) | 34.98 |
| QCO3600 | OPTION GN Hub 5x4.75 pair | 20.00 |
| QCO3800 | OPTION to upgrade Premium QC411R&P | 20.00 |
| QCP1885 | Quick Change Press Slug for .188 Wall Tube | 29.00 |
| QCP2505 | Quick Change Press Slug for .250 Wall Tube | 29.00 |
| QCPKit | Quick Change Press Kit for removal of tubes from Quick Change Bells with .188 i | 219.00 |
| QCPSocket | Quick Change Pinion Posi Nut Socket - 1 7/8" | 49.95 |
| QCSTGN-411 | Quick Change Rear End with 411 R&P, Std Alum Spool and Steel Tubes with NU | 2049.00 |
| QCSTGN-411 MAX | Quick Change Rear End with 411 R&P, Steel Tubes with NUTS with Lightened a | 2699.00 |
| QCSTGN-411 MAX-2OFF | Quick Change Rear End 60 inch Offset Pinion (280-320) with 411 R&P, GN Steel | 2699.00 |
| QCSTGN-411 MAX-60CP | Quick Change Rear End 60 inch Centered Pinion (300-300) with 411 R&P, Steel | 2699.00 |
| QCSTGN-411 MAX-60CP-8CM | 8 Rib Quick Change Rear End 60 inch Centered Pinion (300-300) with 411 R&P, | 2865.00 |
| QCSTGN-411-2OFF | Quick Change Rear End 60 inch Offset Pinion (280-320) 411 R&P, Std Alum Sp | 2049.00 |
| QCSTGN-411-60CP | Quick Change Rear End 60 inch Centered Pinion with 411 R&P, Std Alum Spool | 2049.00 |
| QCSTGN-486 | Quick Change Rear End with 486 R&P, Std Alum Spool and Steel Tubes with NU | 2049.00 |
| QCSTGN-486 MAX | Quick Change Rear End with 486 R&P, GN Steel Tubes with NUTS with Lightene | 2699.00 |
| QCSTGN-486 MAX-2OFF | Quick Change Rear End 60 inch Offset Pinion (280-320) with 486 R&P, GN Steel | 2699.00 |
| QCSTGN-486 MAX-60CP | Quick Change Rear End 60 inch Centered Pinion (300-300) with 486 R&P, Steel | 2699.00 |
| QCSTGN-486 MAX-60CP-8CM | 8 Rib Quick Change Rear End 60 inch Centered Pinion (300-300) with 486 R&P, | 2865.00 |
| QCSTGN-486-2OFF | Quick Change Rear End 60 inch Offset Pinion (280-320) 486 R&P, Std Alum Sp | 2049.00 |
| QCSTGN-486-60CP | Quick Change Rear End 60 inch Centered Pinion with 486 R&P, Std Alum Spool | 2049.00 |
| QCSTHV-411 | Quick Change Rear End with 411 R&P, Std Alum Spool and Howe/Vogel 2.0 inch | 2079.00 |
| QCSTHV-411 MAX | Quick Change Rear End with 411 R&P and Howe/Vogel 2.0 inch GN Steel Tubes | 2719.00 |
| QCSTHV-486 | Quick Change Rear End with 486 R&P, Std Alum Spool and Howe/Vogel 2.0 inch | 2079.00 |
| QCSTHV-486 MAX | Quick Change Rear End with 486 R&P and Howe/Vogel 2.0 inch GN Steel Tubes | 2719.00 |
| QCSTW5-411 | Quick Change Rear End with 411 R&P, Std Alum Spool, wide 5 Steel Tubes, snot | 2079.00 |
| QCSTW5-411 MAX | Quick Change Rear End with 411 R&P and wide 5 Steel Tubes with Lightened Al | 2719.00 |
| QCSTW5-486 | Quick Change Rear End with 486 R&P, Std Alum Spool and wide 5 Steel Tubes, : | 2079.00 |
| QCSTW5-486 MAX | Quick Change Rear End with 486 R&P and wide 5 Steel Tubes with Lightened Al | 2719.00 |
| R160-15877R/H | Wilwood Spec 37 Rotor 1.0 inch x 11.75 6.7 lbs. R/H | 115.29 |
| R160-15878L/H | Wilwood Spec 37 Rotor 1.0 inch x 11.75 6.7 lbs. L/H | 115.29 |
| R810x11750 | Rotor .810 x 11.750 8 on 7 inch Bolt circle for Grand National Hub | 48.07 |
| R960x11250 | Rotor Hat .960x11.25 1pc vented iron dual bolt circle 5x4.5 and 5x4.75 | 64.12 |
| R960x11250 4.75-.5 | Rotor Hat Pair (L&R) .960x11.25 2pc vented iron dual bolt circle 5x4.5 and 5x4.75 | 76.95 |

| | | |
|-------------------|---|--------|
| R960x11250 DS | Rotor Hat Dimpled and Slotted, Pair (L&R) .960x11.25 2pc vented iron dual bolt | 153.41 |
| R960x11250 DS 3BP | Rotor Hat Dimpled and Slotted, Pair (L&R) .960x11.25 2pc vented iron with 3 bc | 179.07 |
| R960x11250-3BCP | Rotor Hat .960x11.25 1pc vented iron with 3 bolt circle patterns 5x4.5, 5x4.75, a | 76.95 |
| REM-BA1535TAV | Ford 9 inch Pilot Bearing REM ISF Finished BA1535TAV | 36.17 |
| REM-F9350 | REM finished REM finished Ford 9 inch Ring and Pinion Standard 350 Ratio | 321.70 |
| REM-F9370 | REM finished Ford 9 inch Ring and Pinion Standard 370 Ratio | 321.70 |
| REM-F9389 | REM finished Ford 9 inch Ring and Pinion Standard 389 Ratio | 321.70 |
| REM-F9411 | REM finished Ford 9 inch Ring and Pinion Standard 411 Ratio | 321.70 |
| REM-F9457 | Ford 9 inch Ring and Pinion Standard 457 Ratio 32tooth 7tooth | 321.70 |
| REM-F9457LW | Ford 9 inch Ring and Pinion Standard REM 457LW Ratio 32tooth 7tooth | 361.41 |
| REM-F9471 | Ford 9 inch Ring and Pinion Standard 471 Ratio | 321.70 |
| REM-F9471LW | Ford 9 inch Ring and Pinion Lightened 471 Ratio | 361.41 |
| REM-F9486 | Ford 9 inch Ring and Pinion Standard 486 Ratio | 321.70 |
| REM-F9486LW | Ford 9 inch Ring and Pinion Lightened 486 Ratio | 361.41 |
| REM-F9500 | Ford 9 inch Ring and Pinion Standard 500 Ratio | 321.70 |
| REM-F9500LW | Ford 9 inch Ring and Pinion Lightened 500 Ratio | 361.41 |
| REM-F9514 | Ford 9 inch Ring and Pinion Standard 514 Ratio | 321.70 |
| REM-F9514LW | Ford 9 inch Ring and Pinion Lightened 514 Ratio | 361.41 |
| REM-F9529 | Ford 9 inch Ring and Pinion Standard 529 Ratio | 321.70 |
| REM-F9529LW | Ford 9 inch Ring and Pinion Lightened 529 Ratio | 361.41 |
| REM-F9537 | Ford 9 inch Ring & Pinion 537 Special Ratio Standard Weight | 411.48 |
| REM-F9543 | Ford 9 inch Ring and Pinion Standard 543 Ratio | 321.70 |
| REM-F9543LW | Ford 9 inch Ring and Pinion Lightened 543 Ratio | 361.41 |
| REM-F9550 | Ford 9 inch Ring & Pinion 5.50 Special ratio Standard Weight | 411.48 |
| REM-F9557 | Ford 9 inch Ring & Pinion 5.57 Special Ratio Standard Weight | 411.48 |
| REM-F9567 | Ford 9 inch Ring and Pinion Standard 567 Ratio | 321.70 |
| REM-F9567LW | Ford 9 inch Ring and Pinion Lightened 567 Ratio | 361.41 |
| REM-F9575 | Ford 9 inch Ring & Pinion 5.75 Special Ratio Standard Weight | 411.48 |
| REM-F9583 | Ford 9 inch Ring and Pinion Standard 583 Ratio 35/6 T | 321.70 |
| REM-F9583LW | Ford 9 inch Ring and Pinion Lightened 583 Ratio 35/6 T | 361.41 |
| REM-F9600 | Ford 9 inch Ring and Pinion Standard 600 Ratio | 321.70 |
| REM-F9600LW | Ford 9 inch Ring and Pinion Lightened 600 Ratio | 361.41 |
| REM-F9614 | Ford 9 inch Ring and Pinion Standard 614 Ratio | 411.48 |
| REM-F9614LW | Ford 9 inch Ring and Pinion Lightweight 614 Ratio | 411.48 |
| REM-F9620 | Ford 9 inch Ring and Pinion Standard 620 Ratio | 321.70 |
| REM-F9620LW | Ford 9 inch Ring and Pinion Lightened 620 Ratio | 361.41 |

| | | |
|---------------------------|--|--------|
| REM-F9633 | Ford 9 inch Ring and Pinion Standard 633 Ratio | 321.70 |
| REM-F9633LW | Ford 9 inch Ring and Pinion Lightened 633 Ratio | 361.41 |
| REM-F9643 | REM Ford 9 inch Ring and Pinion Standard 643 Ratio | 411.48 |
| REM-F9650 | Ford 9 inch Ring and Pinion Standard 650 Ratio | 321.70 |
| REM-F9650LW | Ford 9 inch Ring and Pinion Lightened 650 Ratio | 361.41 |
| REM-F9666LW | Ford 9 inch Ring and Pinion Lightened 666 Ratio | 385.83 |
| REM-F9683LW | Ford 9 inch Ring and Pinion Lightened 683 Ratio | 385.83 |
| REM-F9700LW | Ford 9 inch Ring and Pinion Lightened 700 Ratio | 385.83 |
| REM-F9BK1781ID2891ODPremi | REM Ford 9 inch Bearing Kit 1.781 ID 2.891 OD Premium Bearings REM ISF Fir | 139.05 |
| REM-GNHBAK | Grand National Bearing and Accessory Kit with both o-rings REM ISF Finished | 63.56 |
| REM-GNHRK5x5 | REM Grand National Hubs 5 on 5 Kit with (2) hubs, 810 Rotors and Snout Nuts | 689.00 |
| REM-GNHub 5 on 4 75 Kit | Grand National Hub 5 on 4 3/4 Kit REM Bearings & Races REM ISF Finished | 368.00 |
| REM-GNHub 5 on 5 Kit | Grand National Hub 5 on 5 Kit REM Bearings & Races REM ISF Finished | 369.00 |
| REM-GNHub 5 on 5 Kit SS | REM Finished Grand National Hub 5 on 5 Kit with Short Studs | 369.00 |
| REM-HVBKit | Howe Vogel Bearing and Race Kit 2 pcs. each REM ISF Finished | 66.83 |
| REM-HVBKitwithSeal | Howe Vogel Bearing and Race Kit with Seal. 2 bearings, 2 races and seal REM | 78.63 |
| REM-KHM89410 | Ford 9 inch RACE for Alum. Pinion Support Daytona- Koyo REM ISF Finished | 20.47 |
| REM-KHM89443 | Ford 9 inch Bearing for Alum. Pinion Support Daytona, Head Bearing - Koyo F | 44.89 |
| REM-KLM102910 | Ford 9 inch Carrier Race Koyo 2.891 inch REM ISF Finished KLM102910 | 19.19 |
| REM-KLM102949 | Ford 9 inch Carrier Bearing Koyo 2.891 inch REM ISF Finished KLM102949 | 24.32 |
| REM-KLM104911 | Ford 9 inch Race for FS35LB Koyo 2.00 inch ID x 3.25 inch OD REM ISF Finis | 21.75 |
| REM-KLM603011 | Ford 9 inch G-Case Race Koyo 1.781ID 3.060 OD REM ISF Finished KLM6030 | 19.19 |
| REM-KLM603049 | Ford 9 inch G-Case Bearing Koyo 1.781 ID 3.060 OD REM ISF Finished KLM | 25.02 |
| REM-KM88010 | Ford 9 inch Pinion Race - Koyo REM ISF Finished KM88010 | 18.29 |
| REM-KM88048 | Ford 9 inch Pinion Bearing - Koyo REM ISF Finished KM88048 | 24.32 |
| REM-P18620 | W5 Outer Wheel Race REM finished P18620 | 20.39 |
| REM-P18720 | W5 Inner Wheel Race REM ISF Finished P18720 | 26.92 |
| REM-P27820D | QC Pinion Race REM ISF Finished P27820D | 55.10 |
| REM-P27880 | QC Pinion Bearing - 2 required REM ISF Finished P27880 | 42.27 |
| REM-P27880Kit | QC Pinion Support Bearing/Race Kit REM ISF Finished P27880Kit | 94.45 |
| REM-P362A | QC 2.000/2.032 inch Spool Race (P368A & 368S) REM ISF Finished P362/ | 24.32 |
| REM-P368A | QC 2.000 inch Spool Bearing REM ISF Finished P368A | 30.73 |
| REM-P368S | QC 2.032 inch Spool Bearing REM ISF Finished P368S | 34.31 |
| REM-PEM1 PREMIUM | F9BK1781ID2891OD, F9RPKCS, HH7162034G8K REM ISF finished PEM1 PF | 157.41 |
| REM-PEM10 PREMIUM | REM F95BK2.25ID3250OD, F9SPSP35, HH7162034G8K fits D 3.812, 35 Spline | 402.72 |
| REM-PEM11 PREMIUM | REM Complete Bearing Install Kit for 3.25 inch case, 2.89 inch carrier bearings, s | 219.07 |

| | | |
|------------------------------|--|--------|
| REM-PEM2 PREMIUM | F9BK1781ID3060OD, F9RPKCS, HH7162034G8K REM ISF Finished PEM2 P | 177.09 |
| REM-PEM3 PREMIUM | F9BK1781ID2891OD, F9SPSP, F9SPS, HH7162034G8K REM ISF Finished PEI | 163.97 |
| REM-PEM4 PREMIUM | F9BK1781ID3060OD, F9SPSP, F9SPS, HH7162034G8K fits stock pinion suppor | 190.21 |
| REM-PEM5 PREMIUM | F9BK1781ID3060OD, F9SPSPL, F9SPS, HH7162034G8K fits small Daytona pin | 219.07 |
| REM-PEM6 PREMIUM | F9BK2.001ID3250OD, F9SPSP35, HH7162034G8K fits D 3.250, 35 Spline Pinio | 372.54 |
| REM-PEM7 PREMIUM | F9BK2.00ID3250OD, F9SPSPL, F9SPS, HH7162034G8K fits small Daytona pin | 219.07 |
| REM-PEM8 PREMIUM | F9BK1781ID2891OD, F9SPSPL, F9SPS, HH7162034G8K fits small Daytona pin | 209.88 |
| REM-PEM9 PREMIUM | Complete Bearing Install Kit for 3.25 inch case, 2.89 inch carrier bearings, 31 spli | 259.73 |
| REM-PL12710 | Modified Hybrid Outer Wheel Race REM ISF Finished PL12710 | 16.64 |
| REM-PL12749 | Modified Hybrid Outer Wheel Bearing REM ISF Finished PL12749 | 19.21 |
| REM-PL68110 | Modified Hybrid Inner Wheel Race REM ISF Finished PL68110 | 16.64 |
| REM-PL68149 | Modified Hybrid Inner Wheel Bearing REM ISF Finished PL68149 | 19.21 |
| REM-PLHybridKit | REM Modified Hybrid bearing and race kit with seal - for one wheel REM ISF Fin | 65.52 |
| REM-PLM12610 | GM Metric Outer Wheel Race REM ISF Finished PLM12610 | 16.91 |
| REM-PLM12649 | GM Metric Outer Wheel Bearing G body 78,80 & 81 REM ISF Finished PLM | 19.31 |
| REM-PLM67010 | GM Metric Inner Wheel Race REM ISF Finished PLM67010 | 16.64 |
| REM-PLM67048 | GM Metric Inner Wheel Bearing REM ISF Finished PLM67048 | 18.86 |
| REM-PLMetricKit | REM GM Metric bearing and race kit with seal - for one wheel REM ISF Finished | 65.26 |
| REM-PLMetricKit-DC | REM Finished GM Metric Complete Front Wheel Kit with bearings, races, dust ca | 79.95 |
| REM-PLMwide5Kit | REM ISF Finished Wide 5 bearing and race kit - NO Seal - for one wheel | 76.09 |
| REM-PLMwide5KitLodrag | REM Wide 5 bearing and race kit with lo drag seal - for one wheel REM ISF Finis | 97.72 |
| REM-PLMwide5KitLodragLocking | REM Wide 5 bearing and race kit with seal lo drag & locking nut - for one wheel | 113.46 |
| REM-PRace325case289bearing | Conversion Race from 3.250 Carrier Bearing to 2.891 REM ISF Finished PR | 47.40 |
| REM-QC411R&P | Quick Change Ring and Pinion 4.11 Ratio - bare REM ISF Finished | 389.86 |
| REM-QC411R&P-9 | Quick Change 9.0 inch Ring and Pinion 4.11 Ratio - bare REM ISF Finished | 524.53 |
| REM-QC411R&P-95 | 9.5 inch OD Quick Change Ring and Pinion 4.11 Ratio - bare REM ISF Finishe | 505.29 |
| REM-QC411R&P-95Loaded | 9.5 inch OD QC Ring and Pinion 4.11 Ratio LOADED w/ bearings, posi nut and p | 700.41 |
| REM-QC411R&P-9Loaded | QC 9.0 inch Ring and Pinion 4.11 Ratio Loaded w/ bearings, posi nut and pinion | 720.09 |
| REM-QC411R&PLoaded | QC Ring and Pinion 4.11 Ratio Loaded w/ bearings, posi nut and pinion pilot bea | 595.47 |
| REM-QC486R&P | Quick Change Ring and Pinion 4.86 Ratio - bare REM ISF Finished | 389.86 |
| REM-QC486R&P-9 | Quick Change 9.0 inch Ring and Pinion LIGHTENED 4.86 Ratio - bare REM | 524.53 |
| REM-QC486R&P-95 | 9.5 inch OD Quick Change Ring and Pinion LIGHTENED 4.86 Ratio - bare R | 505.29 |
| REM-QC486R&P-95Loaded | QC Ring and Pinion 9.5 inch OD 4.86 Ratio Loaded w/ bearings, posi nut and pin | 595.47 |
| REM-QC486R&P-9Loaded | QC 9.0 inch Ring and Pinion LIGHTENED 4.86 Ratio Loaded w/ bearings, posi n | 720.09 |
| REM-QC486R&PLoaded | QC Ring and Pinion 4.86 Ratio Loaded w/ bearings, posi nut and pinion pilot bea | 595.47 |
| REM-QCCRBK-BBC | REM PEM MAX Quick Change Rebuild Kit with all bearings/races/seals/o rings f | 299.08 |

| | | |
|-------------------|--|--------|
| REM-STGF9350 | REM finished Street Gear Ford 9 inch 350 ** Premium Gear | 411.48 |
| REM-STGF9370 | REM finished Street Gear Ford 9 inch 370 ** Premium Gear | 411.48 |
| REM-STGF9411 | REM finished Street Gear Ford 9 inch 411 ** Premium Gear | 411.48 |
| REM-STGF9430 | REM finished Street Gear Ford 9 inch 430 ** Premium Gear | 411.48 |
| REM-YSYXL8F | Extra Clearance FORGED 8 inch Slip Yoke REM ISF Finished YSYXL8F | 119.23 |
| REM-ZGNBL610549 | Grand National Bearing REM ISF Finished ZGNBL610549 REM | 29.88 |
| REM-ZGNBRKit | REM Grand National Bearing and Race Kit 2 pcs. each REM ISF Finished REM | 91.96 |
| RTV | Black RTV Silicone | 12.77 |
| S2-3-12051X | 1330 Slip Yoke GM 27 spline 6.8 inch long Spicer - supercedes 1330-351 | 108.00 |
| S2-3-5981X | 1330 Slip Yoke 28 spline fits AOD,C4 & T5 5.97 inch Long x 1.497 inch Seal Dia | 105.08 |
| S2-3-6041X | 1330 Slip Yoke Ford C6/T45/Tremec 6.03 inch | 96.52 |
| S2-3-6081X | 1310 SLIP YOKE 5.50 inch 26 /27 Spline PG TH350 & Saginaw | 81.77 |
| S3-3-4281X | 1350 Slip Yoke 27 Spline GM TH350 PG 6.938 inch center to end | 99.00 |
| S5-1330X | 1330 Solid Cross U-Joint 3 5/8 inch wide x 1 1/16 inch cap OD | 28.22 |
| S5-134X | 1310/1330 Greasable Conversion U Joint 1-1/16 inch caps | 32.07 |
| S5-1350X | 1350 Spicer Solid Cross U-Joint | 33.29 |
| S5-1410X | 1410 Solid U-Joint | 41.04 |
| S5-153X | 1310 Greasable U-joint | 16.67 |
| S5-160X | 1410 Greasable U-Joint 4-3/16 inch x 1-3/16 inch Cap | 32.07 |
| S5-178X | 1350 Greasable U-joint | 26.93 |
| SA16 | 16 Bolt Snout Adapter Steel weld-in for bolt on snouts | 69.95 |
| SHCS102438GRK | Socket Head Cap Screw 3 pc Kit for dust cap | 4.92 |
| SHCSR5162478G8K | Rotor Bolt Kit Socket Head Cap Screw Rotor Bolts 5/16 dia 24 tpi 7/8 long G8 str | 6.99 |
| SITKit | Seal Install Tool Kit | 24.99 |
| SMKit 2 | Coilover Shock Mount Kit with Weld On Main Shock Bracket | 78.63 |
| SMKit 3 | Coilover Shock Mount Kit with Weld On Main Bracket for square Back Brace | 78.63 |
| SnoutW5 | Wide 5 Snout | 62.85 |
| SnoutW5-C-1 | Wide 5 Snout with 1 degree Camber | 127.50 |
| Socket 1 Ton | 1 Ton Hub Nut Socket for 1 Ton dirt late model snouts - 2.625 | 32.99 |
| Socket 2.5GN | Spindle Nut Socket for 2.5 inch Grand National | 35.00 |
| Socket W5 3/4 Ton | Wide 5 Hub Nut Socket - 3/4 Ton also fits HV hub nuts 2.375 | 31.00 |
| SpD4473-76.5 | Dana 44 Spindle, Small Bearing 73-76.5 Chevy & GMC 1/2 ton K10 pick up, K5 E | 96.14 |
| SpD44L77-87 | Dana 44 Spindle Late 77-87 Chevy & GMC 1/2ton K10 Pickup, K5 Blazer, Jimmy | 96.14 |
| STFHNM295285 | New Stamped Flanged Housing G Body GM Metric 58 inch (27.0 inch - 26.0 inch | 733.28 |
| STFHNM300290 | New Stamped Flanged Housing G Body GM Metric 59 inch (27.5 inch - 26.5 inch | 733.28 |
| STFHNM305295 | New Stamped Flanged Housing G Body GM Metric 60 inch (28.0 inch - 27.0 inch | 741.14 |

| | | |
|--------------------------|--|---------|
| STG D2002 | Ford 9 inch 40 spool for 2.25 inch journal size Fits Moser 3.812 inch BTC case | 370.00 |
| STGF9325 | Street Gear Ford 9 inch 325 ** Premium Ring & Pinion | 297.56 |
| STGF9350 | Street Gear Ford 9 inch 350 ** Premium Ring & Pinion | 297.56 |
| STGF9370 | Street Gear Ford 9 inch 370 ** Premium Ring & Pinion | 297.56 |
| STGF9389 | Street Gear Ford 9 inch 389 ** Premium Ring & Pinion | 297.56 |
| STGF9411 | Street Gear Ford 9 inch 411 ** Premium Ring & Pinion | 297.56 |
| STGF9486 | Street Gear Ford 9 inch 486 ** Premium | 297.56 |
| STKit 64-66 Mustang TL | Ford Mustang 64-66 9 Inch Ford kit with 31 spline axles, Disc Brake Kit with E, ar | 2395.00 |
| STKit C10 Kit TL | GM C10 9 Inch Kit with 31 spline Axles and Disc Brake Kit with E, Trac Loc | 2595.00 |
| STKit GM 59-64 B-BODY | GM B-Body Kit 1959-1964 with E brake and 31 spline Trac Loc | 2395.00 |
| STKit GM A-Body HT | GM A Body 9 inch Kits 1964-1967 Chevelle, Cutlass, Regal, Lemans, GTO, etc. | 2745.00 |
| STKit GM A-Body TL | GM A-Body 9 inch Kit for 1964-1967 Chevelle, Cutlass, Regal, Lemans, GTO. Kit | 2595.00 |
| STKit GM A-Body TT | GM A Body 9 inch Kits 1964-1967 Chevelle, Cutlass, Regal, Lemans, GTO, etc. | 2895.00 |
| STKit GM A-Body-35TT | GM A Body 9 inch Kits 1964-1967 Chevelle, Cutlass, Regal, Lemans, GTO, etc. | 3195.00 |
| STKit GM G-Body HT | GM G Body 9 inch Kit 1978-1987 New HNF9 Stamped Rear End Housing with 3' | 2695.00 |
| STKit GM G-Body TL | GM G-Body 9 inch Kit for 1978-1987 Malibu, Monte Carlo, Cutlass, Regal, Grand | 2545.00 |
| STKit GM G-Body TT | GM G Body 9 inch Kit 1978-1987 New HNF9 Stamped Rear End Housing with 3' | 2845.00 |
| STKit GM G-Body-35TT | GM G Body 9 inch Kit 1978-1987 New HNF9 Stamped Rear End Housing with 3' | 3145.00 |
| STKit GM70-81 F-Body TL | GM F-Body 9 Inch Kit for 1970-1981 Camaro, Firebird, TransAm with 31 spline a: | 2495.00 |
| STKit GM82-92 F- Body TL | GM F-Body 9 Inch Kit for 1982-1992 Camaro, Firebird, TransAm with 31 spline a: | 2995.00 |
| STKit HR HT | Hot Rod Ford 9 inch New Smooth 49-64 wide Rear End Housing Kit with 31 splin | 2625.00 |
| STKit HR OD | Hot Rod Ford 9 inch New Smooth 49-64 wide Rear End Housing Kit with 31 splin | 2395.00 |
| STKit HR TL | Hot Rod Ford 9 inch New Smooth 49-64 wide Rear End Housing Kit with 31 splin | 2475.00 |
| STKit HR TT | Hot Rod Ford 9 inch New Smooth 49-64 wide Rear End Housing Kit with 31 splin | 2775.00 |
| STKit HR-35TT | Hot Rod Ford 9 inch New Smooth 49-64 wide Rear End Housing Kit with 35 splin | 3065.00 |
| STKit M HT | Muscle Ford 9 inch New HNF9 Stamped 49-64 wide Rear End Housing Kit with 3 | 2595.00 |
| STKit M TL | Muscle Ford 9 inch New HNF9 Stamped 49-64 wide Rear End Housing Kit with 3 | 2445.00 |
| STKit M TT | Muscle Ford 9 inch New HNF9 Stamped 49-64 wide Rear End Housing Kit with 3 | 2745.00 |
| STKit M-35TT | Muscle Ford 9 inch New HNF9 Stamped 49-64 wide Rear End Housing Kit with 3 | 3035.00 |
| STKit QC B | **NO CARRIER SEALS** Quick Change Street Kit with a True Trac Differential & | 3574.00 |
| STKit QC B w/E | * NO CARRIER SEALS * Quick Change Street Kit; 4.11 ratio with a True Trac Dif | 3683.00 |
| STKIT QC-411 | **NO CARRIER SEALS** 411 Quick Change Street Kit with a True Trac Different | 3374.00 |
| STKIT SmW HT | Ford 9 inch New Small Web Round Back 49-64 inchwide Rear End Housing Kit v | 2645.00 |
| STKit SmW OD | Ford 9 inch New Small Web Round Back 49-64 inchwide Rear End Housing Kit v | 2425.00 |
| STKit SmW TL | Ford 9 inch New Small Web Round Back 49-64 wide Rear End Housing Kit with : | 2495.00 |
| STKit SmW TT | Ford 9 inch New Small Web Round Back 49-64 inchwide Rear End Housing Kit v | 2795.00 |

| | | |
|----------------------------|--|---------|
| STKit Tri-Five Kit TL | Tri-Five Kit for GM 55-57 with 31 spline axles, Disc Brake Kit with E, and Trac Lc | 2425.00 |
| STKitGM64-67A-BodyTL370 | GM A-Body 9 inch Kit for 1964-1967 Chevelle, Cutlass, Regal, Lemans, GTO. Ki | 2595.00 |
| STKitGM68-72A-BodyTL370 | GM A-Body 9 inch Kit for 1968-1972 Chevelle, Cutlass, Regal, Lemans, GTO. Ki | 2595.00 |
| STKitGM78-87G-BodyTL370 | GM G-Body 9 inch Kit for 1978-1987 Malibu, Monte Carlo, Cutlass, Regal, Granc | 2545.00 |
| T2729 | Ford 9 inch RACE for Alum. Large Bearing Pinion Support Tail Front - Timken | 25.52 |
| T2788 | Ford 9 inch Tail BEARING for Alum. Large Bearing Pinion Support Front - Timken | 21.75 |
| T-bolt 1/2Kit | T-Bolt 1/2 inch KIT with lock nuts 4 pcs each | 20.33 |
| T-bolt 3/8Kit | T-Bolt 3/8 inch KIT with lock nuts 4 pcs each | 14.42 |
| TLM501310 | Ford 9 inch Carrier Race ID 1.625 Timken | 7.64 |
| TLM501349 | Ford 9 inch Carrier Bearing ID 1.625 Timken | 11.54 |
| TWFlange22 QCB | 22 inch Long 3 inch OD QCB Tube with flange - 3/8 inch Housing End | 133.80 |
| TWFlange26 1/2 | 26 inch Long 3 inch OD Tube with flange - 1/2 inch Housing End | 133.80 |
| TWFlange26 3/8 | 26 inch Long 3 inch OD Tube with flange - 3/8 inch Housing End | 133.80 |
| TwSA16 QCB | Steel Tube .188" wall DOM with 16 Bolt Snout Adapter. QCB tube tolerance 2.999 | 169.95 |
| TwSA16-CM QCB | Chrome Moly Tube .188" wall with 16 Bolt Snout Adapter. QCB tube tolerance 2.9 | 189.95 |
| TwsHVL QCB | HV Steel Tube with Howe/Vogel 2.0 inch HV Snout QCB tube tolerance 2.999 to | 173.15 |
| TwsHVS QCB | HV Steel Tube with Howe/Vogel 2.0 inch HV Snout QCB tube tolerance 2.999 to : | 166.60 |
| Twsnout CTL QCB 5/8th Wall | CTL Tube with GN snout QCB tube tolerance 2.999 to 3.000 with 5/8th wall HEA | 255.00 |
| Twsnout CTL QCB | CTL Tube with GN snout QCB tube tolerance 2.999 to 3.000 Measurement _____ | 160.04 |
| Twsnout21 | 21 inch Tube with snout 3 inch OD x .188 inch wall DOM | 124.62 |
| Twsnout21 HV-QCB | 21 inch Tube with Howe / Vogel 2.0 inch 5x5 snout QCB tube tolerance Centerle | 163.97 |
| Twsnout21 QCB | 21 inch Tube with snout | 182.92 |
| Twsnout22 | 22 inch Tube with snout 3 inch OD x .188 inch wall DOM | 124.62 |
| Twsnout22 QCB 5/8th Wall | 22 inch Heavy Tube with GN snout QCB tube tolerance 2.99 to 3.00 with 5/8 inch | 225.00 |
| Twsnout22 CM .188 QCB | 22 inch Chrome Moly .188 wall Tube with snout CENTERLESS GROUND | 184.96 |
| | 22 inch Tube with Howe / Vogel 2.0 inch 5x5 snout QCB tube tolerance | |
| | Centerless Ground 2.999 to 3.000 B Measurement Bearing Step to End of Tube | |
| Twsnout22 HV-QCB | measures 18.5 inch | 163.97 |
| Twsnout22 MW5 QCB | 22 inch Tube with MINI 5 Snout QCB tube tolerance 2.999 to 3.000 B measurem | 163.97 |
| Twsnout22 QCB | 22 inch Tube with snout QCB tube tolerance 2.999 to 3.000 | 182.92 |
| Twsnout22 QCB .250 Wall | 22 inch Tube with snout 3 inch OD x .250 inch wall DOM QCB tube tolerance 2.9 | 182.92 |
| Twsnout22 QCB .750 Wall | 22 inch Heaviest Tube with GN snout QCB tube with 3/4 inch wall thickness Tws | 329.00 |
| Twsnout22.5 QCB 5/8th Wall | 22.5 inch Heavy Tube with GN snout QCB tube tolerance 2.999 to 3.000 with 5/8 | 227.00 |
| Twsnout22.5 QCB | 22.5 inch Tube with GN snout QCB tube tolerance 2.999 to 3.000 | 156.11 |
| Twsnout22.5 QCB .250w | 22.5 inch Tube with GN snout QCB tube tolerance 2.999 to 3.000 .250w | 182.92 |
| Twsnout225 QCB | 22.5 inch Tube with snout QCB tube tolerance 2.999 to 3.000 | 182.92 |

| | | |
|---------------------------|--|--------|
| Twsnout23 | 23 inch Tube with snout 3 inch OD x .188 inch wall DOM | 127.24 |
| Twsnout23 QCB 5/8th Wall | 23 inch Heavy Tube with GN snout QCB tube tolerance 2.999 to 3.000 with 5/8th | 229.00 |
| Twsnout23 CM .188 QCB | 23 inch Chrome Moly .188 wall Tube with snout CENTERLESS GROUND | 184.96 |
| | 23 inch Tube with Howe / Vogel 2.0 inch HV snout QCB tube tolerance | |
| | Centerless Ground 2.999 to 3.000 | |
| Twsnout23 HV-QCB | B Measurement Bearing Step to End of Tube measures 19.5 inch | 163.97 |
| Twsnout23 QCB | 23 inch Tube with GN snout QCB tube tolerance 2.999 to 3.000 | 156.11 |
| Twsnout23 QCB .250 Wall | 23 inch Tube with snout 3 inch OD x .250 inch wall DOM QCB tube tolerance 2.9 | 182.92 |
| Twsnout23 QCB .750 Wall | 23 inch Heaviest Tube with GN snout QCB tube with 3/4 inch wall thickness Tws | 329.00 |
| Twsnout235 CM .188w QCB | 23.5 inch Chrome Moly Tube with GN snout QCB tube tolerance 2.999 to 3.000 | 156.11 |
| Twsnout235 QCB | 23.5 inch Tube with GN snout QCB tube tolerance 2.999 to 3.000 | 156.11 |
| Twsnout235 QCB .250 Wall | 23.5 inch Tube with snout 3 inch OD x .250 inch wall DOM | 182.92 |
| Twsnout235 QCB 5/8th Wall | 23.5 inch Heavy Tube with GN snout QCB tube tolerance 2.999 to 3.000 with 5/8 | 232.00 |
| Twsnout24 | 24 inch Tube with snout 3 inch OD x .188 inch wall DOM | 132.49 |
| Twsnout24 CM .188 QCB | 24 inch Chrome Moly .188 wall Tube with snout CENTERLESS GROUND | 184.96 |
| | 24 inch Tube with Howe / Vogel 2.0 inch 5x5 snout QCB tube tolerance | |
| | Centerless Ground 2.999 to 3.000 | |
| Twsnout24 HV-QCB | B Measurement Bearing Step to End of Tube measures 20.5 inch | 163.97 |
| Twsnout24 MW5 QCB | 24 inch Tube with MINI 5 Snout QCB tube tolerance 2.999 to 3.000 B measurem | 163.97 |
| Twsnout24 QCB | 24 inch Tube with GN snout QCB tube tolerance 2.999 to 3.000 | 156.11 |
| Twsnout24 QCB .250 Wall | 24 inch Tube with snout 3 inch OD x .250 inch wall DOM QCB tube tolerance 2.9 | 182.92 |
| Twsnout24 QCB .750 Wall | 24 inch Heaviest Tube with GN snout QCB tube with 3/4 inch wall thickness Tws | 329.00 |
| Twsnout24 QCB 5/8th Wall | 24 inch Heavy Tube with GN snout QCB tube tolerance 2.999 to 3.000 with 5/8 in | 235.00 |
| Twsnout245 QCB | 24.5 inch Tube with GN snout QCB tube tolerance 2.999 to 3.000 | 156.11 |
| Twsnout245 QCB 5/8th Wall | 24.5 inch Heavy Tube with GN snout QCB tube tolerance 2.999 to 3.000 with 5/8i | 240.00 |
| Twsnout25 | 25 inch Tube with snout 3 inch OD x .188 inch wall DOM | 135.12 |
| Twsnout25 QCB 5/8th Wall | 25 inch Tube with GN snout QCB tube tolerance 2.999 to 3.000 with 5/8th wall H | 245.00 |
| Twsnout25 CM .188 QCB | 25 inch Chrome Moly .188 wall Tube with snout CENTERLESS GROUND | 189.00 |
| | 25 inch Tube with Howe / Vogel 2.0 inch 5x5 snout QCB tube tolerance | |
| | Centerless Ground 2.999 to 3.000 | |
| Twsnout25 HV-QCB | B Measurement Bearing Step to End of Tube measures 21.5 inch | 163.97 |
| Twsnout25 QCB | 25 inch Tube with GN snout QCB tube tolerance 2.999 to 3.000 | 158.72 |
| Twsnout25 QCB .250 Wall | 25 inch Tube with snout 3 inch OD x .250 inch wall DOM QCB tube tolerance 2.9 | 182.92 |
| Twsnout25 QCB .750 Wall | 25 inch Heaviest Tube with GN snout QCB tube 3/4 wall Twsnout25 QCB 3/4 W | 329.00 |

| | | |
|--------------------------|--|--------|
| | 25.5 inch Tube with Howe / Vogel 2.0 inch 5x5 snout QCB tube tolerance Centerless Ground 2.999 to 3.000 | |
| Twsnout255 HV-QCB | B Measurement Bearing Step to End of Tube measures 22.0 inch | 163.97 |
| Twsnout255 QCB | 25.5 inch Tube with GN snout QCB tube tolerance 2.999 to 3.000 | 158.72 |
| Twsnout26 | 26 inch Tube with snout 3 inch OD x .188 inch wall DOM | 137.74 |
| Twsnout26 QCB | 26 inch Tube with GN snout QCB tube tolerance 2.999 to 3.000 | 160.04 |
| Twsnout26 CM .188 QCB | 26 inch Chrome Moly .188 wall Tube with snout CENTERLESS GROUND | 186.27 |
| | 26 inch Tube with Howe / Vogel 2.0 inch 5x5 snout QCB tube tolerance Centerless Ground 2.999 to 3.000 | |
| Twsnout26 HV-QCB | B Measurement Bearing Step to End of Tube measures 22.5 inch | 166.60 |
| Twsnout26 MW5 QCB | 26 inch Tube with MINI 5 Snout QCB tube tolerance 2.999 to 3.000 B Measurem | 163.97 |
| Twsnout26 QCB .250 Wall | 26 inch Tube with snout 3 inch OD x .250 inch wall DOM QCB tube tolerance 2.9 | 182.92 |
| Twsnout26 QCB .750 Wall | 26 inch Heaviest Tube with GN snout QCB tube 3/4 wall Twsnout26 QCB 3/4 W | 329.00 |
| Twsnout26 QCB 5/8th Wall | 26 inch Heavy Tube with GN snout QCB tube tolerance 2.999 to 3.000 with 5/8th | 250.00 |
| | 26.5 inch Tube with Howe / Vogel 2.0 inch 5x5 snout QCB tube tolerance Centerless Ground 2.999 to 3.000 | |
| Twsnout26.5 HV-QCB | B Measurement Bearing Step to End of Tube measures 23.0 inch | 166.60 |
| | 27 inch Tube with Howe / Vogel 2.0 inch 5x5 snout QCB tube tolerance Centerless Ground 2.999 to 3.000 | |
| Twsnout27 HV-QCB | B Measurement Bearing Step to End of Tube measures 23.5 inch | 166.60 |
| Twsnout27 QCB | 27 inch Tube with GN snout QCB tube tolerance 2.999 to 3.000 | 160.04 |
| Twsnout28 | 28 inch Tube with snout 3 inch OD x .188 inch wall DOM | 144.30 |
| Twsnout28 QCB | 28 inch Tube with GN snout QCB tube tolerance 2.999 to 3.000 | 165.29 |
| | 28 inch Tube with Howe / Vogel 2.0 inch 5x5 snout QCB tube tolerance Centerless Ground 2.999 to 3.000 | |
| Twsnout28 HV-QCB | B Measurement Bearing Step to End of Tube measures 24.5 inch | 166.60 |
| Twsnout28 QCB 5/8th Wall | 28 inch Heavy Tube with GN snout QCB tube tolerance 2.999 to 3.000 with 5/8th | 260.00 |
| Twsnout28.5 QCB | 28.5 inch Tube with GN snout QCB tube tolerance 2.999 to 3.000 | 165.29 |
| Twsnout29 | 29 inch Tube with snout 3 inch OD x .188 inch wall DOM | 144.30 |
| Twsnout29 QCB | 29 inch Tube with GN snout QCB tube tolerance 2.999 to 3.000 | 165.29 |
| Twsnout29 QCB 5/8th Wall | 29 inch Heavy Tube with GN snout QCB tube tolerance 2.999 to 3.000 with 5/8th | 265.00 |
| Twsnout29 HV-QCB | 29 inch Tube with Howe / Vogel 2.0 inch 5x5 snout QCB tube tolerance Centerle | 166.60 |
| Twsnout295 QCB | 29.5 inch Tube with GN snout QCB tube tolerance 2.999 to 3.000 | 173.15 |
| Twsnout30 QCB | 30 inch Tube with GN snout QCB tube tolerance 2.999 to 3.000 | 173.15 |

| | | |
|--------------------------|--|--------|
| Twsnout30 HV-QCB | 30 inch Tube with Howe / Vogel 2.0 inch 5x5 snout QCB tube tolerance Centerless Ground 2.999 to 3.000 B Measurement Bearing Step to End of Tube measures 26.5 inch 30.5 inch Tube with Howe / Vogel 2.0 inch 5x5 snout QCB tube tolerance Centerless Ground 2.999 to 3.000 | 169.22 |
| Twsnout305 HV-QCB | B Measurement Bearing Step to End of Tube measures 27 inch | 169.22 |
| Twsnout31 QCB | 31 inch Tube with GN snout QCB tube tolerance 2.999 to 3.000 | 173.15 |
| Twsnout31 HV-QCB | 31 inch Tube with Howe / Vogel 2.0 inch 5x5 snout QCB tube tolerance | 169.22 |
| TWSnout315 CM.188 QCB | 31.5 inch Chrome Moly .188 wall Tube with snout CENTERLESS GROUND 31.5 inch Tube with Howe / Vogel 2.0 inch 5x5 snout QCB tube tolerance Centerless Ground 2.999 to 3.000 | 186.27 |
| Twsnout315 HV-QCB | B Measurement Bearing Step to End of Tube measures 28 inch | 169.22 |
| Twsnout32 | 32 inch Tube with snout 3 inch OD x .188 inch wall DOM | 149.54 |
| Twsnout32 QCB | 32 inch Tube with GN snout QCB tube tolerance 2.999 to 3.000 | 173.15 |
| Twsnout32 HV-QCB | 32 inch Tube with Howe / Vogel 2.0 inch 5x5 snout QCB tube tolerance | 169.22 |
| Twsnout-Mini5-QCB-Custom | Custom Tube with Mini 5 snout QCB tube tolerance Centerless Ground 2.999 to | 188.89 |
| TwsW5L | W5 Steel Tube with Wide 5 Snout - cut to fit- 26.5 inch and longer B length mea | 160.04 |
| TwsW5L QCB | W5 Steel Tube with Wide 5 Snout QCB tube tolerance 2.999 to 3.000 - cut to fit- | 173.15 |
| TwsW5L QCB 5/8th wall | Heavy Wide 5 Steel Tube QCB tube tolerance 2.99 to 3.00 - 26.5 inch and longer | 279.00 |
| TwsW5L QCB CM | W5 Chrome Moly Tube with Wide 5 Snout .188 inch wall CDS QCB tube toleranc | 192.84 |
| TwsW5L-27QCB | W5 Steel Tube 27 inch total length for 33 inch axle with Wide 5 Snout QCB tube t | 173.15 |
| TwsW5L-285QCB CM | W5 CM Tube 285 inch total length for 35 inch axle with Wide 5 Snout QCB tube t | 173.15 |
| TwsW5L-28QCB | W5 Steel Tube 28 inch total length for 34 inch axle with Wide 5 Snout QCB tube t | 173.15 |
| TwsW5L-295QCB | W5 Steel Tube 29.5 inch total length for 35 inch axle with Wide 5 Snout QCB tub | 173.15 |
| TwsW5L-29QCB | W5 Steel Tube 29 inch total length for 35 inch axle with Wide 5 Snout QCB tube t | 173.15 |
| TwsW5L-29QCB CM | W5 CM Tube 29 inch total length for 35 inch axle with Wide 5 Snout QCB tube to | 173.15 |
| TwsW5L-30QCB | W5 Steel Tube 30 inch total length for 36 inch axle with Wide 5 Snout QCB tube t | 173.15 |
| TwsW5L-31QCB | W5 Steel Tube 31 inch total length for 37 inch axle with Wide 5 Snout QCB tube t | 173.15 |
| TwsW5L-325QCB | W5 Steel Tube 32.5 inch total length for 38.5 inch axle with Wide 5 Snout QCB tu | 173.15 |
| TwsW5L-32QCB | W5 Steel Tube 32 inch total length for 38 inch axle with Wide 5 Snout QCB tube t | 173.15 |
| TwsW5L-33QCB | W5 Steel Tube 33 inch total length for 39 inch axle with Wide 5 Snout QCB tube t | 173.15 |
| TwsW5L-34QCB | W5 Steel Tube 34 inch total length for 40 inch axle with Wide 5 Snout QCB tube t | 173.15 |
| TwsW5L-35QCB | W5 Steel Tube 35 inch total length for 41 inch axle with Wide 5 Snout QCB tube t | 173.15 |
| TwsW5S QCB | W5 Steel Tube with Wide 5 Snout QCB tube tolerance 2.999 to 3.000 - cut to fit - | 166.60 |
| TwsW5S QCB 5/8th wall | Heavy Wide 5 Steel Tube QCB tube tolerance 2.99 to 3.00 - up to and including 2 | 269.00 |
| TwsW5S QCB CM | W5 Chrome Moly Tube with Wide 5 Snout .188 inch wall CDS QCB tube toleranc | 186.27 |

| | | |
|---------------|--|--------|
| TwsW5S-25QCB | W5 Steel Tube 25 inch total length for 31 inch axle with Wide 5 Snout QCB tube | 166.60 |
| TwsW5S-265QCB | W5 Steel Tube 26.5 inch total length for 32.5 inch axle with Wide 5 Snout QCB tube | 166.60 |
| TwsW5S-26QCB | W5 Steel Tube 26 inch total length for 32 inch axle with Wide 5 Snout QCB tube | 166.60 |
| W525 5/8th 31 | Wide 5 31 Spline solid axle 25 5/8 inch Long | 119.00 |
| W52631 | Wide 5 31 Spline solid axle 26 inch | 119.00 |
| W526531 | Wide 5 31 Spline solid axle 26.5 inch Long | 119.00 |
| W52731 | Wide 5 31 Spline solid axle 27 inch Long | 119.00 |
| W527528 | Wide 5 28 Spline solid axle 27.5 inch Long - cut down from a 28.5 inch axle with | 119.00 |
| W527531 | Wide 5 31 Spline solid axle 27.5 inch Long | 119.00 |
| W52828 | Wide 5 28 Spline solid axle 28 inch Long - 3.5 inches of inner spline | 119.00 |
| W52831 | Wide 5 31 Spline solid axle 28 inch Long | 119.00 |
| W528528 | Wide 5 28 Spline solid axle 28.5 inch Long | 119.00 |
| W528531 | Wide 5 31 Spline solid axle 28.5 inch Long | 119.00 |
| W52928 | Wide 5 28 Spline solid axle 29 inch Long - 3.5 inches of inner spline | 119.00 |
| W52931 | Wide 5 31 Spline solid axle 29 inch Long | 119.00 |
| W529528 | Wide 5 28 Spline solid axle 29.5 inch Long - 4 inches of inner spline | 119.00 |
| W529531 | Wide 5 31 Spline solid axle 29.5 inch Long | 119.00 |
| W53028 | Wide 5 28 Spline solid axle 30 inch Long - 3.5 inches of inner spline | 119.00 |
| W53031 | Wide 5 31 Spline solid axle 30 inch Long | 119.00 |
| W530528 | Wide 5 28 Spline solid axle 30.5 inch Long - 4 inches of inner spline | 119.00 |
| W530531 | Wide 5 31 Spline solid axle 30.5 inch Long | 119.00 |
| W53131 | Wide 5 31 Spline solid axle 31 inch Long | 124.00 |
| W531528 | Wide 5 28 Spline solid axle 31.5 inch Long - 3 inches of inner spline | 124.00 |
| W531531 | Wide 5 31 Spline solid axle 31.5 inch Long | 124.00 |
| W53228 | Wide 5 28 Spline solid axle 32 inch Long - 3.5 inches of inner spline | 124.00 |
| W53231 | Wide 5 31 Spline solid axle 32 inch Long | 124.00 |
| W532528 | Wide 5 28 Spline solid axle 32.5 inch Long 4 inches of inner spline | 124.00 |
| W532531 | Wide 5 31 Spline solid axle 32.5 inch Long | 124.00 |
| W53328 | Wide 5 28 Spline solid axle 33 inch Long - 3.5 inches of inner spline | 124.00 |
| W53331 | Wide 5 31 Spline solid axle 33 inch Long | 124.00 |
| W533528 | Wide 5 28 Spline solid axle 33.5 inch Long - 4 inches of inner spline | 129.00 |
| W533531 | Wide 5 31 Spline solid axle 33.5 inch Long | 129.00 |
| W53428 | Wide 5 28 Spline solid axle 34 inch Long 4 inches of inner spline | 129.00 |
| W53431 | Wide 5 31 Spline solid axle 34 inch Long - 3.5 inches of inner spline | 129.00 |
| W534531 | Wide 5 31 Spline solid axle 34.5 inch Long | 129.00 |
| W53528 | Wide 5 28 Spline solid axle 35 inch Long - cut down from a 36.0 inch axle with 3 | 129.00 |

| | | |
|------------------|--|--------|
| W53531 | Wide 5 31 Spline solid axle 35 inch Long | 129.00 |
| W535528 | Wide 5 28 Spline solid axle 35.5 inch Long - 3.5 inches of inner spline | 129.00 |
| W535531 | Wide 5 31 Spline 35.5 inch Long | 129.00 |
| W53628 | Wide 5 28 Spline solid axle 36 inch Long - 4 inches of inner spline | 129.00 |
| W53631 | Wide 5 31 Spline solid axle 36 inch Long | 129.00 |
| WOCSP | Weld On Coil Spring Perch for 5 inch OD coil spring on a 3 inch axle tube One Pi | 21.99 |
| WOCSP-O | Offset Weld On Coil Spring Perch for 5 inch OD coil spring on a 3 inch axle tube | 22.99 |
| W-On BBM | Weld On Brake Bracket Metric Disc F9 Housing use with 11.75 x .810 rotor, 5/16 | 16.10 |
| W-On BBMSet | Weld On Brake Bracket Metric Disc F9 Housing PAIR use with 11.75 x .810 GN | 32.80 |
| W-On BMB3125Set | PAIR of weld on brake brackets 3.125 inch for Econo Street Kit | 28.79 |
| W-On DBK | Weld On Disc Brake Kit | 259.26 |
| W-On DBK w/E | Weld On Disc Brake Kit with E Brake | 369.33 |
| WSP LHD | Wheel Stud Press In 5/8 inch coarse 3.0 inch overall length .690 knurl | 11.40 |
| WSPFineK | Press In Stud 5/8 inch Fine 5 piece Kit - 2.75 inch long 18 thread pitch | 26.16 |
| WSPK | Wheel Stud Press In 5pc Kit Long 5/8 inch Coarse - 3-3/4 inch long | 30.10 |
| WSS ARP | Wheel Stud Screw In 5/8 inch coarse 2 1/2 inch ARP | 11.49 |
| WSSK | Wheel Stud GN Screw In for GN 4.75 hub, 3-3/4 inch long, 5 piece Kit | 34.11 |
| WW2-2-949 | Mustang DS Flange Yoke for FMS drive shafts | 79.95 |
| Y875-1350 | 8.75 inch Chrysler 1350 Yoke Forged 29 Spline | 99.00 |
| Y875-7290 | 8.75 inch 7290 Chrysler Yoke Forged 29 Spline | 99.00 |
| YC12B1350 | Chevy 12 Bolt 1350 Forged Yoke uses S3-94-18X u bolts | 99.00 |
| YD601350 | Dana 60 1350 Forged Yoke | 99.00 |
| YF881330 | Ford 8.8 inch 1330 Forged Yoke 1-1/8 inch caps x 3-5/8 inch wide | 99.00 |
| YF881350 | Ford 8.8 inch 1350 Forged Yoke - takes S3-94-18X u-bolts | 99.00 |
| YF91310S | Ford 9 inch 1310 Short Narrow Forged Black Yoke | 79.95 |
| YF91310S/DAY | Ford 9 inch 1310 Short Narrow New Forged Yoke/ Daytona Support | 88.95 |
| YF91330 | Ford 9 inch 1330 Short Wide Yoke New Cast Cleveland 1-1/8 inch caps x 3-5/8" | 83.37 |
| YF91330LONG | Ford 9 inch 1330 LONG WIDE Yoke -Cleveland 1-1/8 inch caps | 88.50 |
| YF91330S | Ford 9 inch 1330 Short Wide Forged Yoke BLACK Uses 2-4900 Cleveland U-join | 99.00 |
| YF9135028 | Ford 9 inch 1350 28 Spline Forged Yoke | 99.00 |
| YF9135028B | Ford 9 inch 1350 28 Spline New BILLET Yoke | 139.80 |
| YF91350-28spacer | Ford 9 inch 1350 28 Yoke Spacer to install a 1350 yoke on a standard pinion sup | 7.22 |
| YF9135035 | Ford 9 inch 1350 35 Spline Forged Yoke | 99.00 |
| YF9135035B | Ford 9 inch 1350 35 Spline New BILLET Yoke | 147.50 |
| YF9SS | Speedi Repair Sleeve for Ford 9 inch Yoke - 9/16 inch tall | 19.19 |
| YGMC10B1350 | 1350 GM 10 Bolt 1350 Forged Yoke for 8.5 inch | 99.00 |

| | | | | |
|-------------|---|------------------|----------|--------|
| YSYXL10F | Extra Clearance FORGED 10 inch Slip Yoke | REM ISF Finished | YSYXL10F | 149.00 |
| YSYXL8F | Extra Clearance FORGED 8 inch Slip Yoke | | | 93.58 |
| YSYXL9F | Extra Clearance FORGED 9 inch Slip Yoke | REM ISF Finished | YSYXL9F | 149.00 |
| YTorqW | Yoke Wrench for Installation | | | 39.28 |
| ZGNBL610549 | Grand National Bearing | | | 18.34 |
| ZGNBRKit | Grand National Bearing and Race Kit 2 pcs. each | | | 65.46 |
| ZGNRL610510 | Grand National Race ZWZ | | | 13.21 |

Credit Cards and Debit Cards are subject to a 2% Checkout Fee

| | | |
|-------------------------|------------------------------------|--------|
| Shipping- CA Surcharge | \$22 per skid | 22.00 |
| Shipping-Detention | \$45 Per Hour | 45.00 |
| Shipping-Extended | extended, rural or residential fee | 80.00 |
| Shipping-Liftgate | liftgate fee | 90.00 |
| Shipping-Limited Access | limited access delivery fee | 40.00 |
| Shipping-Notification | notification prior to delivery fee | 45.00 |
| Shipping-Reroute | reroute fee | 100.00 |